

PIPERONYL BUTOXIDE EMULSIFIABLE CONCENTRATE 92%

For Tank Mix With Insecticides Only

Contains 8 lb Piperonyl Butoxide Technical per Gallon (959 g/L)

ACTIVE INGREDIENTS:

Piperonyl Butoxide Technical* 92.0%w/w

INERT INGREDIENTS: 8.0%

100.0%w/w

*Equivalent to 73.6% (Butylcarbityl)(6-propylpiperonyl) ether and 18.4% related compounds.

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is an emulsifiable concentrate designed for use in tank mixes with Synthetic Pyrethroids.

Before using this product, consult your Agricultural Extension Agent. Do not use for post harvest application. To be used in a tank mix at the ratio of 1+3 to 1+10 insecticide dosage of Synthetic Pyrethroids. Refer to Synthetic Pyrethroid label for amount of insecticide to use per acre. Can be used in a tank mix for the control of insects on crops as labeled on Synthetic Pyrethroid labels.

Piperonyl Butoxide Emulsifiable Concentrate 92% may be mixed with the following synthetic pyrethroids:

Resmethrin	Permethrin	Cypermethrin	Fenvalerate
Deltamethrin	Phenothrin	Bioresmethrin	Allothrin
Bioallethrin	Tetramethrin	Cismethrin	

EPA Est.: See Lot No. For Correlation

G 4284S-MO-1

P-1/21/87

H 5985-AR-1

NET CONTENTS:

Gallons (L)
LOT NO:

**PENICK-BIO UCLAF
CORPORATION**
P.O. Box 9099, 1670 Wall St. West, Lyndhurst, NJ 07071

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May cause eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE (Continued)

To be used in a tank mix with rotenone. Consult a rotenone label such as Noxflor® Insecticide with Rotenone EC 5% Formula II, EPA Reg. No. 432-677, for proper dosage. Product can be used with rotenone on potatoes, eggplants and tomatoes.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

AC
Under the
Rodenticide
pesticide
EPA Reg