PAC 19 Surgaring of F



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

NOV 18 1994

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

J. ALLEN DUNLAP III WILLIAM M. MAHLBURG AGENT FOR: PLATTE CHEMICAL CO. P.O. BOX 667 GREELEY, CO. 80632

Subject:

Label Amendment Submission of 07/28/94 in Response to PR Notice 93-7

EPA Reg. No. 34704-483

SEVIN 5 BAIT

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling AND
- WITHIN one year from date of this acceptance.



Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highwa,
Arlington, VA 22202

Sincerely,

Im Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment



SEVIN 5 BA

Under the Fadoral Insecti Fundicide, and Redenticide for the pe ide mucuded. 34704-483

N-Methyl Carbamate Insecticide

For Control of Cutworms, Armyworms, Crickets, Darkling Ground Beetles, Grasshoppers, and Sow Bugs.

ACTIVE INGREDIENT: BY WEIGHT Carbaryi (1-naphthyl-methyl carbamate) 5.0% INERT INGREDIENTS:<u>95.0%</u> TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

d Rodersticide Act for the prescide for EPA Neg. No.

See Below For Other Precautions **NET WEIGHT 50 LBS. (22.68 KG) EPA REG. NO. 34704-483** EPA EST. NO _

WPS EXP 06Y94

PRECAUTIONARY STATEMENTS #BAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION
Hermitul & Inhaled or swaltowed. Avoid breathing of dust. Do not take internelly. Avoid contact with skin.

Avoid contamination of flood, feed, water supplies, streams ponds

Personal Protective Equipment:

Applicators and other handlers must wear:

Long sleeved shift and long pants, waterproof gloves and shoes plus

Follow manufacturer sinstructions for elegning and maintaining PPE. If no such instructions for washible silving actorig at and but water. Keep and wash PPE separately from ether raunday.

Engineering controls statements:

When handlers in it ased systems, lend poed cabs, or a roralt in a manner that meets. In luguirements, stod in the Worker Protect on Standard (WPS) for agric in ural post cids of (40 CFR 170 210 (d)/1 E), the hand are PPE requirements may be indicated or most adias specified in the WPS

USER SAFETY RECOMMENDATIONS

Wash hands before eating, drinking, chewing gum, using tobacco or using the to let

Removasclothing immediately if posticide gets incide. Then wash

thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: Wash with soap and water, it initiation persists, contact a physician, IF IN EYES: Flush with water for 15 minutes.

IF INHALED; Remove exposed person to fresh air.

NOTE TO PHYSICIAN: Carbaryl insecticide is a moderate, reversible, cholinesterase Inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuanne invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Do not apply this product in a way that will contact workers or other persons, either dir into or through drift. Only protected handlers may be in the area during an lipptication

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation

Subsequent planting of food and feed crops in treated soils must be made with crops on this or other carbaryl labels.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Workers Protection Standard, 40 CFR part, 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and preenhouses, and handlers of agricultural pesto design dispersions, and preciniouses, and faint daily design decontains along not lication and emergency assistance. It also contains specific instructions and energy assistance it also contains specific instructions and energy and representation of this label about personal notices. In an inglific equipment (PPE), and restricted-entry interval. The require this in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or a low worker entry into treated area during the restricted entry interval (REI) of 12 hours

PPE indured for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is, coveralis waterproof gloves and shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nuistrius orgrephhouses

Keep pets of tre and area.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool, dry, well-ventilated area. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on alte or at an approved waste disposal facility. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CONTINUED

APPLICATION INSTRUCTIONS

Broadcast application may be made by ground equipment or aircraft. Treatments may be repeated as necessary. Apply recommended dosage for control of culworms, armyworms, crickets, darkling ground beetles, grasshoppers and sow bugs.

For band application, reduce rates proportionately.

Alfalfa: Apply 30 lbs, per acre. Do not apply within 7 days of harvest.

Asperagus, Strawberries: Apply 40 lbs. per acre. Do not apply within 1 day of harvest.

Beans, Carrole, Corn, Eggplant, Okra, Peppers, Potatoss, Tomatoss, Sweet Corn; Apply 40 lbs. per acre. Do not apply after 3 days of harvest.

Broccoll, Brussels Sprouts, Cabbage, Cauliflower, Head Lettuce, Garden Beets (roots), Horseradish, Persnipe, Radishes, Rutabagas, Turnips (roots): Apply 40 lbs. per acre. Do not apply within 3 days of harvest.

Cotton: Apply 30 to 40 lbs. per acre. Do not apply within 7 days of hervest. Cucumbers, Squesh, Melons, Peenuts: Apply 20 lbs. per acre. No time limitstion.

Peas: Apply 30 lbs. per acre. Do not apply within 3 days of harvest.

Sattlower: (seeding stage only). Apply 30-40 lbs. per acre. No time limitation,

Sorghum: Apply 30 to 40 ths. per acre. Do not apply within 21 days of harvest if used for grain. No time limitation if sorghum is used for forage.

Sunflowers: (Seedling stage only). Apply 30-40 lbs. per acre. Do not apply within 60 days of harvest.

Sugar Beets, Collerds, Endive (escarole), Garden Beets (tops), Kale, Leaf Lettuce, Paraley, Spinach, Swiss Chard, Turnips (tops): Apply 40 lbs. per acre. Do not apply within 14 days of hervest.

FRUIT AND NUT TREES

Apples, Cherries, Pears, Peaches, Plums, Prunes: To control grasshoppers and earwigs apply 40 lbs. per acre. Two applications can be made per year. Do not apply within 1 day of harvest.

Almonds: To control grasshoppers and earwigs apply 40 lbs. per acre. Two applications can be made per year. Do not apply within 28 days of hervest.

Pecane, Walnuts: To control grasshoppers and earwigs apply 40 lbs. per acre. Two applications can be made per year. No time limitation.

Citrus: To control grasshoppers and earwigs apply 46 lbs. per acre. Two applica-

tions can be made per year. Do not apply within 5 days of harvest.

Nectorines: To control grasshoppers and earwigs apply 40 lbs. per acre. Two applications can be made per year. Do not apply within 3 days of harvest.

NOTICE

PLATTE WARRANTS THAT THIS FRODGET CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREDE AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHAN DEED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS IT IS IMPOSSIBLE TO EXEMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT GOP INJURY INSEPTION FOR OTHER WINNTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS INTO EACH OF WATERPALS OF THE WANDER OF THE OF APPLICATION ALL OF WHAT HE HAVE BEYOND THE CONTROL OF PLATE. IN THIS CASE IS SHALL PLATE BE CABLE FOR CONSEQUENTAL SEED ALL PROTECTS OF APPLICATION OF THIS PRODUCT. ALL SWITH BIRSS SHALL BE ASSUMED BY THE BUYEN.

HANDLING OF THIS PRODUCCT ALL SUITH RISKS SHALL BE ASSUMED BY THE BUYEH.

EXCEPT AS EXPRESSLY PRODUCED HEHEIN, PLATTE MAKES NO MARRANT ESGUARANTEES OR REPRETENTATION FOR ANY KIND EITHER FXFRESSED OR
IMPLIED OR BY USACE OF TRACE STATL TORY OR OTHERAL SEW THE REGARD TO
THE PRODUCT. SUD DICLIONS BUILDING TO MERCHANTABLITY FIT
NESS FOR A PRACT CALAR PURPOSE. USE OR EVIGIBILITY OF THE PRODUCT FOR
ANY PART CALAR TRACE TO BUILDING OR USER'S EXCLUSIVE BUYEDY AND
PLATTES TOTAL THACE TO BUILDING OR DESERVE EXCLUSIVE BUYEDY AND
PLATTES TOTAL THACE TO BUILDING OR DESERVE EXCLUSIVE BUYED OR
OF THE PRODUCT.

FORMULATED FOR PLATTE CHEMICAL CO. 150 SO. MAIN STREET FREMONT, NEBRASKA 66025-5697