



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JUN 13 2008

Mr. John T. Tice
Manager, Registrations
Loveland Products, Inc.
P.O. Box 1286
Greeley, CO 80632-1286

Subject: Label Notifications for Pesticide Registration Notice 2007-4

Dear Mr. Tice,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated May 15, 2008 for the product Dimethoate 2.67 EC (EPA Registration Number 34704-489). The Registration Division (RD) has conducted its review of this request for its applicability under PRN 2007-4 and finds that the label changes requested fall within the scope of PRN 2007-4. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Steve Schaible of my staff at 703-308-9362.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 34704-489	2. EPA Product Manager Dan Kenny	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Dimethoate 2.67 EC	PM# 1	
5. Name and Address of Applicant (Include ZIP Code) Loveland Products, Inc. P.O. Box 1286 Greeley, Colorado 80632-1286 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."


Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 2.5 gal		5. Location of Label Directions <input checked="" type="checkbox"/> Label booklet	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input checked="" type="checkbox"/> Other Self Adhesive label	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application!)		
Name John T. Tice	Title Manager Registrations	Telephone No. (Include Area Code) 370-347-1484
2. Signature 		6. Date Application Received (Stamped)
3. Title Manager Registrations		
4. Typed Name John T. Tice John.Tice@UAP.com		
5. Date May 15, 2008		

DIMETHOATE 2.67 EC



Organophosphate SYSTEMIC INSECTICIDE-MITICIDE

ACTIVE INGREDIENT:
Dimethoate O,O-Dimethyl
S-(N-methylcarbamoylmethyl) phosphorodithioate 30.5%

INERT INGREDIENTS: 69.5%

TOTAL **100.0%**

Contains 2.67 lbs. active ingredient per gal.

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

See Below For Additional Precautionary Statements.

EPA REG. NO. 34704-489

EPA EST. NO. 34704-MS-001

NET CONTENTS 2½ GALS. (9.46 L)

IHT 090105 V2D 05Y08

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING—AVISO

Harmful or fatal if swallowed. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes and clothing. May cause eye irritation. Use only with adequate ventilation. Do not contaminate food or feed products.

FIRST AID

If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Atropine is antidotal. Pralidoxime chloride may be effective as an adjunct to atropine. This product may cause cholinesterase inhibition. Aspirated cyclohexanone may cause severe lung damage. If swallowed stomach contents should be

evacuated quickly in a manner which avoids aspiration. Otherwise treatment should be directed at the control of symptoms and clinical condition.

**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL:
1-800-301-7976.**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Personal Protective Equipment:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category (F) on the EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants,
- Chemical-resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber or viton;
- Chemical-resistant footwear plus socks,
- Protective eyewear;
- Chemical-resistant headgear for overhead exposure,
- Chemical-resistant apron when cleaning equipment, mixing or loading.

For exposures in enclosed areas, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

For exposures outdoors, dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
 - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife and aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift, to blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

4/6

DIMETHOATE 2.67 EC
EPA REG. NO. 34704-489

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over short-sleeved shirt and short pants,
- Chemical-resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber or viton;
- Chemical-resistant footwear plus socks
- Protective eyewear,
- Chemical-resistant headgear for overhead exposure.

DIRECTIONS FOR DILUTION UNLESS STATED

Number in parenthesis for recommendations in crops indicates the maximum number of pints per acre.

DILUTE APPLICATION: Ground Application For Field & Vegetable Crops: Apply specified rate in 20 to 60 gallons of water per acre.

CONCENTRATE APPLICATION: Ground Application: Apply specified rate in not less than 5 gallons of water per acre. Orchard Application: Apply equivalent per acre rates in 20 to 100 gallons of water per acre. Special concentrate equipment is necessary for these uses.

AIR APPLICATION: Apply specified rate in 5 to 20 gallons of water per acre. Orchard rates use equivalent per acre rate in not less than 10 gallons of water per acre. Do not use air application on pecans.

Do not apply this product through any type of irrigation system.

CROPS

ALFALFA: *Aphids, leafhoppers, lygus bugs, grasshoppers and reduction of alfalfa weevil larvae, plant bugs*-Apply $\frac{3}{4}$ -1 $\frac{1}{2}$ pts. per acre. This pesticide is highly toxic to bees, do not apply if bees are visiting the areas to be treated when crop or weeds are in bloom. For alfalfa hay, do not apply within 10 days of harvest or pasturing-make only 1 application per year. For alfalfa seed, do not feed or graze livestock on treated crops, hay thresholds or stubble within 20 days of application. (1 $\frac{1}{2}$)

PEARS: *Aphids, leafhoppers, mites (except rust mite)*-Apply $\frac{3}{4}$ -1 $\frac{1}{2}$ pts. per 100 gallons of water. Do not apply within 28 days of harvest. Do not apply when trees or substantial numbers of weeds in the orchard are in bloom. Do not graze livestock on cover crops grown in treated orchards. (3)

BEANS, (green, lima, snap and dry): *Aphids, leafhoppers, leaf miners, mites, lygus bugs, bean leaf beetle, Mexican bean beetle*-Apply $\frac{3}{4}$ -1 $\frac{1}{2}$ pts. per acre. No time limitation. This pesticide is highly toxic to bees, do not apply if bees are visiting the areas to be treated when crop or weeds are in bloom. Do not feed treated vines to livestock. (1 $\frac{1}{2}$)

BROCCOLI & CAULIFLOWER: *Aphids*-Apply $\frac{3}{4}$ -1 $\frac{1}{2}$ pts. per acre. Do not apply within 7 days of harvest. (1 $\frac{1}{2}$)

CITRUS (grapefruit, lemons, oranges, tangerines): Do not apply when trees or substantial numbers of weeds in the grove are in bloom. Do not use on seedlings. Do not apply within 15 days of harvest, except do not apply within 45 days of harvest for scale control rates over 1 $\frac{1}{2}$ pts. per 100 gallons of water. Make no more than 2 applications to mature fruit. Do not enter groves or nurseries within 48 hours of application. Do not graze livestock on cover crops grown in treated orchards. *Aphids, mites (except rust mite), thrips*-Apply $\frac{3}{4}$ -1 $\frac{1}{2}$ pts. per 100 gallons of water. *Scales (except black or snow)*-Apply 1 $\frac{1}{2}$ - 2 $\frac{1}{2}$ pts. per 100 gallons of water. *Whiteflies*-Apply 1 $\frac{1}{2}$ pts. per 100 gallons of water. (12)

CITRUS (grapefruit, lemons, oranges, tangerines) (non-bearing and nursery stock) California & Arizona only: *Thrips, aphids*-Foliar spray-Apply 1 $\frac{1}{2}$ pts. per 100 gallons of water. Repeat as necessary. Use only on nursery stock and other non-bearing trees (trees that will not bear fruit within one year). Soil drench: apply 3 qts. per acre in the basin or furrow around the base of the tree. Apply when insects injury to new growth appears. Use only on nursery stock and other non-bearing (trees that will not bear fruit within one year). Do not enter groves or nurseries within 48 hours of application. Do not graze livestock on cover crops grown in treated orchards. (6)

CITRUS (grapefruit, lemons, oranges, tangerines) Arizona only: *Thrips*-Use specified dosage of Dimethoate 2.67 EC in the amount of water necessary to achieve adequate coverage of foliage. The type of equipment used will determine the concentration required. Aerial: Apply up to 6 pints in not less than 5 gallons water/acre. Ground: Apply up to 6 pints in not less than 20 gals. water/acre. Do not apply within 15 days of harvest. Do not enter treated groves within 4 days of last application.

Note: Use of dimethoate is prohibited during any time of day in any given orchard from when that orchard has 10% open blooms until such time as there has been at least 75% petal fall on the north side of the trees. Applications of dimethoate shall be limited to that period of time between one (1) hour after sunset to three (3) hours before sunrise when any one of the following conditions prevail: 1) Before the onset of petal fall, the orchard

to be treated has open blooms present and these open blooms represent less than 10% of the total anticipated blooms in the orchard. 2) After the initiation of petal fall there are less than 25% of open blooms remaining in the orchard to be treated. 3) It is between the calendar dates of February 15 and May 1st.

All applications of dimethoate on citrus must be documented on Form 1080 written either by a pest control advisor, farm owner or farm manager as is normally required for custom applications of pesticides, except that private applicators may omit the "Pesticide Application Report" section. The description of the status of bloom of the orchard to be treated as it was at the time of the application shall be indicated in the section for "Label Restrictions/Special Instruction". Both private and custom applicators shall mail to the Agriculture Department's Phoenix office the original or each completed Form 1080 done in accordance with this label. Each Form 1080 shall be postmarked not later than Monday following the week in which the application was made, except when holidays intervene.

COTTON: *Aphids, mites, thrips, fleahoppers, plant bugs*-Apply $\frac{1}{3}$ - $\frac{2}{3}$ pt. per acre. Do not apply within 14 days of harvest. Repeat applications should not be made in intervals closer than 14 days. Do not feed treated forage or graze livestock on treated fields. (2 $\frac{1}{2}$)

COTTON (use restricted to California and Arizona): *Lygus bugs, leafhoppers, black fleahopper*-Apply $\frac{3}{4}$ - 1 $\frac{1}{2}$ pts. per acre. Do not apply within 14 days of harvest. Repeat applications should not be made at intervals closer than 14 days. No more than 2 applications per season. Do not feed treated forage or graze livestock on treated fields. (1 $\frac{1}{2}$)

FIELD CORN: *Aphids, bean beetles, corn rootworm adults, mites, thrips, fleahoppers*-Apply 1-1 $\frac{1}{2}$ pts. per acre when insects first appear. Apply as needed using a maximum of 3 applications per year. Do not apply within 14 days of harvest if corn is used for forage and 42 days if used for grain. Do not apply to corn during the pollen-shed period.

LENTILS: *Aphid, lygus bugs*-Apply $\frac{3}{4}$ -1 $\frac{1}{2}$ pts. per acre when insects first appear. Use the higher application rate for lygus control. Repeat applications as needed. This pesticide is highly toxic to bees, do not apply if bees are visiting the areas to be treated when crop or weeds are in bloom. Do not apply within 14 days of harvest. Do not feed or graze hay or treated vines.

LETTUCE (leaf), ENDIVE (escarole), KALE, MUSTARD GREENS, SWISS CHARD, TURNIPS (greens and roots): *Aphids, leafhoppers, leaf miners*-Apply $\frac{3}{4}$ pint per acre. Do not apply within 14 days of harvest. (3 $\frac{1}{4}$)

MELONS (except watermelons): *Aphids, leafhoppers, leaf miners, thrips*-Apply 1 $\frac{1}{2}$ pts. per acre. Do not apply within 3 days of harvest. (1 $\frac{1}{2}$)

WATERMELONS: *Aphids, leafhoppers, leaf miners*-Apply $\frac{3}{4}$ - 1 $\frac{1}{2}$ pts. per acre. Do not apply within 3 days of harvest. (1 $\frac{1}{2}$)

PEAS: *Aphids*-Apply $\frac{1}{2}$ pt. per acre. Peas may be harvested on day of application. This pesticide is highly toxic to bees, do not apply if bees are visiting the areas to be treated when crop or weeds are in bloom. Do not feed or graze hay within 21 days after last application when a stationary viner is used. Do not feed or graze when a mobile viner is being used. Make no more than one application per growing season. (1 $\frac{1}{2}$)

PECANS: *Aphids, mites, leafhoppers*-Apply 1 pt. per acre by ground equipment only. Do not apply within 21 days before harvest. Do not graze livestock in treated groves. Apply in 100-500 gallons of water per acre. (1)

PEPPERS: *Aphids, leaf miners, maggot*-Apply $\frac{3}{4}$ -1 pt. per acre. No time limitation. (1)

POTATOES: *Aphids, leafhoppers, leaf miner*-Apply $\frac{3}{4}$ -1 $\frac{1}{2}$ pts. per acre. Potatoes may be harvested on day of application. (1 $\frac{1}{2}$)

SAFFLOWER (use restricted to California and Arizona): *Aphids, leafhoppers, lygus bugs, thrips*-Apply $\frac{3}{4}$ -1 $\frac{1}{2}$ pts. per acre. Do not apply within 14 days of harvest. Repeat applications should not be made at intervals closer than 14 days. No more than two applications per season. (1 $\frac{1}{2}$)

SORGHUM: *Aphids, mites*-Apply $\frac{3}{4}$ -1 $\frac{1}{2}$ pts. per acre. Do not feed or graze within 28 days of last application. Do not apply after heading. No more than three applications per season. (1 $\frac{1}{2}$)

SOYBEANS: *Leafhoppers, alfalfa loopers, Mexican bean beetles, spider mites*-Apply 1 $\frac{1}{3}$ pts. per acre. Do not feed or graze within 5 days of last application. Do not apply within 21 days of harvest.

TOMATOES: *Aphids, leafhoppers, leaf miners*-Apply $\frac{3}{4}$ -1 $\frac{1}{2}$ pts. per acre. Do not apply within 7 days of harvest. (1 $\frac{1}{2}$)

WHEAT: *Aphids (including greenbug), brown wheat mite*-Apply $\frac{3}{4}$ -1 pt. per acre. Do not apply within 14 days of grazing immature plants. Do not harvest grain within 60 days of last application. Make no more than two applications per growing season. (1)

DIMETHOATE 2.67 EC
EPA REG. NO. 34704-489

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not store below 32°F or above 90°F. Store in original container in a well-ventilated area separately from fertilizer, feed, and foodstuffs. Avoid cross-contamination with other pesticides.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC - 1-800-424-9300.


CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY
BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL, THIS PRODUCT IS SOLD AS IS TO THE EXTENT ALLOWED BY APPLICABLE LAW. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL, BUYER OR USER MUST SEND, TO THE EXTENT REQUIRED BY APPLICABLE LAW, WRITTEN NOTICE OF SUCH CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, 7251 WEST 4TH STREET, GREELEY, CO 80634.

TO THE EXTENT ALLOWED BY APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT TO THE EXTENT ALLOWED BY APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.



FORMULATED FOR



P.O. BOX 1286, GREELEY, COLORADO 80632-1286

