

BEST

50% MALATHION INSECT SPRAY

Read entire label. Use strictly in accordance with label cautions, warnings and directions.

50% Malathion Insect Spray gives control of many common garden insects. Spray thoroughly to cover both upper and lower leaf surfaces and all infested portions of plants. Do not store diluted spray. Make new dilution for every use. Application may be made with any type of garden sprayer.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

WARNING: DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

WARNING: Keep out of reach of children. May be fatal if swallowed. May be absorbed through the skin. Do not breathe spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Do not permit children or pets to go onto sprayed grass until spray has completely dried. Keep out of reach of domestic animals. Do not contaminate ornamental fishponds. Do not use on ferns. May injure foliage of certain varieties of apples and cherries.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. When container is empty wash thoroughly and destroy. Never reuse.

Highly toxic to bees. Severe losses may be expected if bees are present at treatment time or within a day thereafter.



Occidental Chemical Company

POST OFFICE BOX 198 • LATHROP, CALIF. 94620

EPA Reg. No. 7001-144-AA

Label No. 1074

EPA Est. No. 7001 CA 1

You Get Results

BEST

50% Malathion Insect Spray



FOR CONTROL OF:

Aphids, Red Spider Mites, Thrips, Scale,
Leafhoppers, White Fly, Mealybugs

ACTIVE INGREDIENTS:

Malathion*

50.0%

Xylene

35.4%

INERT INGREDIENTS:

14.6%

*O,O dimethyl dithiophosphate of diethyl mercaptosuccinate

WARNING: KEEP OUT OF REACH OF CHILDREN.
See back panel for additional warnings.

NET CONTENTS 16 FL. OZ. (1 PT.)

ORNAMENTALS: (Roses, Azaleas, Camellias, Evergreens and many other flowers and shrubs) Aphids 2 teaspoons per gallon of water. Red Spider Mites, Mealybugs, Woolly Aphids, White Fly, Thrips, Rose Leafhoppers, 1 tablespoon per gallon of water. Black Scale, Soft Brown Scale, Monterey Pine Scale 1½ to 2 tablespoons per gallon of water.

FRUITS AND NUTS: Numbers () indicate days required between last spray and harvest.

Apples (3), Pears (1) Aphids 2 teaspoons per gallon of water. Red Spider Mites, Woolly Aphids, White Flies, Thrips, Pear Psylla 1 tablespoon per gallon of water. Apricots (7), Cherries (3), Peaches (7) Aphids 2 teaspoons per gallon of water. Almonds (1), Filberts (1), Pecan (1), Walnuts (1) Aphids 2 teaspoons per gallon of water.

CITRUS FRUITS: Grapefruit, Lemons, Limes, Oranges, Kumquats. Do not apply within 7 days of harvest. Black Scale, California Red Scale, Purple Scale, Thrips 2 teaspoons per gallon of water. Do not apply during fullbloom.

VEGETABLES: Numbers () indicate days required between last spray and harvest. Cole crops including Broccoli, Brussel Sprouts, Cabbage and Cauliflower (7), Peas (3), Potatoes (1), Squash (1), Melons (1), Tomatoes (1) — Aphids 2 teaspoons per gallon of water. Beans (1) — Aphids 1 tablespoon per gallon of water.


HOUSEHOLD PESTS in and about homes: Roaches, Ants, Mosquitoes, Silverfish, Clover Mites, Earwigs, 8 tablespoons (4 ounces) per gallon of water. Apply with a coarse spray or paint brush to window sills, baseboards, under sinks and to other areas frequented by pests. Avoid contamination of food dishes, utensils, milk, milk equipment, water. Repeat applications as necessary.

BEST AVAILABLE COPY

Insect Spray per gallon of water in a hand sprayer. Thoroughly wet the animal, keeping the solution out of the pet's eyes. If the animal is confined to an area which is free of fleas, one treatment may suffice. If, however, the animal is allowed to run free, it may become re-infected. Examine the animal every three weeks and re-treat if fleas are present.

Premise treatment: Animals become re-infected unless the pet's quarters, yard and lawns are also treated.

Fleas, ticks. Remove manure or debris from these areas and spray using 5 oz. of 50% Malathion Insect Spray in 1 gallon of water and spray at the rate of 1 gallon of the mixture per each 1,000 sq. ft. Repeat treatment in 3-4 weeks if necessary.



34704-527

920704

84843