

50% MALATHION

INSECT SPRAY

Controls many insect pests including Aphids,
Red Spider Mites, Thrips, Scale, Leafhoppers, Whitefly,
Mealybugs and Tent Caterpillars.

ACTIVE INGREDIENTS:

Malathion (0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate) 50.0%

INERT INGREDIENTS* 50.0%
Total 100.0%

*contains xylene range aromatics

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY
STATEMENTS

EPA REG. NO. 34704-527

EPA EST. NO. _____

NET CONTENTS 1 QUART (946 ml)

BEST AVAILABLE COPY

Do not absorb through the skin. Avoid contact with skin, eyes, and clothing. Do not breathe spray mist. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not permit children or pets to go onto sprayed grass until spray has completely dried. Keep out of reach of domestic animals.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to bloom. Crops or weeds if bees are visiting the treatment area.

PHYSICAL & CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed — Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled — Remove victim to fresh air. Apply artificial respiration if indicated.

If On Skin — Remove contaminated clothing and wash affected areas with soap and water.

If In Eyes — Flush eyes with plenty of water. Call a physician if irritation persists.

Note to Physician: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

ACCEPTED

APR 19 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 34704-527

PM 16 34704-527

CITRUS FRUITS (Grapefruit, Lemons, Limes, Oranges, Kumquats). Do not apply within 7 days of harvest. Black Scale, California Red Scale, Purple Scale, Thrips: 2 teaspoons per gallon of water. Do not apply during full bloom.

VEGETABLES: Number between parentheses () indicate days required between last spray and harvest.

Cole crops, including Broccoli, Brussels Sprouts, Cabbage, and Cauliflower (7), Peas (3), Potatoes (1), Squash (1), Melons (1), Tomatoes (1) Aphids: 2 teaspoons per gallon of water. Beans (1), Aphids: 1 tablespoon per gallon of water.

HOUSEHOLD PESTS In and about homes: Roaches, Ants, Mosquitoes, Silverfish, Clover Mites, Earwigs: 8 tablespoons (4 ounces) per gallon of water. Apply with a coarse spray or paint brush to window sills, baseboards, under sinks, and to other areas frequented by pests. Avoid contamination of food, dishes, utensils, milk, milk equipment, water. Repeat applications as necessary.

DOGS AND CATS: Fleas, lice, and ticks. Apply 2 tablespoons (1 oz.) per gallon of water in a hand sprayer. Thoroughly wet the animal, keeping the solution out of the pet's eyes. If the animal is confined to an area which is free of fleas, one treatment may suffice. If, however, the animal is allowed to run free, it may become re-infested. Examine the animal every three weeks and re-treat if fleas are present.

PREMISE TREATMENT: Animals become re-infested unless the pet's quarters, yard, and lawns are also treated. Fleas, ticks: Remove manure or debris from these areas and spray using 10 tablespoons (5 oz.) in 1 gallon of water and spray at the rate of 1 gallon of mixture per 1,000 sq. ft. Repeat treatment in 3 to 4 weeks if necessary.

NOTICE

Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee, or direction concerning this product. Because the time, place, rate of application, and other conditions of use are beyond Seller's control, Seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.

FORMULATED FOR

PLATTE CHEMICAL COMPANY, INC.

150 SO. MAIN STREET

FREMONT, NEBRASKA 68025

BEST AVAILABLE COPY