



# VAPORA™

## HOME AND FARM BOMB

Kills resistant flies around the home and farm with Vapor action.

### ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate .....	0.465%*
Related compounds .....	0.035%**
Pyrethrins .....	0.100%
Piperonyl butoxide, technical .....	0.400%**
INERT INGREDIENTS:*** .....	99.000%
<b>TOTAL</b>	<b>100.000%</b>

- \*Equivalent to 0.500% Dieldrin and Related Compounds.
- \*\*Equivalent to 0.320% (butylcarbonyl)(6-propylpiperonyl) ether and 0.080% related compounds.
- \*\*\*This product contains Aliphatic petroleum hydrocarbons.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**STORAGE:** Store in original container only, preferably in a locked area.  
**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash collection.

### FARM USES

**MILKHOUSES & DAIRYROOMS:** Spray windows, doors, ceilings as needed, but do not apply on foods and utensils.

**BARNs:** Spray resting places such as windows, doorways, ceilings where flies and mosquitoes congregate. Spray ceilings and walls of animal pens to reduce fly breeding. Use Hopkins Fly-Bate on floors and window ledges for more complete control.

### HOME USES

**FLIES, MOSQUITOES, GNATS:** Spray into four corners of room about 10 to 15 seconds per average size room (1,000 cu. ft.). Close windows and doors for about 10 to 15 minutes during treatment.

**FLYING MOTHS, WASPS, HORNETS:** 20 to 25 seconds per 1,000 cu. ft. Spray liberally into cracks of woodwork, walls, floors, ceilings or other breeding places.

**ROACHES, ANTS, FLEAS, SILVERFISH:** Spray liberally into cracks of woodwork, walls, floors, ceilings, or other breeding or hiding places. Thoroughly spray sleeping quarters of animal pets. Repeat as necessary. Do not apply for more than 1 1/2 minutes per room at a given time.

**BEDBUGS:** Spray bed frame, springs, mattresses, tufts, seams and all cracks and hiding places about bedroom. Do not spray general surface of mattress. Air mattress completely dry, at least 4 hours, before reuse.

**MOTH WORMS, CARPET BEETLES:** Clean, air and brush clothing, rugs, carpets, fabrics. Spray thoroughly from 3 ft. distance, especially seams, folds, under collars and lapels, and cuffs. Clean and spray closets, drawers, chest and storage areas. Repeat every 30 days.

### NOTICE OF WARRANTY

Seller and Manufacturer make no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extends beyond the statements on this label.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

Read Below For Precautionary Statements

EPA REG. NO. 34704-579

EPA EST. NO. \_\_\_\_\_

NET WEIGHT \_\_\_\_\_ OUNCES

25337

01Y90

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating or smoking.

If swallowed, call a physician immediately.

Note to Physician: Atropine is antidotal.


Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not spray on skin or on animals. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in food serving areas while food is exposed. Do not remain in treated areas and ventilate the area after treatment is completed.

Remove pets, birds, cages and fish bowls from rooms being sprayed.

### PHYSICAL OR CHEMICAL HAZARDS

**EXTREMELY FLAMMABLE.** Do not use or store near fire, sparks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in the use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting. Incineration of container may cause explosion.

**NOTE:** Do not spray plastics or asphalt tile directly. To avoid staining, hold spray 3 feet from fabrics and painted surfaces.



FORMULATED FOR  
PLATTE CHEMICAL CO.

180 SO. MAIN STREET      FREMONT, NEBRASKA 68025



# ETHION MISCIBLE

## ACTIVE INGREDIENTS:

Ethion (O,O,O',O'-Tetraethyl S,S'-Methylene  
bisphosphorodithioate) ..... 46.5%

INERT INGREDIENTS\* ..... 53.5%

TOTAL 100.0%

Contains 4 lb. Ethion per gallon.

\*This product contains xylene range aromatics.

## KEEP OUT OF REACH OF CHILDREN WARNING AVISO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin.

SEE BELOW FOR ADDITIONAL REQUIRED  
WARNINGS AND ANTIDOTE STATEMENT.

EPA REG. NO. 34704-555

EPA EST. NO. \_\_\_\_\_

NET CONTENTS \_\_\_\_\_ GALLONS

24808

EXP. 1Y

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Keep children and animals off treated areas until this material has been thoroughly watered into soil and the grass has completely dried.

Avoid contact with skin, eyes or clothing. Do not breathe spray mist. Wash after handling.

Do not contaminate or store near feed or foodstuff.

### FIRST AID

Persons who show a contraction of eye pupils or have headaches, nausea or other signs of illness while or soon after handling Ethion must be taken to a doctor at once.

SKIN: Wash immediately with plenty of soap and water. Remove all contaminated clothing and wash before reuse.

EYES: Flush immediately with large amounts of water.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

### CALL A PHYSICIAN AT ONCE

Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

### USAGE WARNING

Do not use if material does not emulsify.

Do not use or store near heat or open flame.

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

## REENTRY STATEMENT

Do not enter treated areas for 24 hours unless appropriate protective clothing is worn. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers.

Written or oral warnings must include the following information

### WARNING

(Insert area or field description) treated with Ethion on (insert date of application.) Do not enter without appropriate protective clothing for 24 hours. In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Ethion and describe his condition. For further information see the "FIRST AID" portion of the pesticide label.

## STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly.

STORAGE: Do not store below temperature of (0°F) Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

## DIRECTIONS (continued)

Apply the listed amount per acre when insects first appear and repeat as required to maintain effective control. Use in sufficient water for thorough coverage, unless other wise noted for listed crops. Coverage of upper and lower leaf surfaces is essential for good control. Observe use limitations. If insect control is required beyond the following use pattern, supplement the control program with other suitable pesticides. Observe days interval between last application and harvest indicated by number in () following the crop.

When applying this material by aircraft, mix the recommended amount with sufficient water to provide a minimum of 1 gallon finished spray per acre. Where more than 2 quarts are recommended mix with sufficient water to provide a minimum of finished spray equal to twice the amount of Ethion Miscible used. Do not use in undiluted form. Do not apply this product through any type of irrigation system.

BEANS (SUCCULENT AND DRY) (2): Bean Leaf Beetle, Mexican Bean Beetle, Two-spotted Spider Mite — 0.5 to 1 qt. per acre. Potato Leafhopper — 1 qt. per acre. Do not feed treated foliage to livestock.

BEANS (SUCCULENT AND DRY) (4): Lygus Bugs — 1 qt. per acre. Do not feed treated foliage to livestock.

CORN, FIELD (50): Pacific Spider Mite, Two-spotted Spider Mite — 1 qt.

(continued)