

Susp 3/83

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**CAUTION**

**AVOID BREATHING DUST.** May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling.

**ENVIRONMENTAL HAZARDS**

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Avoid contamination of feed and foodstuff.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures.

**CONTAINER DISPOSAL:** Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.


**NOTICE OF WARRANTY**

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**ACCEPTED**

SEP 3 0 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2392-258



*Hopkins*

**ROUT G-8**

GRANULAR WEED KILLER

**ACTIVE INGREDIENTS:**

Bromacil (5-Bromo-3-sec-butyl-6-methyluracil) ..... 4%  
Difuron 3-(3, 4-Dichlorophenyl)-1, 1-dimethylurea ..... 4%

**INERT INGREDIENTS:** ..... 92%

**TOTAL** ..... 100%

EPA Reg. No. 2392-358

EPA Est. No. 2393-IL-3<sup>Q</sup>, 2393-WI-1<sup>Q</sup>,  
523-IL-1<sup>Q</sup>, 2393-WI-2<sup>Q</sup>, 33509-MO-1<sup>Q</sup>  
Superscript refers to first letter of lot number.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**STATEMENTS OF PRACTICAL TREATMENTS**

**If On Skin:** In case of contact, wash skin with soap and water.  
**If In Eyes:** Flush with water for 15 minutes and get medical attention.

See Side Panels For Additional Precautionary Statements  
And Use Directions

MANUFACTURED BY



**Hopkins**

agricultural chemical co.

MADISON, WISCONSIN 53707  
U.S.A.

NET CONTENTS

50 POUNDS  
(22.68 Kg)

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **NO E** Do Not apply allow to drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend. Do Not contaminate irrigation ditches or water used for domestic purposes. Do Not allow contact with fertilizers, insecticides, fungicides or seeds. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

**NON-CROP WEED CONTROL**

Rout G-8 Granular is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for non crop land areas such as railroad rights-of-way and industrial areas.

Rout G-8 Granular should be applied as furnished with a seed spreader, a shaker-type applicator, or with any equipment which will distribute the chemical uniformly over the area to be treated.

For short-term control of annual weeds on non-crop land areas such as roadsides, storage areas, and plant sites, apply 40 to 60 lbs. per acre. For extended control of annuals and partial control of perennials such as Bermudagrass and nutsedge, apply 100 to 200 lbs. per acre. Reapplication as a spot treatment may be required when deep-rooted perennial weeds such as Bermudagrass, bouncingbet, dogbane, Johnsongrass, nutsedge and saltgrass are present.

Use higher levels of dosage rates on adsorptive soils (high in organic matter or carbon). To obtain better control, Rout G-8 Granular should be absorbed by the roots. Best results occur when application is made just before weed emergence or in early stages of weed growth.

**RETREATMENT:** Apply 40 to 60 lbs. per acre when annual weeds and grasses reappear on sites where weed growth has been controlled.

**SMALL AREAS:** 1/2 lb. per 100 sq. ft. is approximately 150 lbs. per acre. Repeat spot treatment may be required when deep-rooted perennial weeds are present.

Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use in their particular area or write to Hopkins Agricultural Chemical Co.