DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use on nests built too close to windows, doorways, children's play areas and other similar sizes.

For indoor and outdoor use. Can also be used in attics, warehouses and other storage areas where food and foodstuffs are not exposed.

FOR OUTDOOR USE: Application should be made in late evening when insects have returned to nest and are at rest. Hold can upright. Remove cap. Point valve away from face. With wind at back, aim and spray nests in trees, bushes, under leaves, chimneys, cracks or crevices, etc.

FOR INDOOR USE: Point valve opening away from face. Aim and spray nests under rafters, etc. Do not spray in areas where foods and foodstuffs are exposed or handled.

Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand disectly under nest. Best results can be obtained in nests are sprayed in late evening when arpst insects have returned to nest and are at rest. If reinfestation occurs, repeat treatment.

STORAGE: Store in a cool, dry place inaccessible to children and pets and away from hear, open flame or other sources of heat or ignition

DISPOSAL: Replace cap, wrap in newspaper and disard in trash



WASP & HORNET INSECT BOMB

KILLS
WASPS — HORNETS
and
YELLOW JACKETS

JET SPRAY REACHES NESTS UP TO 20 FEET ABOVE GROUND

"Contains petroleum distilletes. U.S. Patent No. 3,465,007

> KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Preceditionary Statements

EPA REG. NO. 34704-581

EPA EST. NO. _

NET WEIGHT 15 OUNCES
CONTENTS UNDER PRESSURE

8202

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly after handling before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting due to aspiration hazard. Gastric lavage is indicated if material is taken internally. Contact a physician or poison control center immediately.

If Inhaled: Remove victim to fresh air immediately. Apply artificial respiration if indicated. If On Skin: Remove contaminated clothing and wash affected areas with plenty of soap and water.

If In Eyes: Flush with plenty of water, Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

FORMULATED FOR PLATTE CHEMICAL CO. 150 SO. MAIN STREET FREMONT, NEBRASKA 68025