

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 9, 2021

Robert Avalos Manager of Registrations Loveland Products Inc. P.O. Box 1286 Greeley, CO 80632-1286

Subject: Registration Review Label Mitigation for Aliphatic Solvents

Product Name: CLEAN CROP SUPERIOR DORMANT SPRAY OIL

EPA Registration Number: 34704-596

Application Date: June 9, 2020 Decision Number: 563733

Dear Mr. Avalos:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Aliphatic Solvents Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A copy of your label stamped "Accepted" is enclosed. Products shipped after 12 months from the date of this amendment must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

Page 2 of 2 EPA Reg. No. 34704-596 Decision No. 563733

If you have any questions about this letter, please contact Marisa Wright by phone at (703) 347-0463, or via email at wright.marisa@epa.gov.

Sincerely,

Linda Arrington, Branch Chief

Risk Management and Implementation Branch 4

Pesticide Re-Evaluation Division

Office of Pesticide Programs

Enclosure



# SUPERIOR DORMANT SPRAY OIL

Petroleum Oil Specifications: Unsulfonated Residue—90% Minimum

Jugarionatoa mostado 30 /0 millimani

# KEEP OUT OF REACH OF CHILDREN CAUTION

See inside label booklet for First Aid, Precautionary Statements and Directions for Use.

| FIRST AID     |  |  |  |  |
|---------------|--|--|--|--|
| If swallowed: |  |  |  |  |
|               | Do not give any liquid to a person.  |  |  |  |
|               | • Do not induce vomiting unless told to do so by the poison control center or doctor.      |  |  |  |
|               | Do not give anything by mouth to an unconscious person.                                    |  |  |  |
| If in eyes:   | Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.                 |  |  |  |
| •             | • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |  |  |  |
|               | Call a poison control center or doctor for treatment advice.                               |  |  |  |
| If inhaled:   | Move person to fresh air.  |  |  |  |
|               | • If person is not breathing, call 911 or an ambulance, then give artificial respiration,  |  |  |  |
|               | preferably by mouth-to-mouth, if possible.   |  |  |  |
|               | Call a poison control center or doctor for further treatment advice.                       |  |  |  |
| lf on skin    | Take off contaminated clothing.  |  |  |  |
| or clothing:  | Rinse skin immediately with plenty of water for 15 to 20 minutes.                          |  |  |  |
|               | Call a poison control center or doctor for treatment advice.                               |  |  |  |

**NOTE TO PHYSICIAN:** This product contains petroleum distillates and may pose an aspiration pneumonia hazard

# FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EPA REG. NO. 34704-596 EPA EST. NO. 34704-MS-001 NET CONTENTS: 30 GALS. (113.5 L) [Print Code to be placed here]

MANUFACTURED FOR: LOVELAND PRODUCTS, INC. P.O. BOX 1286 GREELEY, COLORADO 80632-1286

# ACCEPTED

Mar 09, 2021

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 34704-596

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash thoroughly before reuse.

#### **Personal Protective Equipment (PPE):**

# Mixers, loaders, applicators, flaggers and other handlers must wear:

- Long-sleeved shirt, long pants,
- Shoes plus socks, and
- Chemical-resistant gloves made of any waterproof material.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

#### **Engineering controls statements:**

Pilots must use an enclosed cockpit that meets the requirements listed in the WPS for agricultural pesticides [40CFR 170.240(d)(6)]. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### **USER SAFETY RECOMMENDATIONS**

#### **Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean highwater mark. Do not contaminate water when disposing of equipment wash water or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Avoid drift or run off into storm drains, drainage ditches, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to maximize the chances that wind, or rain will not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

#### PRODUCT SPECIFICATIONS

SUPERIOR DORMANT SPRAY OIL contains a refined white oil plus emulsifiers and other ingredients.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact adults, children, or pets, directly or through drift.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Work Protection Standard and that involves contact with anything that has been treated, such as soil or water, is:

- · Coveralls,
- · Shoes plus socks, and
- Chemical-resistant gloves made of any waterproof material.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter until sprays have dried.

# Advisory Spray Drift Language SPRAY DRIFT ADVISORIES

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT. BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

#### IMPORTANCE OF DROPLET SIZE

An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

Controlling Droplet Size – Ground Boom

Volume - Increasing the spray volume so that larger droplets are produced will reduce spray drift. Use the highest practical spray volume for the application. If a greater spray volume is needed, consider using a nozzle with a higher flow rate.

Pressure - Use the lowest spray pressure recommended for the nozzle to produce the target spray volume and droplet size.

Spray Nozzle - Use a spray nozzle that is designed for the intended application. Consider using nozzles designed to reduce drift.

#### **Controlling Droplet Size – Aircraft**

Adjust Nozzles - Follow nozzle manufacturers recommendations for setting up nozzles. Generally, to reduce fine droplets, nozzles should be oriented parallel with the airflow in flight.

#### **BOOM HEIGHT – Ground Boom**

For ground equipment, the boom should remain level with the crop and have minimal bounce.

#### **RELEASE HEIGHT – Aircraft**

Higher release heights increase the potential for spray drift. When applying aerially to crops, do not release spray at a height greater than 10 ft above the crop canopy, unless a greater application height is necessary for pilot safety.

#### SHIELDED SPRAYERS

Shielding the boom or individual nozzles can reduce spray drift. Consider using shielded sprayers. Verify that the shields are not interfering with the uniform deposition of the spray on the target area.

#### **TEMPERATURE AND HUMIDITY**

When making applications in hot and dry conditions, use larger droplets to reduce effects of evaporation.

#### **TEMPERATURE INVERSIONS**

Drift potential is high during a temperature inversion. Temperature inversions are characterized by increasing temperature with altitude and are common on nights with limited cloud cover and light to no wind. The presence of an inversion can be indicated by ground fog or by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing. Avoid applications during temperature inversions.

#### WIND

Drift potential generally increases with wind speed.

AVOID APPLICATIONS DURING GUSTY WIND CONDITIONS.

Applicators need to be familiar with local wind patterns and terrain that could affect spray drift.

### **Boom-less Ground Applications:**

Setting nozzles at the lowest effective height will help to reduce the potential for spray drift.

#### **Handheld Technology Applications:**

Take precautions to minimize spray drift.

#### PRECAUTIONS IN USING

SUPERIOR DORMANT SPRAY OIL is physically compatible with Bordeaux mixture. Use according to state recommendations only.

SUPERIOR DORMANT SPRAY OIL is physically compatible with liquid lime-sulfur. Use this combination only when recommended by state agricultural authorities. Follow directions for use carefully to avoid injury to trees. Spray in *dormant* period only. Spray thoroughly, but avoid overspraying or drenching.

Do not apply this product or any other oil spray when the temperature is below 40°F. or at any time when there are indications that it may fall to freezing or below within 24 hours after spraying.

Spring dormant spraying is advised as it is safer and more effective.

Spraying in late winter or too early in the spring is about as hazardous as fall spraying. It is best to wait until winter is definitely over (as close as possible to actual start of bud growth in the spring).

Do not use on sugar (hard) maples, beech, hickory, walnut, and butternut.

Most conifers (evergreens) are susceptible to oil injury; therefore, special caution should be exercised when oil sprays are used.

Where evergreens are exposed to heavy spray drift or run-off spray from other trees, protect with coverings until spraying and drip are over, or wash evergreens with clear water immediately after such exposure.

#### **APPLICATIONS**

SUPERIOR DORMANT SPRAY OIL mixes readily with water and is to be used as a dormant or delayed dormant spray for the control of certain insects found on fruit trees, deciduous shade trees, and ornamental shrubs. It may be used on evergreens, taking into consideration the Precautions In Using noted elsewhere on this label.

#### **MIXING DIRECTIONS**

- 1. Start sprayer pump and agitator.
- 2. Start filling sprayer tank with water.
- 3. Add this product before water covers agitator blades.
- 4. Complete filling sprayer tank with water, keeping agitator running.

#### SPRAY METHOD

The dosage rates specified are for conventional hydraulic spraying. This product can also be used in mist blowers or concentrate sprayers.

| FRUIT TREES                           |                                     |                                       |                                |  |
|---------------------------------------|-------------------------------------|---------------------------------------|--------------------------------|--|
| Crop/Pest                             | Gals. of Oil Per<br>100 Gals. Spray | Time of Application                   | Remarks                        |  |
| Pests of APPLE:                       |                                     |                                       |                                |  |
| European Red Mite                     | 2                                   | Green tip to delayed dormant          | Delayed dormant preferred      |  |
| Fruit Tree Leafroller                 | 3                                   | Green tip to delayed dormant          |                                |  |
| Apple Red Bug                         |                                     | •                                     |                                |  |
| Scurfy Scale                          |                                     |                                       |                                |  |
| San Jose Scale                        | 2                                   | Dormant, green tip to delayed dormant |                                |  |
| Forbes Scale                          |                                     | UUIIIIaiil                            |                                |  |
| Pests of PEAR:                        | 0                                   | 5                                     | A 1 1 6                        |  |
| Pear Psylla                           | 2                                   | Dormant                               | Apply before eggs are laid     |  |
| Fruit Tree Leafroller                 | 3                                   | Dormant                               |                                |  |
| Pear Leaf Blister Mite                |                                     |                                       |                                |  |
| Pests of PEACH and                    |                                     |                                       |                                |  |
| PLUM:                                 | 3                                   | Dormant                               |                                |  |
| Cottony Peach Scale<br>European Fruit | 3                                   | Dormant                               |                                |  |
| Lecanium                              | 2                                   | Green tip to delayed dormant          |                                |  |
| European Red Mite                     | 2                                   | Green tip to delayed dormant          |                                |  |
| San Jose Scale                        | 2                                   | Dormant, green tip to delayed dormant |                                |  |
| White Peach Scale (PEACH-             | 2                                   | Before buds begin to swell in the     | Make 2 applications 7 to 14    |  |
| ES-Georgia, Florida, South            |                                     | spring.                               | days apart, according to local |  |
| Carolina, North Carolina and          |                                     | -                                     | recommendations, during the    |  |
| Alabama only)                         |                                     |                                       | dormant period.                |  |

## **DECIDUOUS SHADE TREES**

Use 3 gallons of this product in 97 gallons of water to control San Jose Scale, European Fruit Lecanium, European Elm Scale, European Red Mite, Oyster Shell Scale, Scurfy Scale, Putnam Scale, Terrapin Scale, and Euonymus Scale.

Use 4 gallons in 96 gallons of water to control Cottony Maple Scale.

#### **EVERGREENS**

Use 2 gallons of this product in 98 gallons of water for control of scale insects, Red Mite, Spruce Gall Aphid, Pine Bark Aphid, and other similar insects on evergreens. Apply with a fine misty spray in the spring just before the new growth starts. See section on Precautions in Using.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not store below 32°F (0°C). Do not use or store near heat, open flame or hot surfaces. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. **Keep oil container tightly closed in storage to prevent entry of water.** 

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. Place damaged backage in a holding container. Identify contents.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### **CONTAINER DISPOSAL**

**Nonrefillable container:** Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org. If not recycled, then puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For packages greater than 5 gallons and less than 56 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

**For packages greater than 56 gallons:** To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

For refillable containers: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Offer for recycling or reconditioning, if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC - 1-800-424-9300.

#### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**BEFORE BUYING OR USING THIS PRODUCT**, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way. Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS PRODUCT IS SOLD "AS IS," AND LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW, BUYER OR USER MUST SEND WRITTEN NOTICE OF ITS CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, P.O. BOX 1286, GREELEY, CO 80632-1286.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.