

20 x 8 5/4 Use

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING

May be fatal if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Do not breathe vapors or spray mist. Do not contaminate food or feed products.

PERSONAL PROTECTIVE EQUIPMENT & WORK SAFETY:

USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE: protective suit of one or two pieces that covers all parts of the body except head, hands, and feet; chemical-resistant gloves; chemical-resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots); and a NIOSH or MSHA approved respiratory protection device. In addition, mixers/loaders must wear a chemical-resistant apron. During equipment repair and cleaning, the respirator need not be worn.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt; long-legged pants; chemical-resistant gloves; chemical-resistant apron; shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt and long-legged pants; shoes and socks. Chemical-resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. REMEMBER—THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREAS! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or using the toilet.

AFTER WORK: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear clean clothes. Do not reuse contaminated clothing. Personal clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the res-

pirators. Clothing that becomes heavily contaminated or drenched with fenthion must be destroyed according to State and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

STATEMENT OF PRACTICAL TREATMENT

Call a physician at once in all cases of suspected poisoning.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Remove all contaminated clothing.

IF ON SKIN: Remove contaminated clothing. Wash affected areas with plenty of soap and water.

IF IN EYES: Flush eyes with plenty of clean water. Get medical attention immediately.

NOTE TO PHYSICIAN: ANTIDOTE—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. In addition, 2-PAM may be used in conjunction with atropine but should not be used alone.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to shrimp, fish and wildlife. Birds, fish, shrimp, and crabs in treated areas may be killed. Do not apply where these are important resources. Drift and aquatic transport from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate untreated water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly.

STORAGE: Store in a safe manner. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CAREFULLY READ COMPLETE DIRECTIONS BEFORE USE.

RESTRICTIONS

Do not allow spray treatment to drift on pasture land, crop land, poultry ranges, or water supplies.

Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed. Do not apply directly to animals.

Do not use on crops used for food, forage, or pasture. Do not apply oil sprays directly to flowers or other ornamental plants which may be damaged by the oil. Fog application will not cause plant injury.

FOR CONTROL OF MOSQUITOES AND HOUSEFLIES: Area mosquito applications to populated and rural areas are to be made only by Mosquito Abatement Districts, Public Health Officials, Public Mosquito Control Officials, and Commercial Pest Control Operators.

This product can be mixed with water or with oil (heater oil or diesel fuel) for application at the rates per acre shown in the detailed use directions.

If the mixture of this insecticide and oil, prepared according to label directions, is to be held in storage for longer than a week, it may be necessary to add an anti-sludge agent to the mixture. Request information from your dealer on the type and amount of anti-sludge agent to use.

Spraying: For mosquito larvae control, applications should be made to moist areas, standing water pools, marshes, swamps, and tidal areas. Also spray around and in catch basins and similar areas where mosquitoes breed. Allow at least three weeks between applications. For large area mosquito control, applications should be made to wet grassy, bushy, or woody areas. For localized mosquito and fly control, applications should be made to outside surfaces of buildings, screen doors, window frames, around outdoor light fixtures, and in garages. Do not apply this product through any type of irrigation system.

Fog and Mist Application: Outdoor applications for adult mosquito control may be made by thermal fogging, mist spraying, airplane spraying, or residual spraying. Allow at least 3 weeks between mist applications. Fog applications may be repeated as necessary.

Spray for Control of Mosquito Larvae: Apply 3 fluid ounces (0.05 lbs. active) per acre in sufficient water or oil to obtain uniform coverage, or per 1 1/2 gallons of water or oil for localized applications. Apply as a light uniform spray. Allow at least 3 weeks between treatments.

Thermal Fog for Control of Mosquitoes: Mix 2 1/2 to 5 fluid ounces per gallon of oil. This is equivalent to 2 to 4 gallons of concentrate per 100 gallons of oil. Apply with standard fogging machines calibrated to deliver 40 gallons per hour at a machine speed of 5 m.p.h. to cover a swath width of up to 350 feet. Repeat as necessary.

MOSQUITO SPRAY CONCENTRATE

Contains BAYTEX® Fenthion

For Control of Mosquitoes and Houseflies.

For Control of Insects on Ornamentals, Nursery
Plants, Forest and Shade Trees.

ACTIVE INGREDIENT:

Fenthion (O,O-Dimethyl O-[3-methyl-4-(methylthio)
phenyl] phosphorothioate)* 24.18%

INERT INGREDIENTS:** 75.82%

TOTAL 100.00%

**This product contains xylene-range aromatics.

*Contains 2 lbs. Fenthion per gallon.

**KEEP OUT OF REACH OF CHILDREN
WARNING:**

See Side Panel For Additional Precautionary Statements

EPA REG. NO. 34704-6JJ

EPA EST. NO.

NET CONTENTS GALLONS

• BAYTEX is a Registered T.M. of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.

the lower rate and even longer at the higher rate. Repeat as necessary. Do not apply as a space spray.

Aircraft Application for Control of Mosquito Larvae and Adults: NOTE: This product may cause spotting of automobile paint surfaces if prolonged exposure is permitted. Avoid direct spraying of automobiles. If accidental exposure does occur, cars should be washed immediately. Apply 3 to 6 fluid ounces of this product per acre in water or oil. Mix 2 1/2 to 5 gallons of concentrate in 100 gallons of water or oil and apply 1 gallon of this mixture per acre. Allow at least 3 weeks between treatments.

FOR CONTROL OF INSECTS ON ORNAMENTALS, NURSERY PLANTS, FOREST AND SHADE TREES: For use by Pest Control Operators and Commercial Nurserymen only.

To control ants, Aphids, Mites, Leafhoppers, Armyworms, Juniper Scale, Lecanium Scale, and Bagworms on the ornamental plants listed below:

Trees and Shrubs

Arborvitae	Euonymus	Sweet Gum
Ash	Juniper	Tulip Tree
Aspen	Maple	Viburnum
Birch	Oak	Yew
Dogwood	Spruce	

Flowering Plants

Begonias	Marigolds	Roses
Chrysanthemums	Peonies	Snapdragons
Geraniums	Phlox	Verbena
Lilies	Petunias	Zinnias

Do not apply to hawthorn, American linden, or the rose variety, Delightful, because of possible plant injury.

How to Mix Spray: Add 4 teaspoonful of product to 1 gallon of water (4 pints per 100 gallons). The resulting emulsion is suitable for use in any conventional hand-operated or power-operated spray equipment.

How to Apply: Spray when air is still to avoid drift. Do not treat plants in direct sunlight during the heat of the day or when the temperature is in excess of 90°F. Apply thorough coverage to upper and lower surfaces of leaves. Avoid wetting plants excessively—only a fine mist is required. Repeat as necessary.

Do not apply this product through any type of irrigation system.

KEEP OUT OF REACH OF CHILDREN WARNING

See Below For Additional Precautionary Statements

EPA REG. NO. 34704-600

EPA EST. NO. _____

NET CONTENTS _____ GALLONS

* BAYTEX is a Registered T.M. of the Parent Company of Farben-Fabriken
Bayer GmbH, Leverkusen.

24771

EXP-1R

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING

May be fatal if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Do not breathe vapors or spray mist. Do not contaminate food or feed products.

PERSONAL PROTECTIVE EQUIPMENT & WORK SAFETY:

USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE: protective suit of one or two pieces that covers all parts of the body except head, hands, and feet; chemical-resistant gloves; chemical-resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots); and a NIOSH or MSHA approved respiratory protection device. In addition, mixers/loaders must wear a chemical-resistant apron. During equipment repair and cleaning, the respirator need not be worn. IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt; long-legged pants; chemical-resistant gloves; chemical-resistant apron; shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby. IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt and long-legged pants; shoes and socks. Chemical-resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab.

tors. Clothing becomes heavily contaminated or drenched with fen-
thion must be destroyed according to State and local regulations.
HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE
ADEQUATELY DECONTAMINATED.

STATEMENT OF PRACTICAL TREATMENT

Call a physician at once in all cases of suspected poisoning.
IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Remove all contaminated clothing.
IF ON SKIN: Remove contaminated clothing. Wash affected areas with plenty of soap and water.
IF IN EYES: Flush eyes with plenty of clean water. Get medical attention immediately.
NOTE TO PHYSICIAN: ANTIDOTE—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. In addition, 2-PAM may be used in conjunction with atropine but should not be used alone.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to shrimp, fish and wildlife. Birds, fish, shrimp, and crabs in treated areas may be killed. Do not apply where these are important resources. Drift and aquatic transport from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate untreated water when disposing of equipment washwaters.
This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product; allow it to drift to blooming crops or weeds while bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly.
STORAGE: Store in a safe manner. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

(continued)



MOSQUITO SPRAY CONCENTRATE

EPA REG. NO. 34704-600

(continued)

Storage and Disposal, Cont'd.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CAREFULLY READ COMPLETE DIRECTIONS BEFORE USE.

RESTRICTIONS

Do not allow spray treatment to drift on pasture land, crop land, poultry ranges, or water supplies.

Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed. Do not apply directly to animals.

Do not use on crops used for food, forage, or pasture.

Do not apply oil sprays directly to flowers or other ornamental plants which may be damaged by the oil. Fog application will not cause plant injury.

FOR CONTROL OF MOSQUITOES AND HOUSEFLIES: Area mosquito applications to populated and rural areas are to be made only by Mosquito Abatement Districts, Public Health Officials, Public Mosquito Control Officials, and Commercial Pest Control Operators.

This product can be mixed with water or with oil (heater oil or diesel fuel) for application at the rates per acre shown in the detailed use directions. If the mixture of this insecticide and oil, prepared according to label directions, is to be held in storage for longer than a week, it may be necessary to add an anti-sludge agent to the mixture. Request information from your dealer on the type and amount of anti-sludge agent to use.

Spraying: For mosquito larvae control, applications should be made to moist areas, standing water pools, marshes, swamps, and tidal areas. Also spray around and in catch basins and similar areas where mosquitoes breed. Allow at least three weeks between applications. For large area mosquito control, applications should be made to wet grassy, bushy, or woody areas. For localized mosquito and fly control, applications should be made to outside surfaces of buildings, screen doors, window frames, around outdoor light fixtures, and in garages. Do not apply this product through any type of irrigation system.

Fog and Mist Application: Outdoor applications for adult mosquito control may be made by thermal fogging, mist spraying, airplane spraying, or residual spraying. Allow at least 3 weeks between mist applications. Fog applications may be repeated as necessary.

Spray for Control of Mosquito Larvae: Apply 3 fluid ounces (0.05 lbs. active) per acre in sufficient water or oil to obtain uniform coverage, or per 1 1/2 gallons of water or oil for localized applications. Apply as a light uniform spray. Allow at least 3 weeks between treatments.

Thermal Fog for Control of Mosquitoes: Mix 2 1/2 to 5 fluid ounces per gallon of oil. This is equivalent to 2 to 4 gallons of concentrate per 100 gallons of oil. Apply with standard fogging machines calibrated to deliver 40 gallons per hour at a machine speed of 5 m.p.h. to cover a swath width of up to 350 feet. Repeat as necessary.

Mist Spray for Control of Mosquitoes: Apply 3 to 6 fluid ounces per acre. For mist-blower machines calibrated to deliver 100 gallons per hour traveling at a speed of 4 m.p.h. to cover a swath width of up to 350 feet, use 4 1/4 to 8 1/2 gallons of concentrate per 100 gallons of water. Allow at least 3 weeks between treatments.

Residual Spray for Control of Mosquitoes and Houseflies: For long residual control of mosquitoes and for residual fly control, apply 4 to 8 fluid ounces in 1 gallon of water for applications per 500 square feet or to run-off in localized areas. Residual control lasts 7 to 8 weeks for the lower rate and even longer at the higher rate. Repeat as necessary. Do not apply as a space spray.

Aircraft Application for Control of Mosquito Larvae and Adults: NOTE: This product may cause spotting of automobile paint surfaces if prolonged exposure is permitted. Avoid direct spraying of automobiles. If accidental exposure does occur, cars should be washed immediately. Apply 3 to 6 fluid ounces of this product per acre in water or oil. Mix 2 1/2 to 5 gallons of concentrate in 100 gallons of water or oil and apply 1 gallon of this mixture per acre. Allow at least 3 weeks between treatments.

FOR CONTROL OF INSECTS ON ORNAMENTALS, NURSERY PLANTS, FOREST AND SHADE TREES: For use by Pest Control Oper-

ators and Commercial Nurserymen only.

To control ants, Aphids, Mites, Leafhoppers, Armyworms, Juniper Scale, Lecanium Scale, and Bagworms on the ornamental plants listed below:

Trees and Shrubs		
Arborvitae	Euonymus	Sweet Gum
Ash	Juniper	Tulip Tree
Aspen	Maple	Viburnum
Birch	Oak	Yew
Dogwood	Spruce	
Flowering Plants		
Begonias	Marigolds	Roses
Chrysanthemums	Peonies	Snapdragons
Geraniums	Phlox	Verbena
Lilies	Petunias	Zinnias

Do not apply to hawthorn, American linden, or the rose variety, Delightful, because of possible plant injury.

How to Mix Spray: Add 4 teaspoonful of product to 1 gallon of water (4 pints per 100 gallons). The resulting emulsion is suitable for use in any conventional hand-operated or power-operated spray equipment.

How to Apply: Spray when air is still to avoid drift. Do not treat plants in direct sunlight during the heat of the day or when the temperature is in excess of 90°F. Apply thorough coverage to upper and lower surfaces of leaves. Avoid wetting plants excessively—only a fine mist is required. Repeat as necessary.

Do not apply this product through any type of irrigation system.

REENTRY—TREATED ORNAMENTAL AREAS:


Reentry into treated area is prohibited for 24 hours (1 day) after the end of application, unless the protective clothing specified on this label for early reentry is worn.

FOR EARLY REENTRY INTO TREATED AREAS BEFORE SPRAYS HAVE DRIED wear all protective clothing specified on this label for an applicator.

FOR EARLY REENTRY INTO TREATED AREAS AFTER SPRAYS HAVE DRIED (OR DUST HAS SETTLED, as applicable) wear protective suit of one or two pieces covering all parts of the body except head, hands, and feet; chemical-resistant gloves; chemical-resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots).

NOTICE

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of the product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or indirect damages resulting from the use of handling of this product. All such risks shall be assumed by the buyer. Platte makes no warranties of Merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.



FORMULATED FOR
PLATTE CHEMICAL CO.
150 SO. MAIN STREET FREMONT, NEBRASKA 68025