

VAPONA 0.5%

INSECTICIDE

FOR THE CONTROL OF FLIES, MOSQUITOES, GNATS, FLYING MOTHS AND WASPS AROUND HOME, PORCHES, PATIOS AND OUTDOOR AREAS.

ACTIVE INGREDIENTS:	BY WT.
2,2-Dichlorovinyl Dimethyl Phosphate* .	0.46%
Related Compounds*	0.04%
INERT INGREDIENTS**:	99.50%
TOTAL	100.0%

^{*}Equivalent to 0.50% Dichlorvos and Related Compounds.
*This product contains Aliphatic petroleum hydrocarbons.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panels For Additional Precautionary Statements. EPA REG. NO. 34704-604

EPA EST. NO.

NET CONTENTS 1 QUART

 $^{\circ}$ VAPONA $^{\circ}$ a Registered T.M. of Shell Chemical Co

8203

12Y89

CAUTION

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. Avoid breathing of spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating or smoking.

Do not contaminate feed, water or foodstuffs.

Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry.

If swallowed, induce vomiting immediately and get medical attention.

Atropine is antidotal.

ENVIRONMENTAL HAZARDS

TOXIC TO FISH AND WILDLIFE. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL AND CHEMICAL HAZARDS
DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN
FLAME.

PRECAUTION IN USING

Applicators should take precaution to avoid contact with the fog or mist. The applicator should use a mask or respirator of a type passed by the U.S. Bureau of Mines for DDVP (Vapona Insecticide) protection.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in original container only, preferably in a locked area. Keep container tightly closed when not in use. Store in a cool, dry place. Do not use food or drink containers for mixing or storage PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

GENERAL DIRECTIONS

This product is a specially prepared insecticide, for use undiluted, for control of Flies, Mosquitoes, Flying Moths, Wasps and Gnats. It can be applied as a wet coarse spray, or with paint brush for spot treatment or as a fog or mist for space spraying.

APPLICATION AROUND HOMES, PORCHES AND PATIOS

Flies, Mosquitoes, Gnats, Flying Moths and Wasps Apply as a coarse wet soray or apply with a paint brush to areas on outside of house around cracks, walls and particularly around cracks of doors and window frames. For the protection and prevention of these insects entering into human dwellings make application as a spot treatment. Thorough and repeated application should be made to screens, window frames, door sills on porches and patios where these insects alight or congregate. For the control of wasps spray the nest after dark when all insects have returned to the nest.

APPLICATION TO OUTDOOR AREAS

For control of Mosquitoes, Fles, Gnats and Flying Moths in picnic areas, outdoor theatres, drive-ins, home yards, communities, resorts, recreational areas, parks, playgrounds and sport areas, apply as a fog or fine mist with fogging equipment. In applying this product undituted, apply 4½ quarts per acre (for an 0.05 pound per acre dosage) and 10 qts (for a 0.1 pound per acre dosage). Do not treat areas where food or feed crops are growing

NOTICE...

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used accordance with the directions under mornal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR, PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the fish of any such use

FORMULATED FOR
PLATTE CHEMICAL CO.
150 SO. MAIN STREET
FREMONT, NEBRASKA 68025



VAPONA NSECTICIDE 2EC

A DAIRY & LIVESTOCK EMULSIBLE SPRAY FOR CONTROL OF FACE FLIES AND **CERTAIN OTHER LIVESTOCK PESTS**

ACTIVE INGREDIENTS:	BY WT.
2,2-Dichlorovinyl Dimethyl Phosphate* .	. 22.0%
Related Compounds*	. 1.7%
INERT INGREDIENTS**:	. 76.3%
TOTAL	100.0%

*Equivalent to 23.7% Dichloryos and Related Compounds. **This product contains Aliphatic petroleum hydrocarbons. Contains 2 lbs. VAPONA INSECTICIDE per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER **PELIGRO**



POISON

See Side Panels For Additional Precautionary Statements and Antidote and Practical Treatment.

EPA REG. NO. 34704-603

EPA EST. NO. _

NET CONTENTS 1 QUART

8205

12889

DANGER

This product is poisonous if swallowed, inhaled, or absorbed through the skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Avoid exposure to fumes.

Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for DDVP (Vapona insecticide) protection. Keep all unprotected persons out of operational area.

In case of contact, wash immediately with soap and water. Wash hands, arms and face throughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before

ANTIDOTE AND PRACTICAL TREATMENT

ATROPINE is the emergency antidote for Vapona* Insecticide poisoning. Consult your physician about obtaining an adequate supply of 1-100-grain atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

IF SWALLOWED: Call a physician or Poison Control Center, Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least 10 minutes. IF WARNING SYMPTOMS APPEAR: Administer two 1-100-grain atropine tablets immediatley. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARN-ING SYMPTOMS below). Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIANS

WARNING SYMPTOMS: Symptoms include weakness, headache. tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occured. Morphine is contraindicated. Clear chest and postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

PRECAUTIONS IN USING

This product and the diluted emulsion are poisonous. Therefore, precautions must be observed with handling them. (See antidote and warnings on this label).

Store the concentrate in a sale place. Children and animals must not be able to reach or handle the concentrate of diffuted emulsion. It is recommended that only the amount of diffuted emulsion be prepared from the concentrate that will be used immediately.

Mix the concentrate into water outdoors or in a well vantilated room. Wash off the outside of the container of concentrate in renning water before storing away. Wash after handling.

Not for use or storage in or around the home. Do not contaminate lakes or streams. Do not contaminate feed, water or toodstuffs.

CONTINUED