

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly.

STORAGE: Do not store below temperature of 0°F. Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment listed under **DANGER** when handling open containers.

SPILLED MATERIAL: Block or dike to prevent spreading of spill. Cover with absorbent materials such as lime, clay or sawdust. Scoop and sweep into a disposal container. Wash area with strong lye solutions, absorb and place into a disposal container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

This product is a specially prepared solution for use in fogging devices and conventional application equipment.

CATTLE FEED LOTS, STOCKYARDS, HOLDING PENS and CORRALS: Apply this product as a 0.5% spray to control flies, gnats and mosquitoes.

To prepare a 0.5% spray dilute 1 pint of this product with 15 gallons of diesel oil. Apply with a mist blower or other suitable equipment as an over-all application at the rate of 0.2 lbs. of technical VAPONA per acre (approximately 5 gallons of 0.5% spray). Particular attention should be given to areas where flies congregate such as fences, spillage areas, around feed bunks and walls of buildings. Animals may be present during treatment. Avoid direct application to exposed feed and water.

AGRICULTURAL PREMISES: Animal Shelters, Barns, Dairy Barns, Feed Lots, Milk Sheds, Pig Parlors, Poultry Houses, Stables and other Farm Buildings.

Apply this product as 1.0% fog to control flies and gnats. To prepare a 1.0% fogging solution, dilute 1 pint to 7.5 gallons of diesel oil. Apply as a fog or mist inside building at the rate of 1 pint per 8,000 cu. ft. Do not contaminate feed, drinking water, milk or milking equipment. Do not apply in areas where animals have received direct application of Vapona within 8 hours.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

