



VAPONA[®]

INSECTICIDE FOGGING SOLUTION

ACTIVE INGREDIENTS:	BY WT.
2,2-Dichlorovinyl Dimethyl Phosphate* ..	46.5%
Related Compounds*	3.5%
INERT INGREDIENTS**:	50.0%
TOTAL	100.0%

*Equivalent to 50% w Dichlorvos and Related Compounds.

**This product contains Aliphatic petroleum hydrocarbons.

KEEP OUT OF REACH OF CHILDREN

DANGER  **POISON**
PELIGRO

See Side Panels For Additional Precautionary Statements and Antidote and Practical Treatment

EPA REG. NO. 34704-605

EPA EST. NO. _____

NET CONTENTS 1 QUART

VAPONA is a Registered TM of Shell Chemical Co

8204

12RP9

DANGER

This product is poisonous if swallowed, inhaled, or absorbed through the skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Avoid prolonged exposure to fumes. Wear clean rubber gloves, protective clothing and goggles when handling the concentrate to prepare solutions. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for DDVP (Vapona insecticide) protection. Keep all unprotected persons out of operational area.

In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

ANTIDOTE AND PRACTICAL TREATMENT

ATROPINE is the emergency antidote for VAPONA insecticide poisoning. 2-PAM is also antidotal and may be administered in conjunction with atropine. Consult your physician about obtaining an adequate supply of 1-100-grain atropine tablets, or 2-PAM for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least 10 minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1-100-grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below). Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIANS

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred.

Morphine is contraindicated. Clear chest and postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

ENVIRONMENTAL HAZARDS

Highly toxic to Fish and Wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PRECAUTIONS IN USING

This product and the diluted emulsion are poisonous. Therefore, precautions must be observed with handling them. (See antidote and warnings on this label). Store the concentrated solution in a safe place. Children or animals must not be able to reach or handle the concentrate or diluted solution. It is recommended that only the amount of diluted solution that will be used immediately be prepared from the concentrate.

Mix the concentrate into diesel oil or No. 2 fuel oil outdoors or in a well ventilated room. Wash off the outside of the container of concentrate in running water before storing away. Do not contaminate any body of water nor apply to any area not specified on label.

Do not contaminate feed, water or foodstuffs, milk or milking utensils. **IMPORTANT:** Not for use or storage in or around the house.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CONTINUED