

- * Repeated daily applications of WIPE may build up repellency on the animal. Thus, its effectiveness may be increased, and gradually enable you to reduce the amount applied daily.
- * Best application time is between 8 and 10 a.m. This gives you the best protection for the maximum period of time.
- * Amount of repellent required to do an effective job will vary according to season, temperature, climate, humidity and cleanliness of animal.

STORAGE AND DISPOSAL

STORAGE: Store tightly closed in a cool, dry place inaccessible to children and pets and away from sunlight and heat sources.

DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

EPA REG. NO.: 270-75

EPA EST. NO.: 34734-IA-1

Manufactured Exclusively For:

FARNAM COMPANIES, INC.

Omaha, Nebraska 68112

(c) 1989 Farnam Companies, Inc.

Printed in U.S.A.

8DD9



N 1% FLY & MOSQUITO SPRAY

Contains 1% DIBROM® Naled Insecticide

Ready To Use — No Mixing —
Controls Resistant and Non-Resistant
Houseflies and Mosquitoes, Gnats,
Fruit Flies, Roaches (Water Bugs),
All Species of Resistant and
Non-Resistant Cockroaches

FOR USE IN CONVENTIONAL AND
FOGGING EQUIPMENT
Livestock Barns — Dairies —
Canneries — Wineries — Dwellings

ACTIVE INGREDIENTS:	By Wt.
Naled: 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate 1%	
INERT INGREDIENTS:	99%
TOTAL	100%

*This product contains Aliphatic petroleum hydrocarbons.

DIBROM® — Registered T.M. of Chevron Chemical Co.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Below for Additional Precautionary Statements

EPA REG. NO. 34704-616 EPA EST. NO. _____

NET CONTENTS 1 GALLON

25338

12Y89

CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid breathing spray mist. Do not get on skin, eyes or clothing. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Use waterproof gloves when handling concentrate. Avoid contamination of feed, food-stuffs and drinking water. Avoid wetting the hides of animals.

May corrode metal spray equipment. Flush sprayers out occasionally with kerosene to prevent possible corrosion.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME.

READ ENTIRE LABEL: Use strictly in accordance with label cautions, warnings, and directions, and with applicable federal and state regulations.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not use or store near heat or open flame. Keep product in original container. Do not put into food or drink containers. Store in cool, dry place. Keep container tightly closed. High temperatures may shorten shelflife of product.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse container.

Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

This product is suitable for use in Filt Guns, Microsol Foggers, Heat Generating Foggers, Dairy Barn Foggers, Hydro-Guns or suitable automatic atomizing application equipment.

USE UNDILUTED: Apply as a finely atomized space spray using applicator adjusted to produce particle sizes not smaller than 30 microns.

GENERAL USE: In and Around Houses, Open Air Theaters, Restaurants, Drive-Ins, also in and around Dairy Barns, Livestock Barns, Pig Pens, Poultry Houses, Feed Lots, Cattle Pens, Horse Stables, Garbage Dumps, Outside Meat Packing Establishments (including Federally Inspected) for control of Resistant and Non-Resistant Houseflies, Lesser Houseflies, Mosquitoes, Gnats: Direct spray throughout the fly infested areas, spraying around and above animals but not directly at animals. Repeat as necessary. Do not use in milk processing rooms. Do not use fog applications in dwellings and restaurants.

DAIRY BARN FOGGERS: Resistant and Non-Resistant Houseflies, Lesser Houseflies, Mosquitoes, Gnats: Use approximately 1 ounce to 3000 cubic feet of space. Close all doors and windows where possible before fogging. Cows may be in barn during fogging operations. Apply around and above animals but not directly at animals.

POULTRY PROCESSING AND PACKING PLANTS: Around Outside and in Inedible Product Areas Inside Buildings: Direct spray throughout the fly infested areas. Repeat as necessary. Exposed food products and packaging materials must be removed from the room or protected. After using this material, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed.

WINERIES, CANNERIES, CIDER MILLS, FOOD PROCESSING PLANTS, LOADING DOCKS, CULL PILES, REFUSE AREAS: Drosophila (Fruit Fly) — Spray as necessary contacting walls, floors, doorways, windows, refuse piles and cull piles except those for stock feed. Avoid contamination of feeds, foodstuffs and food processing machinery. Do not apply in the edible product areas of food processing plants.

ROACHES (Water Bugs) — Spot Application Only: For Control of All Species of Resistant and Non-Resistant Cockroaches, including German, Brown-Banded, Oriental and American Roaches in and around Dwellings, Dairies, Barns and Other Buildings where Roaches Exist — Apply as a coarse spray to areas infested by roaches to contact insects as much as possible. Treat as necessary applying to cracks, crevices, hiding places and adjacent exposed surfaces where insects may be contacted. Do not apply in the edible product areas of food processing plants.

WARRANTY AND LIMITATION OF DAMAGES: Manufacturer and Seller warrant that this material conforms to the chemical description on the label and is reasonably fit for the purposes specified in the Directions for Use, subject to the inherent risks therein. Manufacturer and Seller make no other express or implied warranty including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Manufacturer and Seller is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall not include consequential commercial damages such as loss of profits or value, etc.

FORMULATED FOR
PLATTE CHEMICAL CO.

150 SO. MAIN STREET PREMONT, NEBRASKA 68025