

NOTICE TO THE PUBLIC

NOTE: Changes in labeling formula information substance from that accepted in the past must be submitted to and accepted by the Registration Division prior to use on the label. In any case, always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above information is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this registration is being returned to the registrant. The registrant is to be on the label as an indication of the registration. A label for the product is being returned to the registrant. The registrant is to be on the label as an indication of the registration. The registrant is to be on the label as an indication of the registration.

BEST AVAILABLE COPY

☐ ATTACHMENT 1 APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

2 of 4

CLEAN CROP
METHYL
HERBICIDE

Controls grass, weeds such as Crabgrass,
Nutsedge (Nutsedge), Foxtail, Dallisgrass,
Sandbur, Johnsongrass and certain Broadleaf Weeds
such as Cockspur, Chickweed and other weeds as listed.

Product contains 5.32% MMA Per Gallon

ACTIVE INGREDIENT:

Methoxychlor 90% Methoxychlor..... 1.00%
INERT INGREDIENTS: 99.00%
TOTAL 100.00%

Total Arsenic, all in water-soluble form,
expressed as elemental 5.32% ✓

KEEP OUT OF THE REACH OF CHILDREN (12 pt.) ✓
CAUTION (12 pt.) ✓

Do not apply to crops or areas where food or feed is produced. Statements

EPA Reg. No. 1-100-100
EPA Est. No. 1-100-100

NET CONTENTS ✓

One Pint Treats 2,000 sq. ft. of turf.
CLEAN CROP is a Registered T.M. of United Agri Products, Inc.

PRECAUTIONARY STATEMENTS ✓
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION ✓

Harmful if swallowed. Avoid contact with skin and eyes. Do not breathe spray mist. Wear protective clothing when handling this product including long pants, long sleeved shirt and impermeable gloves and boots. Wash hands after using and before eating or smoking. Avoid contamination of feed and foodstuffs. Keep children and animals off treated areas until spray is dried or has been washed into the soil. Do not apply this product with a Hose End Application. ✓

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes. Do not feed treated foliage to livestock or graze treated areas. Do not spray or allow to drift onto vegetables, ornamentals or other desirable plants. Do not apply when weather conditions favor drift from target areas. Do not apply directly to water. ✓

Read entire label before using this product.

Aug. 3, 1989

Under the Federal Insecticide, Fungicide and Plant Disease Act as amended, for the pesticide registered under EPA Reg. No. 1-100-100

BEST AVAILABLE COPY

FIRST AID

If Swallowed--Do not induce vomiting by rubbing back of throat with finger by mouth if an unconscious person.
 If In Eyes--Flush eyes with soap and water.
 If On Skin--Remove clothing. Wash affected area with soap and water.
 If Inhaled--Remove person to fresh air. Get medical attention if indicated.

MEDICAL TREATMENT

Poison Control: If swallowed, drink 1 or 2 glasses of water and try to induce vomiting. Do not induce vomiting in a convulsing person.
 If in eyes, get medical attention. If on clothing, wash affected area with soap and water. If attention is irritating, get medical attention.
 If inhaled, get medical attention if indicated.

CONDITIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container only, preferably in a locked area. Keep container tightly closed when not in use. Store in a cool, dry place. Do not use food or drink containers for mixing or storage.

PESTICIDE DISPOSAL: Do not keep original container in several layers. Do not reuse original container.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before disposal in trash.

General Information-- This product is recommended for selective post-emergent weed control in lawns and Ornamental Turf and Non-Crop areas as listed. Apply when temperatures are warm (70 F+) and weeds are actively growing. Control is more effective at 80 to 90 F.

Weeds Controlled--Grassy weeds: Crabgrass, Dallisgrass, Sandbar, Goosegrass, Nutgrass, Smartweed, Foxtail, Barnyard Grass, Barngrass, Johnsongrass. **Broadleaf weeds:** Cocklebur, Puncturevine, Chickweed, Wood Sorrel, and Figwort.

Mixing-- Fill the spray tank 1/2 full and then thoroughly dissolve this product into the spray solution. Then fill tank to proper level. Do not store solution in tank overnight. Clean application equipment thoroughly after use by flushing with water in a safe place.

How To Apply-- Use a hand pump sprayer, a garden type pressure sprayer, or sprinkler can. Do not use a sprayer that is used for the application of insecticides or fungicides due to possible contamination. Thoroughly wet all target weeds. Avoid wetting desirable turf grass where possible.

A fan type nozzle will give best results. Apply on a calm day to avoid spray drift to susceptible plants.

ORNAAMENTAL TURF GRASS

Apply as a post-emergent weed control weeds listed hereon. Do not use on new lawns until after first mowing. Desirable turf grass may be temporarily discolored but has lasting effect. Loysgrass, Bluegrass, and Barngrass are more tolerant. Do not use on St. Augustine grass, Carpet grass, St. Pate grass or Dichondra lawns.

plant growth and foliage may be damaged.

MIXING--Add sufficient amount of this product to 1 1/2 inches of water to wet 1000 sq. ft. This is equal to 1 gallon of this product per acre. Thoroughly wet weeds. Two or more repeat treatments at 10-day intervals may be necessary.

This spray is highly effective for control of crabgrass, foxtail and chickweed in the lawn. It possible treat weeds when in the seedling stage before they go to seed. Best results will be obtained if the lawn is moist. Small areas may be watered before application to increase the spray effect. However, do NOT water lawn for at least 24 hours after application. Do NOT mow until 2 weeks after application.

NON-CROP AREAS

This product is useful for maintenance of drainage ditches, rights-of-way (including highway, railroad, pipeline and utility), fence row, storage yards and many similar areas to control weeds as listed hereon. MIXING--Add fluid ounces in a minimum of 3 gallons of water and apply to 1000 sq. ft. This is equal to 1 gallon of this product per acre. Be sure to wet plants thoroughly. Repeat applications if regrowth occurs.

NOTICE OF WARRANTY

Platte warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Platte makes no warranties of Merchancability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET
FREMONT, NEBRASKA 68025