

NOTICE OF PESTICIDE**REGISTRATION
REREGISTRATION**

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Clean Crop Turcam 2.5G Insecticide

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Platt Chemical Company
150 South Main Street
Bromfield, VT 05025

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7) (A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 34704-643."

b. Delete recreational areas from the label because it may cover areas such as school and parks recreational sites which are not home uses.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-19 enclosure for a further description of final printed labeling.

FOR SHIPMENT OF THE PRODUCT CONSIDER THE FOLLOWING INFORMATION:

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Repellent Branch
Registration Division (E7500C)

Enclosures

INERT INGREDIENTS 97.5%
TOTAL 100.0%

*Protected by U.S. Patent No. 3,736,338

ACCEPTED
with COMMENTS
in EPA Letter Dated

AUG 21 1980

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended by the Federal
Insecticide, Fungicide, and
Rodenticide Act

34704-643

KEEP OUT OF REACH OF CHILDREN CAUTION

DO NOT USE ON FOOD CROPS
DO NOT USE ON COMMERCIAL TURF SITES
SEE BELOW FOR ADDITIONAL
PRECAUTIONARY INFORMATION

EPA REG. NO. 34704-

EPA EST. NO. _____

NET WEIGHT _____ POUNDS

23366

* TURCAM is a Registered T.M. of NOR-AM CHEMICAL COMPANY.

EXP-27

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not take internally. Do not breathe dust. Avoid contact with skin, eyes, or clothing. May be absorbed through the skin. Wear long sleeves. Change clothing daily. Wash hands thoroughly after handling. Keep children and pets off treated area during irrigation and until area has dried. Avoid contamination of feed and foodstuffs.

Apply TURCAM 2.5 G to give complete and uniform infested areas. Applications should be made using 1

Pest	Dosage of Product	
White grubs of: Japanese beetle, Black turf grass Atanidius, European chafar, Northern Masked chafar, Green June beetle, Annual white grub (Cyclocephala immaculata), Mole crickets	1.9 to 3.7 lbs. per 1000 sq. ft.	A e b s a p u c th in
Chinchbugs, Leafhoppers, Sod webworms, Ants, Brown dog ticks, Centi- pedes, Crickets, Earwigs, Firebrats, Fleas, Ground beetles, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders	0.9 to 1.9 lbs. per 1000 sq. ft.	A e q th ar

LANDSCAPE PLANT RECOMMENDATIONS: Use control specified pests of nonedible ornamental lan- ing, but not limited to: Ageratum, Azarina, Begonia, Chrysanthemum, Coleus, Daffodil, Dahlia, Dianthus, zonla, Geranium, Holly, Hypoestes, Impatiens, Iris, the Valley, Marigold, Nasturtium, Nicotiana, Pansy, Salvia, Shasta daisy, Snapdragon, Verbena, Vinca,

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Call physician or Poison Control Center. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF INHALED: Remove victim to fresh air.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Bendiocarb is a moderate, reversible cholinesterase inhibitor. Intravenous injection of atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of waste. Collect, cover or incorporate granules spilled on soil surface.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

IMPORTANT: Read the entire Directions for Use and Disclaimer of Warranties before using this product. DO NOT use this product on golf courses, sod farms, parks, or commercial turf sites. This product may only be used in domestic areas such as home lawns, yards, or other homeowner ornamental or recreational areas.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Store this product in its original, closed container in a dry, locked area away from children and domestic animals. Do not reuse empty container. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

GENERAL INFORMATION: TURCAM 2.5 G is a broad spectrum residual insecticide for homeowner use to control certain insects on home sites such as ornamental trees, shrubs, and turf.

HOME-TURF, ORNAMENTAL TREES AND SHRUBS RECOMMENDATIONS: Use TURCAM 2.5 G to control specified pests of ornamental turf and of the following nonedible ornamental trees and shrubs: Abies, Acer, Arborvitae, Azalea, Barberry, Birch, Boxwood, Brassia, Camellia, Cedar, Cephalopoda, Cercis, Cherry, Cornus, Cotoneaster, Crataegus, Crape Myrtle, Eucalyptus, Fatsia, Ficus, Fountain grass, Flowering almond, Flowering crabapple, Gardenia, Hemlock, Hydrangea, Ilex, Ixora, Japanese yew, Ligustrum, Lilac, Loquat, Mahonia, Mimosa, Mock Orange, Nandina, Oleander, Pachysandra, Photinia, Picea, Pieris, Pine, Poinsettia,

Apply TURCAM 2.5 G to give complete and uniform coverage of the pest-infested areas. Applications should be made using the rates in the above table.

PERIMETER TREATMENT: To help prevent infestation of buildings by ants, crickets, brown dog ticks, centipedes, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, and spiders, treat a band of soil 6 to 10 feet wide around and adjacent to the building at a rate of 0.9 to 1.9 lbs. per 1000 square feet.

CARPENTER ANTS: For control of Carpenter ants around firewood piles. Treat the area where firewood is to be stacked at the rate of 0.9 to 1.9 lbs. per 1000 square feet. After the firewood is in place, treat a 3 to 6 foot band around the woodpile. If the rows of wood are stacked so there is about 2" between them, repeated treatment of the woodpile can be made by sprinkling or shaking the granules between the rows. Retreat area as needed.

PLANT SAFETY

TURCAM 2.5 G had demonstrated excellent plant safety; however, all species and varieties have not been tested. When treating large numbers of plants of a single variety, treat a few plants and observe prior to full scale application.

Calibration* of Spreaders for Applications of TURCAM 2.5 G
Approximate Spreader Settings to Apply
Pounds of TURCAM (One Pass)

Spreader Models	0.9 lbs./1000 sq. ft.	1.9 lbs./1000 sq. ft.	3.7 lbs./1000 sq. ft.
CYCLONE: Models B-1, 30, 88	3.25	4.00	5.00

*Please note these settings are only a guide. Settings may vary with the conditions of application equipment.

NOTICE

Platte Chemical Co., Inc. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of use or handling which may result in loss or damage which are beyond the control of the seller, such as for example incompatibility with other products, the manner of its use or application, or the presence of other products or materials in or on the soil or crop. Platte Chemical Co., Inc. makes no other express or implied warranty of fitness or merchantability. The exclusive remedy of the buyer or user, and the limit of the liability of Platte Chemical Co., Inc. or any other seller, for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice, which may not be varied by any verbal or written agreement.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET FREMONT, NEBRASKA 68025

BEST AVAILABLE COPY