

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Scott Baker Registration Manager Platte Chemical Co. 7251 4th Street Greeley, CO 80634-9763

JUL - 9 2003

Dear Mr. Baker:

Subject: Amendment - Update First Aid per PR Notice 2001-1; and
Limit use to Barley, Corn, Oats, Rye, Sorghum, and Wheat

Lindane 25 Planter Box Seed Treater EPA Registration Number 34704-658 Your submission dated June 10, 2003

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable and a stamped copy is enclosed for your records. Please note that current data indicates that the PPE listing should require coveralls over long-sleeved shirt and long pants and the respirator requirement should also include "or a NIOSH-approved respirator with any N, R, P, or HE filter".

Please be aware that acceptance of this amendment does not relieve you of the need to satisfy any requirements, including submission of revised labeling, pertinent to your product under the Lindane RED and associated Data Call-In, when issued. Please note that the Lindane RED indicates that all crops except corn and sorghum will have to be deleted from lindane dust formulations for on-farm seed treatment.

Sincerely,

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)



LINDANE 25 CHARLES STREAMED & SEED TREATERS OF STREAMED & SEED TREATERS OF STREAM OF S

Agricultural Insecticide—Dust Base (Insecticide with Non-Oil Lubricant)

ACTIVE INGREDIENT BY WT. Lindane: Gamma Isomer of Benzene Hexachioride . . . 25.0% INERT INGREDIENTS: TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN WARNING **AVISO**

Si usted no entiende la etiquette busque a alguien pare que Be la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

See Below For Additional Precautionary Statements. EPA REG. NO. 34704-658

EPA EST. NO. __

NET WEIGHT 2 LBS. (907.2 G)

IHT

10Y02

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe. dust. Do not get in eyes, on skin, or clothing. Causes eye and skin initation. Do not contaminate food and foodstuffs.

Personal Protective Equipment:

Applicators and other handlers must wear: coveralls over shortsleeved shirt and short pants, waterproof gloves, chemical-resistant footwear plus socks, protective eyewear, chemical-resistant headgear for overhead exposure, chemical-resistant apron when cleaning equipment, mixing, or loading and a dust/mist filtering respirator (MSHA/NIOSH approval numper prefix TC-21 C)

Engineering controls Statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides 140 CFR 170.240 (d) (4-6)1, the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing,

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, and other wildlife. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters

Exposed treated seed may be hazardous to birds and other wildlife. Dispose of excess treated seed by burial away from bodies of water.

FIRST AID

If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 –20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person
ff Inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-228-5635, EXT. 136, OR CALL COLLECT, 612-851-8180, EXT. 136.

Have the product container or label with you when cailing a poison control center or doctor, or going for treatment.

Note to Physician: Lindane is a central nervous system stimulant.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

Exception: if the product is soil incorporated, as in seed treatment, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is; coveralls over short-sleeved shirt and short pants, waterproof gloves, chemical resistant footwear plus socks, protective eyewear and chemical resistant headgear for overhead exposure

LINDANE 25 PLANTER BOX SEED TREATER EPA REG. NO. 34704-658

A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND PLATTE'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or dispos-

STORAGE: Protect from excessive heat. Store in a cool, dry area away from food or feed, in an area designated for pesticides. Store in original container only. Keep container tightly closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Paper: Completely empty the container by shaking and tapping sides and bottom to loosen clinging particles, thereby dispensing the entire contents of the can only as directed by the label. Dispose of container in a sanitary landfill or by incineration if allowed by State and local authorities. If burned, stay out of smoke.

CONTAINER DISPOSAL: Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRODUCT INFORMATION

LINDANE 25 PLANTER BOX SEED TREATER is a dust base agricultural insecticide especially formulated for seed treatment at planting time. This product is formulated to help lubricate the planter box and assure smooth even seed flow to the furrow.

LINDANE 25 PLANTER BOX SEED TREATER is formulated for use in the treatment of seeds for protection against wireworms, seed corn maggots, and certain other soilborne insects. Where seedling Blight, Damping-Off, or seed decay normally occurs, combine this product with a full dosage of protective fungicide, such as CAPTAN 25 PLANTER BOX SEED TREATER.

SEED TREATMENT Do not use treated seed for food, feed, or oil purposes. Treated seed should be labeled in accord with all the applicable requirements of the Federal Seed Act. The Federal Seed Act requires that seed treated with a pesticide must contain a dye which imparts an unnatural color to the seed if the seed is intended to be moved in interstate commerce. Labels attached to treated seed must state "Treated seed must not be used for food, feed or oil purposes" and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of excess treated seed by burtal away from bodies of water."

Onty seed of high germination with good vigor should be treated with lindane. Poor seed may suffer greater injury. Treat seed not over 6 weeks before planting. Store treated seed in a dry place until planted so that excess moisture will evaporate. If seed is stacked when wet, heat may develop which could impair germination. Store all treated seed in a cool dry place.

FOR IMPROVED MIXING OF PRODUCT WITH SEED: For DRY TREATMENT, mix product with the seed in any commercial or barret treater, until thoroughly coated. For PLANTER BOX method, fill the box only half full of seed and half the required amount of product and mix thoroughly with a stick. Then add the remainder of the seed to the box and add the nest of the required amount of product to the seed, again mixing thoroughly.

SEED TREATMENT DOSAGE RATES

TYPE OF SEED	OUNCES PER 100 POUNDS
Barley	4 oz.
Corn	4 oz.
Sorghum	4 oz.
Oats	
Rye	2 oz.
Wheat	2 07

IF SOIL TEMPERATURE IS EXTREMELY HIGH (hot weather, midsummer planting, or other reasons) reduce recommended dosage by one" half. Avoid lengthy storage of treated seed to prevent loss of Lindane.

NOTICE

IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE, THE MANUFACTURER OR SELLER. IN NO CASE SHALL PLATTE, THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE, THE MANUFACTURER OR SELLER MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR

FORMULATED FOR
PLATTE CHEMICAL CO.
419 18TH STREET, GREELEY, COLORADO 80631-5852