

PM-15 34704-674

JUN 8 1990

Mr. Rocky Blokas  
Agricultural Products Company, Inc.  
P.O. Box W  
Greeley, CO 80632

340 / 259101  
17 4

Dear Mr. Blokas:

Subject: Amendment - Replacement of Rhodamine B  
Lindane 25 EC-LP Dyed Seed Treater  
EPA Registration No. 34704-674 (formerly 43789-53)  
Your Letter Dated August 30, 1989

Your Confidential Statement of Formula dated August 30, 1989 is acceptable for the replacement of Rhodamine B with D&T #17 Dye in the subject product. A copy has been inserted in the record for the subject product.

At the next label revision, you should remove the following footnote found under the label ingredient statement: "This product contains the toxic inert Rhodamine B." Please review our letter dated September 9, 1988 for any additional label revisions.

Sincerely yours,

George T. LaRocca  
Product Manager 15  
Insecticide-Rodenticide Branch  
Registration Division (N7505C)

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Causes eye and skin irritation. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after working and wash work clothes with soap and hot water before reusing. Do not contaminate food and feedstuffs.

For seed treatment, applicators who apply this product manually or without the use of a closed-system treatment procedure must wear long-sleeved shirt, long pants, gloves, and a disposable paper dust mask which covers at least one-third of the face. The product must be applied in a well-ventilated area.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters.

Exposed treated seed may be hazardous to birds and other wildlife. Dispose of excess treated seed by burial away from bodies of water.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** Store in a cool, dry place. Do not allow to freeze or become overheated. Store away from food or feed, in an area designated for pesticides. Store in original container only. Keep container tightly closed when not in use.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticides, spray mixture, or rinse is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL (Metal):** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**CONTAINER DISPOSAL (Plastic):** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**SEED TREATMENT:** Do not use treated seed for food, feed, or oil purposes. Treated seed should be labelled in accord with all the applicable requirements of the Federal Seed Act. The Federal Seed Act requires that seed treated with a pesticide must contain a dye which imparts an unnatural color to the seed if the seed is intended to be moved in interstate commerce. Labels attached to treated seed must state, "Treated seed must not be used for food, feed or oil purposes." and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of excess treated seed by burial away from bodies of water."

Only seed of high germination with good vigor should be treated with lindane. Poor seed may suffer greater injury. Treat seed not over 6 weeks before planting. Store treated seed in a dry place until planted so that excess moisture will evaporate. If seed is stacked when heat may develop which could impair germination.



## LINDANE 25 EC-LF DYED SEED TREATER

### FOR AGRICULTURAL USE ONLY

ACTIVE INGREDIENTS:	BY WT.
LINDANE (Gamma Isomer of Benzene Hexachloride) .....	25.6%
XYLENE .....	47.6%
INERT INGREDIENTS: .....	27.4%
	100.0%

This product contains 2 lbs. Lindane per gallon  
THIS PRODUCT CONTAINS THE TOXIC INERT INGREDIENT  
RHODAMINE B

### KEEP OUT OF REACH OF CHILDREN WARNING

#### Statement of Practical Treatment

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

**IF INHALED:** Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**If in eyes -** Immediately flush eyes with plenty of water. Call a physician immediately.

See side panel for additional precautionary statements.

EPA Est. 11849-1A-2  
EPA Reg. No. 43789-53  
30 Gallons Net Contents  
Manufactured for:

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80639

40789-83