





## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JUN 9 2005

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Glenda Haage Loveland Products Inc 7251 W 4th Street PO Box 1286 Greeley, CO 80632-1286

Dear Ms. Haage:

Ė

Subject: Simazine 90 WDG Herbicide Supplemental Labeling

EPA Registration Number 34704-686 Resubmission Dated May 17, 2005

The supplemental labeling referred to above and submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. At your next label printing, or within eighteen months of the date of this letter, whichever comes first, you must incorporate this supplemental labeling into the main product labeling. A stamped copy of the label is enclosed for your records. Please submit one copy of your final printed label before you release the product for shipment.

If you have any questions, contact Hope Johnson at 703-305-5410.

Sincerely,

James A. Tompkins
Product Manager 25

Herbicide Branch

Registration Division (7505C)

273

ACCEPTED with COMMENTS in EPA Letter Dated

JUN 9 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

34704-686

## Simazine 90 WDG Herbicide EPA REG. NO. 34704-686

SUPPLEMENTAL LABEL

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Labeling must be in possession of user at the time of application.

User must read the container label before applying this product.

Use of Simazine 90WDG according to this label is subject to the use precautions and limitations imposed by the label affixed to the container of Simazine 90WDG.

## Winter Annual Broadleaf Control- Preemergence Fall Application

For preemergence control of winter annual weeds, such as common chickweed, henbit, shepherds-purse, tansymustard, wild mustard, annual bluegrass, downy brome, and others, broadcast 1.1 lbs./A of product after harvest of the preceding crop and prior to weed emergence on land to be planted to corn the following year. A tillage operation may precede the application. Do not apply to frozen ground. If product is used in the fall corn weed control program, do not exceed 2.2 lbs. of product preemergence in the spring.

Precautions: (1) Do not apply more than 4.4 lbs./A to corn per year. (2) Do not rotate to any crop except corn until the following year, or injury may occur. (3) After harvest, plow and thoroughly till the soil in fall or spring to minimize possible injury to spring-seeded rotational crops, regardless of the rate used. (4) If more than 3.3 lbs/A is used (or equivalent rate in a band), a crop of untreated corn should precede the next rotational crop. (5) Do not apply preplant incorporated in corn in the High Plains and Intermountain areas of the West (including central and western KS, western NE, western OK, and the Panhandle of TX) where rainfall is sparse and erratic or where irrigation is required. (6) In the High Plains and Intermountain areas of the West where rainfall is sparse and erratic or where irrigation is required, use this product to control weeds in corn only when corn is to follow corn or when a crop of untreated corn is to precede another rotational crop. (7) In western MN and eastern parts of the Dakotas, KS, and NE, do not plant soybeans following corn treated with this product if more than 2.2 lbs./A (or

equivalent rate in a band) was applied, or injury may occur. (8) Injury may occur to soybeans planted in north central and the northwest IA, south-central and southwest MN, northeast NE, southeast SD, and other areas the year following applications on soils have a calcareous surface layer. (9) Do not plant sugar beets, tobacco, vegetables (including dry beans), spring-seeded small grains, or small-seeded legumes and grasses the year after an application, or injury may occur

Note: Do not graze treated areas, or illegal residues may result.

Loveland Product Inc. P.O. Box 1286 Greeley, CO 980632-1286