

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Levamisole Chlorpyrifos 50:50 WP
Conter

NOTICE OF PESTICIDE:

REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

┌

┐

Matte Chemical Company
P.O. Box 667
Trenton, NJ 08633

└

┘

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants to submit data to meet such data.

2. Make the following changes to the label before you release the product for shipment:

a. Change the registration number to "174-33."

b. Delete the last sentence of the Environmental Hazards section:

"Do not use or store near children or animals."

3. Submit two (2) copies of your final printed labeling (one for EPA and one for the State). Refer to the 4-76 enclosure for details of the labeling requirements.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards

DATE

12/18/90

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H750SC)

Enclosures



CHLORPYRIFOS 50WP SEED TREATER

Insecticide For Use as a Preplant, Slurry Treatment of Field Corn, Dry Beans, Lima Bean, Snap Bean, and Sweet Corn Seeds to Protect Germinating Seeds and Seedlings from Injury by Seed-Corn Maggots.

ACTIVE INGREDIENT:

Chlorpyrifos [O-O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]..... 50%

INERT INGREDIENTS: 50%

TOTAL 100%

KEEP OUT OF REACH OF CHILDREN WARNING

See Below For Additional Precautionary Statements

EPA REG. NO. 34704-

EPA EST. NO. _____

NET WEIGHT _____ POUNDS

27891

EXP10Y90

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

MAY BE FATAL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. CAUSES EYE IRRITATION.

Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wear protective clothing and rubber gloves. Wear a pesticide respirator jointly approved by The Mining Enforcement and Safety Administration (formerly The U.S. Bureau of Mines) and by The National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Keep away from food, feedstuffs and water supplies.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove to fresh air if effects occur. Call medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning use antidote immediately after establishing an open airway and respiration.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and wildlife and extremely toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Do not allow to become overheated. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Do not reuse container. Dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities.

GENERAL INFORMATION

CHLORPYRIFOS 50WP SEED TREATER is a wettable powder formulation designed for slurry treatment of seed prior to planting to protect the germinating seeds and seedlings against injury by seed-corn maggots and seed-corn beetles. CHLORPYRIFOS 50WP SEED TREATER may be applied in combination with captan, chloroneb, thiram or other appropriate registered fungicides if protection of the seed from fungi, which may cause disease or rot, is also desired. Seed treated with CHLORPYRIFOS 50WP SEED TREATER may be stored for up to 14 months without loss of insecticidal effectiveness.

USE AND DOSAGE RECOMMENDATIONS

Field Beans, Green Beans, Kidney Beans, Lima Beans, Navy Beans, Snap Beans, String Beans, Wax Beans, Field Corn, Sweet Corn, Cucumbers, Black-eyed Peas, Field Peas, Garden Peas, and Pumpkins (For control of seed corn maggots and seed corn beetles): Use 2 ounces of CHLORPYRIFOS 50WP SEED TREATER per 100 pounds of seed by applying to the seed as a slurry treatment prior to planting.

SLURRY TREATMENT

Disperse the required amount of CHLORPYRIFOS 50WP SEED TREATER in a water solution containing 0.5% by weight of METHOCEL™ A4C Premium methylcellulose or other acceptable sticking agent. Use 12 to 15 fluid ounces of solution for each 100 pounds of seed to be treated. Generally, rough surfaced seeds such as corn will require a greater volume of solution for complete coating than smooth surfaced seeds such as beans. If a fungicide is used, it should be added to the slurry in accordance with its label directions. Mix the slurry with the seed using a rotating blender or other suitable mixing equipment that will ensure each seed is uniformly coated. DO NOT MIX THE SEED AND PRODUCT WITH BARE HANDS.

USE RESTRICTIONS

Do not use treated seed for human consumption, as feed for livestock or poultry, or for oil purposes. Do not allow livestock to graze or feed bean hay or pea hay grown from treated seed. Label treated seed as follows: TREATED SEED. DO NOT USE FOR FOOD, FEED, OR OIL.

NOTICE

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of the product. Seed or crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or punitive damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Platte makes no warranty of MERCHANTABILITY or fitness for a particular purpose nor any other express or implied warranty except as stated above.

DEC 18 1990

FORMULATED FOR
PLATTE CHEMICAL CO.

150 SO. MAIN STREET FREMONT, NEBRASKA 68025

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 34704-6913

BAF-150

**INDUSTRIAL MICROBICIDE FOR USE IN
RECIRCULATING WATER COOLING TOWERS, AIR
WASHER SYSTEMS, PAPERMILL SLIME CONTROL,
RECIRCULATING CLOSED LOOP WATER COOLING
SYSTEMS, BREWERY PASTEURIZER AND CAN WARMERS**

ACTIVE INGREDIENTS

5-Chloro-2-methyl-4-isothiazohn-3-one	1.15%
2-Methyl-4-isothiazohn-3-one	0.35%
INERT INGREDIENTS	98.50%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

SWALLOWED Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call for a physician immediately.

INHALED Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

ON SKIN Wash thoroughly with soap and water, remove and wash contaminated clothing before reuse.

IN EYES Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN

Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye damage and skin burns. May cause allergic skin reaction. Harmful if swallowed. Harmful if inhaled.

Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling void breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer system without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal waste. Apply this pesticide only as specified on this label.

EPA REG. NO. 11529-12
EPA EST. NO. 11529-TN-01

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

For the control of bacteria, algae and fungi, add BAF-150 microbicide to the lower basin distribution box or some other point to insure uniform mixing.

INITIAL DOSE: When the system is not heavily fouled, apply 146 to 863 ppm BAF-150 microbicide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of BAF-150 per 100 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm BAF-150 microbicide (0.31 to 1.81 pounds or 4.5 to 28 fluid ounces of BAF-150 per 100 gallons of water in the system) weekly or as needed to maintain control. Bacteriologically fouled systems must be cleaned before treatment is begun.

AIR WASHER SYSTEMS

Apply to the air washer sump or hot water sump to insure uniform mixing. Initial dose: 563 ppm BAF-150 microbicide (5.31 to 46 pounds or 49 to 157 fluid ounces of BAF-150 per 100 gallons of water in the system, depending upon the severity of contamination to control bacteria, fungi and algae which cause fouling in industrial air washer systems.

INTERMITTENT OR SLUG METHOD:
INITIAL DOSE: When the system is not heavily fouled, apply 146 to 863 ppm BAF-150 microbicide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of BAF-150 per 100 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm BAF-150 microbicide (0.31 to 1.81 pounds or 4.5 to 28 fluid ounces of BAF-150 per 100 gallons of water) weekly or as needed to maintain control.

CONTINUOUS FEED METHOD:
INITIAL DOSE: When the system is not heavily fouled, apply 146 to 863 ppm BAF-150 microbicide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of BAF-150 per 100 gallons of water in the system).

SUBSEQUENT DOSE: Maintain this treatment level by adding a continuous feed of 35 to 219 ppm BAF-150 microbicide (0.31 to 1.81 pounds or 4.5 to 28 fluid ounces of BAF-150 per 100 gallons of make-up water).

Bacteriologically fouled systems must be cleaned before initial treatment. For the control of bacteria, algae and fungi in industrial air washer systems, maintain effective disinfectant concentrations.

PAPERMILLS

BAF-150 microbicide will control bacteria, fungi and algae in the mill water supply.

POINT OF ADDITION: BAF-150 microbicide should be added to the system at the point of maximum flow of hydrochloric acid or other strong acids.

DOSEAGE: Apply 0.45 to 2.71 pounds of BAF-150 microbicide per ton of bark or pulp in the mill stream. Repeat if needed. Repeat daily. Bacteriologically fouled systems cleaned before initial treatment.

INDUSTRIAL RECIRCULATING CLOSED LOOP WATER COOLING SYSTEMS

For the control of bacteria, algae and fungi, add BAF-150 microbicide to the reservoir or hot water sump to insure uniform mixing.

INITIAL DOSE: When the system is not heavily fouled, add 563 ppm BAF-150 microbicide (5.31 to 46 pounds or 49 to 157 fluid ounces of BAF-150 per 100 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm BAF-150 microbicide (0.31 to 1.81 pounds or 4.5 to 28 fluid ounces of BAF-150 per 100 gallons of water in the system) weekly or as needed to maintain control. Bacteriologically fouled systems cleaned before treatment is begun.

BREWERY PASTEURIZERS AND CAN WARMERS

For the control of bacteria, algae and fungi in brewers and can warmers, systems, add BAF-150 microbicide to the system to insure uniform mixing.

INITIAL DOSE: When the system is not heavily fouled, add 563 ppm BAF-150 microbicide (5.31 to 46 pounds or 49 to 157 fluid ounces of BAF-150 per 100 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm BAF-150 microbicide (0.31 to 1.81 pounds or 4.5 to 28 fluid ounces of BAF-150 per 100 gallons of water) weekly or as needed to maintain control. Bacteriologically fouled systems cleaned before treatment is begun.

BAF-150 microbicide will control bacteria, fungi and algae in the mill water supply.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in saw dust or similar and disposed of in a landfill. Keep container closed when not in use.

PROHIBITIONS: This product is corrosive to mild steel. Do not store or transport in unlined containers.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by other means, contact your State pesticide or Environmental Control Agency or the Hazardous Waste Representative at the EPA Regional Office for guidance.

CONTAINER DISPOSAL:

PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or burn and land in sanitary landfill or incineration, if allowed by State and/or a local fire department. Do not burn out of smoke.

GENERAL: Consult Federal, State or Local authorities for approved alternative procedures.

OLD BY: **FARRIS CHEMICAL COMPANY, INC.**
P.O. BOX 22339
KNOXVILLE, TN 37933-0339

BEST AVAILABLE COPY

HAZARD RATING	
4	EXTREME
3	HIGH
2	MODERATE
1	SLIGHT
0	INSIGNIFICANT
+	CHRONIC HAZARD

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA registration No. 21701-603."
- b. Revise the last sentence of the Environmental Hazards section to read:

Do not contaminate water by disposal of equipment washwaters.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-7 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL
Dennis J. Edwards

DATE
12/18/90

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (R7505C)

Enclosures



CHLORPYRIFOS 50WP SEED TREATER

Insecticide For Use as a Preplant, Slurry Treatment of Field Corn, Dry Beans, Lima Bean, Snap Bean, and Sweet Corn Seeds to Protect Germinating Seeds and Seedlings from Injury by Seed-Corn Maggots.

ACTIVE INGREDIENT:

Chlorpyrifos [O-O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	50%
INERT INGREDIENTS:	50%
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN WARNING

See Below For Additional Precautionary Statements

EPA REG. NO. 34704-

EPA EST. NO. _____

NET WEIGHT _____ POUNDS

27801

EXP 10Y80

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

MAY BE FATAL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. CAUSES EYE IRRITATION.

Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wear protective clothing and rubber gloves. Wear a pesticide respirator jointly approved by The Mining Enforcement and Safety Administration (formerly The U.S. Bureau of Mines) and by The National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Keep away from food, feedstuffs and water supplies.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove to fresh air if effects occur. Call medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and wildlife and extremely toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store in a cool, dry place. Do not allow to become overheated. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Do not reuse container. Dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities.

GENERAL INFORMATION

CHLORPYRIFOS 50WP SEED TREATER is a wettable powder formulation designed for slurry treatment of seed prior to planting to protect the germinating seeds and seedlings against injury by seed-corn maggots and seed-corn beetles. CHLORPYRIFOS 50WP SEED TREATER may be applied in combination with captan, chloroneb, thiram or other appropriate registered fungicides if protection of the seed from fungi, which may cause disease or rot, is also desired. Seed treated with CHLORPYRIFOS 50WP SEED TREATER may be stored for up to 14 months without loss of insecticidal effectiveness.

USE AND DOSAGE RECOMMENDATIONS

Field Beans, Green Beans, Kidney Beans, Lima Beans, Navy Beans, Snap Beans, String Beans, Wax Beans, Field Corn, Sweet Corn, Cucumbers, Black-eyed Peas, Field Peas, Garden Peas, and Pumpkins (For control of seed corn maggots and seed corn beetles): Use 2 ounces of CHLORPYRIFOS 50WP SEED TREATER per 100 pounds of seed by applying to the seed as a slurry treatment prior to planting.

SLURRY TREATMENT

Disperse the required amount of CHLORPYRIFOS 50WP SEED TREATER in a water solution containing 0.5% by weight of METHOCEL™ A4C Premium methylcellulose or other acceptable sticking agent. Use 12 to 15 fluid ounces of solution for each 100 pounds of seed to be treated. Generally, rough surfaced seeds such as corn will require a greater volume of solution for complete coating than smooth surfaced seeds such as beans. If a fungicide is used, it should be added to the slurry in accordance with its label directions. Mix the slurry with the seed using a rotating blender or other suitable mixing equipment that will ensure each seed is uniformly coated. **DO NOT MIX THE SEED AND PRODUCT WITH BARE HANDS.**

USE RESTRICTIONS

Do not use treated seed for human consumption, as feed for livestock or poultry, or for oil purposes. Do not allow livestock to graze or feed bean hay or pea hay grown from treated seed. Label treated seed as follows: **TREATED SEED. DO NOT USE FOR FOOD, FEED, OR OIL.**

NOTICE

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated on such label only when used in accordance with the directions and normal use conditions. It is impossible to eliminate all risks inherently associated with the use of the product. Seed or crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or punitive damages resulting from the use or handling of this product. All such damages shall be assumed by the buyer. Platte makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

DEC 18 1980

FORMULATED FOR
PLATTE CHEMICAL CO.

180 SO. MAIN STREET

FREMONT, NEBRASKA 68021

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 34704-693