

PM 04

34704-715

08/19/99

1/6

Acceptance stamp on pg. 6 of 6

5566706



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

AUG 19 1999

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Platte Chemical Company  
419 18<sup>th</sup> Street  
Greeley, CO 80631

Dear Registrant:

Subject: Deletion of Sorghum Pursuant to  
The August 1999 Methyl Parathion Agreement  
Paraspray 6-3  
EPA Reg. No 34704-715.  
Your Application of August 8, 1999

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, As Amended (FIFRA), is acceptable, provided that you:

Submit one copy of your final printed label incorporating the following corrections before you release the product for shipment.

1. Delete the reference to sorghum on page two under the heading: Crop Limitations.
2. The Statement of Practical Treatment or First Aid must appear on the front panel of the label as described in 40 CFR 165.10(iii)
3. The front panel word, Poison must appear in red on a background of distinctly contrasting color.
4. Correct the statement, This pesticide is highly toxic to fish and wildlife." to read as cited below. (Reference: Parathion and Methyl Parathion Registration Standards issued Dec. 1986 )

This pesticide is highly toxic to aquatic invertebrates, fish and wildlife.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Marilyn A. Mautz  
Biologist

- Insecticide-Rodenticide Branch  
Registration Division (7504C)

# RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale only to certified commercial aerial applicators or persons under their direct supervision. For use only by certified commercial aerial applicators. Direct supervision for this product is defined as the certified commercial applicator being physically present during mixing, loading, repair and cleaning of application equipment. Certified commercial applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

# PARASPRAY® 6-3

## Organophosphate Insecticide

### ACTIVE INGREDIENTS:

Parathion (O,O-diethyl O-p-nitrophenyl phosphorothioate) .....	55.3%
Related Compounds .....	1.7%
Methyl Parathion (O,O-dimethyl O-p-nitrophenyl phosphorothioate) .....	27.8%
Related Compounds .....	1.1%
INERT INGREDIENTS: .....	14.1%
TOTAL	100.0%

CONTAINS 6 POUNDS PARATHION AND 3 POUNDS METHYL PARATHION PER GALLON

Applicators (pilots in enclosed cockpits) must wear: long-sleeved shirt and long pants and shoes plus socks. In addition, pilots must wear waterproof gloves when entering or leaving an aircraft contaminated with pesticide residues. If taken into the cockpit, the gloves must be kept in an enclosed container to prevent contamination of the inside of the cockpit.

All Other Handlers, including persons who (1) repair, clean, or maintain the parts of mixing, loading, or application equipment that may contain residues, (2) clean up spills, (3) handle open containers, or (4) dispose of this pesticide, must wear: chemical-resistant protective suit, waterproof gloves, chemical-resistant footwear plus socks, protective eyewear, chemical-resistant headgear for overhead exposure and a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**  **POISON**  
**PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

EPA REG. NO. 34704-715

EPA EST. NO. 2737-KS-110, 34704-MS-153

NET CONTENTS GAL. ( L )

IHT

EXP08R99

### User Safety Requirements

Users must:

- Provide mechanical exhaust ventilation, if product is handled indoors.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.
- Clean respirators and replace cartridges or canisters according to instructions included with the respirators.
- Replace gloves frequently.
- Keep and wash PPE (coveralls, gloves, footwear, aprons, protective eyewear, etc.) separately from all other laundry. Wash PPE after each day's use, following the manufacturer's directions. If no such instructions, use detergent and hot water. Store PPE separately from personal clothing.
- Keep personal work clothing (long-sleeved shirts, long pants, and socks) worn while performing mixing, loading, application, and other handling and early entry tasks separate from household articles. After each day of use, wash work clothing separately from household articles.

See Below For Additional Precautions and Statement of Practical Treatment.



#### CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist may be fatal if swallowed.



#### CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



#### CAN KILL YOU IF BREATHED

This product can kill you if vapors or spray mist are breathed.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Rapidly absorbed through skin. Do not breathe vapors. Do not get in eyes or on skin or clothing.

**THIS PRODUCT MAY BE FATAL IF SWALLOWED OR INHALED, OR IF ALLOWED TO CONTACT SKIN. FAILURE TO PROPERLY FOLLOW ALL INSTRUCTIONS FOR PERSONAL PROTECTIVE EQUIPMENT WILL INCREASE YOUR RISK.**

### Personal Protective Equipment:

Mixers and loaders (who must use the closed system described elsewhere on this label) must wear: coveralls over long-sleeved shirt and long pants, waterproof gloves, chemical-resistant footwear plus socks, chemical resistant apron, and protective eyewear, if the closed system is pressurized.

### User Safety Recommendations

Users should:

- Not rub eyes or mouth with hands.
- STOP work and get help right away, if you feel sick in any way. See First Aid (Practical Treatment) section of this label. Call a doctor (physician), clinic, or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (See First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE, all work clothing, and footwear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving job. Do not wear contaminated clothing.
- The National Pesticide Telecommunication Network (NPTN) is available for recommendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800-858-7378.
- Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.
- Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests that the cholinesterase level has returned to normal.
- Before using this product, consult the Agricultural Extension Service or Experimental Station for specific recommendations regarding such blood tests.

STATEMENT OF  
+ PRACTICAL TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition

If Breathing Has Stopped, start artificial respiration immediately and maintain until doctor sees victim.

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention

If In Eyes: Flush eyes with plenty of water. Contact Physician Immediately

If on Skin: Flush skin with plenty of water. Contact Physician Immediately

**ATROPINE IS AN ANTIDOTE.**

**CONSULT PHYSICIAN FOR EMERGENCY SUPPLY.**

If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest, do not wait for a doctor but give two atropine tablets (each 1/100 grain or 0.65 milligrams) at once. (One tablet to children under five years of age.) FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-228-5635, EXT. 136, OR CALL COLLECT, 612-851-8180, EXT. 136.

**NOTE TO PHYSICIAN**

**Antidote** - administer atropine sulfate in large doses. Two to Four mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

**ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to fish and wildlife. Birds in treated areas may be killed. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**USAGE CAUTION: DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROP OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH DIRECTIONS BECAUSE PLANT INJURY, EXCESSIVE RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR**

**PHYSICAL & CHEMICAL HAZARDS**

**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.**

Do not heat shell or drum or any part of contents above 200 degrees F. because of violent decomposition.

Do not store at below freezing temperatures to avoid crystallization.

**DO NOT USE IN UNDILUTED FORM**

**DO NOT STORE NEAR FOOD OR FEED PRODUCTS.**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**Application Restrictions**

**Aerial Application Only:** Ethyl parathion may only be applied aerially, and only by a certified commercial applicator as defined in FIFRA 2(e)(3). HUMAN FLAGGERS ARE STRICTLY PROHIBITED DURING AERIAL APPLICATION.

**No Spray or Drift On Any Person:** Do not apply this product in a way that will contact any person, either directly or through drift. During application keep ALL persons out of (1) the treated area plus any area within 100 feet of the treated area, and (2) any additional area where there is a danger of drift. Keep all livestock and pets away from treated area and where there is danger of drift.

**Areas Where Application is Prohibited:** Do not apply this product within 100 feet of buildings, public roads, or bodies of water. Do not apply within 100 feet of property lines, unless the owner of the adjacent property has given prior written consent to the application and has been informed of the timing of the application and the appropriate entry restrictions.

**Crop Limitations:** This product must not be applied to any crop other than alfalfa, barley, corn, cotton, sorghum, soybeans, sunflower, and wheat. Any treated crop must be harvested only by mechanical means. Hand harvesting of treated

crop is prohibited.

**Chemigation Prohibited:** Do not apply this product through any type of irrigation system.

**Drift Reduction Measures:** Do not apply this product if the wind exceeds 10 miles per hour. Apply only from nozzles located not more than 75% of the distance from the center of the aircraft to the wing tip or helicopter rotor tip.

4/6

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions pertaining to the statements in this labeling about personal protective equipment, restricted-entry intervals, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

**IMPORTANT:** The exceptions in the WPS pertaining to personal protective equipment, restricted-entry intervals, and notification to workers do NOT apply when this product is used.

**Restrictions on Entry to Treated Areas:**

Do not enter or allow any person to enter into entry-restricted areas (treated areas plus areas within 100 feet of treated areas) during the restricted entry interval (REI) of 3 days (6 days for corn) and during any longer period of time prescribed by State law or regulation. Entry into entry-restricted areas (including early entry that would otherwise be permitted under the WPS) by any person is PROHIBITED, except for persons who are (1) handlers performing crop-advisor tasks or (2) workers performing irrigation-related tasks.

**Restrictions for All Persons Who Enter Entry-Restricted:**

When any person enters the treated area or within 100 feet of the treated area before the expiration of REI all of the following requirements must be complied with:

- (1) No entry is permitted, except for persons who are performing crop-advisor tasks or irrigation-related tasks.
- (2) No person is allowed to enter or remain in entry-restricted areas during application and until four (4) hours after application is complete.
- (3) No person is allowed to remain in any entry-restricted areas for a total of more than one (1) hour in any 24-hours period.
- (4) Each person must wear the personal protective equipment specified for early entry on this label.
- (5) Each person must be provided the protections in the WPS and in this labeling. If the two requirements are not identical, the requirements that are the most restrictive must be followed.
- (6) Each person, except owners of the farm and members of their immediate family, must have received training as follows.

(a) Currently certified as an applicator of restricted-use pesticides,  
OR

(b) Currently trained as a handler under the requirements of the WPS

OR

(c) Currently trained as a worker under the requirements of the WPS and, in addition, is informed (i) how to put on, use, and take off PPE correctly, (ii) about the importance of washing thoroughly after removing PPE, and (iii) how to prevent, recognize, and give correct first aid for heat illness.

(7) Before entering the entry-restricted area, each person must have read the product labeling or been informed in a manner the person can understand of all the requirements of all labeling requirements related to safe use of the pesticide, including signal word, human hazard precautions, first aid instructions, symptoms of poisoning, and personal protective equipment requirements for early entry.

(8) Appropriate measures to prevent heat illness must be taken for each person.

(9) Each person must be provided a decontamination site that is reasonably accessible and is within 1/4 mile of that person. (Exception: if the site where the person is working is more than 1/4 mile from the nearest point reachable by vehicle, the decontamination site may be at the access point.) Each decontamination site must contain an adequate supply of soap and single-use towels and an adequate amount of water for routine washing, emergency eyeflushing, and emergency whole-body washing. The water must be of a quality and temperature that will not cause illness or injury when it contacts the skin or eyes or if it is swallowed. The site must also contain a clean change of clothing, such as a coverall.

(10) Each person must carry an eyeflush dispenser containing at least one pint of water that meets the quality and temperature criteria listed for decontamination water in (9) above.

(11) After the activity in the entry-restricted area, soap, clean towels, and an adequate amount of water for thorough washing must be available at the place where the person removes the PPE. The water must meet the quality and temperature criteria listed for decontamination water in (9) above.

(12) Each person must wash thoroughly after removing PPE.

(13) Personal protective equipment worn during early entry must not be worn home. No person, other than owners of the farm and members of their immediate family, may take home - before it is cleaned - PPE worn during early entry. **Personal Protective Equipment for Early Entry:** PPE required for early entry to treated areas that is permitted on this label is: Coveralls, or long-sleeved

**PARASPRAY® 6-3**  
**EPA REG. NO. 34704-715**

5/6

**Agricultural Use Requirements Continued:**

shirt and long pants, waterproof gloves, chemical-resistant footwear, protective eyewear and chemical-resistant headgear for overhead exposure.

**Notification About Applications and Entry Restrictions:**

Notify workers (other than workers who are members of the farm owners' immediate family) of the application by warning them orally if they will be within 1/4 mile of the treated area. In addition, treated areas must be posted with WPS signs at (or 100 feet outside) all usual points of entry or at (or 100 feet outside) all the corners of the treated areas affording maximum visibility.

**Notification to Farm Owner/Operator**

A certified commercial applicator must not apply this parathion product on a farm until he or she makes sure the owner of the farm (or person responsible for managing the farm) has the following information in writing: (1) specific location and description of the area to be treated, (2) time and date of application, (3) product name, EPA registration number, and active ingredients, (4) the entry restrictions including the restricted-entry interval, (5) the requirement for both oral warnings to workers and posting of treated areas, (6) the requirement that crops treated with parathion be harvested mechanically and the prohibition on hand harvesting, (7) the incident reporting requirements set forth on this label, and (8) any other labeling requirements concerning the protection of workers or other persons during or after application. This requirement is satisfied if the owner/operator of the farm has a copy of this labeling.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly.

**STORAGE:** Do not store below temperature of 32° F. Store in safe manner. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel must wear the personal protective equipment specified for "All Other Handlers" listed in the Hazards to Humans section of this label when handling open containers or cleaning up spills.

**SPILLED MATERIAL:** Block or dike to prevent spreading of spill. Cover with absorbent material such as lime, clay or sawdust. Scoop and sweep into a disposable container. Wash area with strong lye solution, absorb and place into a disposable container.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Add the concentrate to the spray tank while filling with water, and mix thoroughly either by means of a tank agitator or pump by-pass. For best results, thoroughly cover all surfaces to be treated with spray. Rates of application given below should not be exceeded.

For application add the desired amount of concentrate per acre to 1 to 3 gallons of water

**PROTECTION OF APPLICATORS AND MIXER-LOADERS**

**Applicator Protection:** The cockpit of the aircraft used to apply this product must be fully enclosed while this product is being applied. No pilot may apply this product if the pilot has earlier during the day of application performed any mixing/loading activities (other than acting as an observer) involving any pesticide product containing parathion. Human flaggers are prohibited.

**Mixer/Loader Protection:** An observer must be present during all mixing/loading activities in order to furnish assistance in the event of an accident. The observer must not act as a mixer/loader and need not wear personal protective equipment. This product must be mixed and loaded in a closed system, as described below: The liquid product must be removed from its original shipping container and transferred through connecting hoses, pipes, and/or couplings that are sufficiently tight to prevent handlers or other persons from contacting the parathion concentrate, use dilution, or rinsate solution.

All hoses, piping, tanks, and connections used in the system shall be of a type appropriate for the product being used and the pressure and vacuum levels involved. The system shall be designed and operated so that the concentrated form of this product is not under more than 25 psi of pressure at any point in the system beyond or downstream from a pump producing positive pressure. The closed system must be adequate to make necessary measurements of the prod-

uct being used. External sight gauges shall be equipped with valves so that the flow of pesticide to the sight gauge can be shut off in case of breakage or leakage from the gauge.

Dry-break couplings shall be used for all hose connections that may be disconnected during normal mixing-loading operations (excluding periodic maintenance). A coupling shall be considered to be a dry-break coupling only if its manufacturer certifies that less than 2 milliliters of liquid will escape per disconnect.

In mixing-loading operations do not pour this product from its container. Before opening the container, make sure that the container is resting securely on the ground or a sturdy support, with the top (opening) end up and approximately level.

Remove the product from the container only by use of a vacuum-producing pump system connected to a probe system that is listed by the State of California under that State's program establishing criteria for closed-system handling of Toxicity Category I pesticides. If you have any questions please contact the State Agricultural Extension Service for further information.

The probe system shall be screwed into the threaded opening in the top of the container to form a watertight connection, using appropriate adaptors provided by the probe manufacturer as necessary. The instructions provided by the seller of the probe system shall be followed, except that a removable probe may not be removed from the container until the container is empty and the container and probe have been thoroughly rinsed as required by this section.

The closed system must provide for adequate rinsing of any removable probe and of all containers that are not labeled for return to the registrant. Rinsing must be done using a liquid that contains no pesticide. The rinsing system must be capable of spray-rinsing the inner surface of the container. The rinse solution shall be removed from the pesticide container concurrent with the introduction of the rinse medium. The rinse solution shall go into the pesticide mix tank or applicator vehicle via the closed system.

The system shall be rinsed according to the specifications of the manufacturer of the probe system, or, in the absence of such specifications, by moving at least one half the container volume through the system. A minimum pressure of 15 psi shall be used for the spray rinse. Measures shall be taken to prevent the spray rinse procedure from causing an increase in pressure on the inside of the container walls of more than 5 psi.

Either the operator of the closed system must have available at the time of operation a complete set of written instructions for proper operation of the system, or the certified applicator must document in writing before an operator uses the closed system that the operator has been adequately trained in the proper operation of the system.

**INCIDENT REPORTING:** A telephone notification must be made if mixing, loading, or use of a product containing parathion results in (1) inadvertent or unexpected human exposure to the product or illness resulting from exposure to the product, (2) spill of the product, (3) an investigation by Federal, State, or local authorities of allegations involving drift of the product, or (4) the deaths of birds or other wildlife. The certified applicator or the owner of the treated land must notify by telephone the Chief, Compliance Branch, Office of Compliance Monitoring, USEPA, at (202) 260-3375 within seven days of becoming aware of the incident.

**CROP USE DIRECTIONS**

CROP	PESTS	PINTS/ACRE	RESTRICTIONS
Alfalfa	Aphids, Alfalfa Weevil and adults, Alfalfa Caterpillars, Armyworms, Climbing Cutworms & Grasshoppers	1/4-2/3	Do not apply to alfalfa if the crop or weeds in the treatment area are in bloom. California and Nevada regulations limit the use of this material to not more than 1/3 pint per acre. Do not apply within 15 days of harvest, pasturing, cutting or forage use.
Corn (Field, Hybrid, Sweet & Pop)	Rootworm Adults	1/3	Apply when 75% of corn plants show shot-hole feeding and follow with two additional sprays at 5 to 7 day intervals. Use sufficient water to provide complete coverage and be certain whorls of plants are well treated. Do not apply within 12 days of harvest, cutting or forage use. Do not apply during the pollen shed period.
	Aphids, Army worms, Fall Armyworms, Budworms, Spider Mites, Climbing Cutworms	1/2	
	Stinkbugs	3/4	
	European Corn Borer	2/3	For European Corn Borer control, consult your State Agricultural Experiment Station for proper timing of treatment.

**PARASPRAY® 6-3**  
EPA REG. NO. 34704-715

6/6

CROP	PESTS	PINTS/ ACRE	RESTRICTIONS
Cotton	Cotton Leafworms, Fleahoppers, Lygus Bugs, Red Spider Mites, Thrips, Garden Webworms	1/2	Apply at 4 to 5 day intervals until control is obtained. Do not apply within 7 days of harvest.
	Cabbage Loopers, Boll Weevils	2/3-1-1/3	
	Boilworms, Budworms	1-1/3	
	Aphids, Cotton Leaf Perforators, Armyworms, Stinkbugs, Salt Marsh Caterpillars	1	
Wheat and Barley	Armyworms, Fall Armyworms, Winter Grain Mites, Thrips	1/4	Do not apply within 15 days of harvest, pasturing, cutting or forage use.
	Aphids (Greenbugs)	1/3	
	Grasshoppers, Brown Wheat Mites	1/2	
	Climbing Cutworms, Leafhoppers, Say's Plant Bugs	1/2-3/4	
	Chinch Bugs, False Chinch Bugs <sup>1</sup>	1	
	Two-Spotted Mites	1/2	
Soybeans	Boilworms, Fall Armyworms, Green Cloverworms, Velvet Bean Caterpillars, Webworms	2/3	Do not apply more than two applications per growing season. Do not apply within 21 days of grazing or harvest.
	Sunflower Seed Weevil, Sunflower Moth, Sunflower Maggot, Sunflower Stem Weevil, Grasshopper	2/3	

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

**AUG 19 1999**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

**34704-715**

**NOTICE**

IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE, THE MANUFACTURER OR SELLER. IN NO CASE SHALL PLATTE, THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE, THE MANUFACTURER OR SELLER MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND PLATTE'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

FORMULATED FOR  
**PLATTE CHEMICAL CO.**

419 18TH STREET, GREELEY, COLORADO 80631-6852