

34704-734

1/7/2002

File
Page 1 of 3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

JAN 7 2002

Glenda Haage
Platte Chemical Company
419 18th Street
Greeley, CO. 80631

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Wettable Sulfur Fungicide-Insecticide
EPA Reg. No. 34704-734
Your Letter Dated October 10, 2001

Dear Ms. Haage:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided the following change is made:

Under Environmental Hazards, in the first sentence, delete the phrase "For terrestrial uses".

A stamped copy is enclosed for your records. Please submit one (1) copy of your final printed labeling before you release the product for shipment.

If you have any questions, please contact Summer Gardner-Jenkins of my staff at (703) 308-9353.

Sincerely,

A handwritten signature in cursive script that reads "Mary L. Waller".

Mary L. Waller
Product Manager 21
Fungicide Branch
Registration Division (7505C)

Enclosure

WETTABLE SULFUR FUNGICIDE-INSECTICIDE

ACTIVE INGREDIENT:	BY WT.
Sulfur	92.0%
INERT INGREDIENTS:	8.0%
	TOTAL 100.0%

The material in this bag is guaranteed to pass 95% through a 325 mesh screen.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Below For Additional Precautionary Statements

NET WEIGHT 30 LBS. (13.6 KG)

EPA REG. NO. 34704-734

EPA EST. NO. _____

IHT EXP 10G01

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS) CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes, or clothing.

Personal Protective Equipment:

Applicators and other handlers must wear: long-sleeved shirt and long pants, waterproof gloves, and shoes plus socks.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should
Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ACCEPTED
with COMMENTS
In EPA Letter Dated**

JAN 7 2002

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
34704-734**

FIRST AID

If swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-228-5635, EXT. 136, OR CALL COLLECT, 612-851-8180, EXT. 136. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from heat, sparks, or flame. Do not smoke while applying this product.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this labeling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.


AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

Coveralls, waterproof gloves, and shoes plus socks.



WETTABLE SULFUR
EPA REG. NO. 34704-734

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep away from fire and sparks. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

TURER OR SELLER MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND PLATTE'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

Do not apply this product through any type of irrigation system. Applications of material containing sulfur should not be made prior to or during periods of excessively high summer temperatures or within 2 weeks of an oil spray. To mix WETTABLE SULFUR, fill the spray tank with water until agitator blades are covered. With agitator running, add in the required amount of WETTABLE SULFUR. Continue filling and keep agitator running during spraying.

Almonds: Brown Rot, Scab—Use 6 pounds per 100 gallons of water in pre-bloom, bloom and post-bloom periods. Apply when disease threatens during rain periods and repeat at 7 to 10 day intervals.

Apples and Pears: For Scab or Powdery Mildew control, use as a spray in pre-blossom, Calyx and Early cover sprays. Use 6 to 8 pounds of WETTABLE SULFUR or 4 to 6 pounds of WETTABLE SULFUR plus 2 to 3 pounds Polysulphide Compound or 2 gallons of Liquid Lime Sulfur Solution per 100 gallons of dilute spray. Sulfur may injure certain varieties of Apples. Check specific varietal tolerance to sulfur prior to using.

Pears only: Do not apply after fruit begins to turn down. **Fall Clean-Up Spray:** Biliater Mites, European Red Mites and Twospotted Spider Mites—Use 6 pounds of Wettable Sulfur plus 6 pounds of Polysulphide Compound or 5 gallons of Liquid Lime Sulfur Solution to each 100 gallons of dilute spray.

Blackberries, Boysenberries, Gooseberries, Loganberries, Raspberries, Strawberries: To control Powdery Mildew—Use 2 pounds Wettable Sulfur per 100 gallons of water. Apply when disease first appears and repeat at 7-10 day intervals or as necessary to maintain control.

Citrus: Citrus Flat Mite, Yuma Spider Mite, Sixspotted Mite and Citrus Rust Mite Use 5 to 12 pounds per 100 gallons of water (75 to 125 pounds per acre). Apply when mites appear and repeat as necessary. Do not make an oil application within 60 days prior to or after a sulfur application.

Grapes: Powdery Mildew—Use 2 to 5 pounds per 100 gallons of dilute spray. Use as a spray beginning when shoots are 6 to 8 inches long and repeat at 7 to 10 day intervals. Ground application preferred. Concord and other Labrusca type grapes may be injured by sulfur.

Plums, Prunes, Peaches, Nectarines, Cherries: Powdery Mildew, Silver Mite, Cherry Leaf Spot, Prune Rust and Brown Rot—Use 5 to 10 pounds per 100 gallons of water. Apply in the pre-bloom, bloom and post-bloom periods. Apply when disease threatens during rain periods and repeat at 7 to 10 day intervals.

Tomatoes: Tomato Russet Mite—Use 12 to 25 pounds per acre. Apply with ground equipment at the rate of 60 to 250 gallons of water per acre. Use only application equipment which has paddle type agitation. Continuous and complete agitation is necessary.

NOTICE

IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE, THE MANUFACTURER OR SELLER. IN NO CASE SHALL PLATTE, THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE, THE MANUFAC-

FORMULATED FOR
PLATTE CHEMICAL CO.
419 18TH STREET, GREELEY, COLORADO 80631-5852