

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REG. NO. 24104-745, 7A 83

EPA REGISTRATION NO.
34704-745

DATE OF ISSUANCE
SEP 28 1993

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

MOSS CONTROL PLUS LAWN FOOD

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Platte Chemical Co.
419 18th Street
P.O. Box 667
Greeley, CO 80632

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA Section 3(c)(5) and sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 34704-745".
- b. Please change the "Read Precautions Heading" to the proper type size.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, this registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL

DATE

This acceptance of your label does not relieve you of any obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR part 158, subpart K, § 156.200(c)(3), you are prohibited from distributing or selling any product within the scope of the WPS requirements after April 21, 1994, without amended labeling accepted by the Agency.

Sincerely yours,

Robert J. Taylor
Product Manager (25)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

RD:RTaylor:aja:9/28/93:3056800

BEST AVAILABLE COPY

MOSS CONTROL PLUS LAWN FOOD

SEP

ACCEPTED

SEP 28 1989

04-74J

- SPECIFICALLY FORMULATED FOR WESTERN LAWNS
- 10% IRON TO CONTROL MOSS IN LAWNS WITH ONE APPLICATION
- CONTAINS CONTROLLED RELEASE NITROGEN FOR A LONG LASTING DEEP GREEN LAWN
- CONTAINS LIME TO HELP NEUTRALIZE SOIL ACIDITY

ACTIVE INGREDIENT:

Ferrous Sulfate Monohydrate	32.0%
INERT INGREDIENTS:	68.0%
TOTAL	100.00%

Intertidal areas below the mean high water mark. Do not contaminate water when disposing of waste.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in original container and preferably in a locked storage area away from children and domestic animals. Store in a cool, dry place. Do not reuse empty bag.
Disposal: Securely wrap bag in several layers of newspaper and discard in trash.

KEEP OUT OF REACH OF CHILDREN DANGER

See Back Panel For Additional Precautionary Statements
EPA REG. NO. 34704-

EPA EST. NO. _____

NET WEIGHT _____ LBS. (_____ KG.)

34845 EXP02/83

GUARANTEED ANALYSIS

Total Nitrogen (N)	_____ %
% Ammoniacal Nitrogen	_____ %
% Urea Nitrogen	_____ %
% Water Insoluble Nitrogen	_____ %
Available Phosphorous (P ₂ O ₅)	_____ %
Soluble Potassium (K ₂ O)	_____ %
Sulfur (S)	_____ %
Iron (Fe)	_____ %
Calcium (Ca)	_____ %

Derived from: Ammonium Sulfate, Ammonium Phosphate, Urea, Sulfur-Coated Urea, Muriate of Potash, Ferrous Sulfate and Ground Limestones.

[NOTE TO EPA: GUARANTEED ANALYSIS, PLANT FOOD NUTRIENTS AND PLANT FOOD COMPONENTS MAY VARY DEPENDING UPON EPA ACCEPTED FORMULATION USED]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive, causes eye damage. Wear goggles for face shield when handling. Do not get in eyes, on skin or clothing. May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing of dust. Wash thoroughly after handling and before eating or smoking. Do not contaminate feed or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

If In Eyes: Flush with plenty of running water. Get medical attention.
If On Skin: Remove contaminated clothing and wash affected areas with plenty of soap and water. If irritation persists get medical attention.
If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.
If Swallowed: Call a physician or Poison Control Center immediately. Induce vomiting by giving 1 or 2 glasses of water and touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS


Do not apply directly to areas where surface water is present or to

GENERAL INFORMATION

MOSS CONTROL PLUS LAWN FOOD is a premium blend of lawn fertilizer and moss control specifically formulated for western lawns. Treated moss turns black quickly, indicating that the moss is dying. Large areas of dead moss should be raked away and overseeded with Webfoot Blue Ribbon Lawn Seed or other high quality lawn seed.


HOW TO APPLY:

1. Mow the lawn to expose as much moss as possible. If possible, catch or rake and remove clippings.
2. Apply uniformly at the recommended use rate using a quality lawn spreader. Contents of this bag covers 5,000 sq. ft. (this statement for 40 lb. bag size. Statement for 20 lb. bag size will be "Contents of this bag covers 2,500 sq. ft.") (1 lb. covers 125 sq. ft.).
3. Apply when sidewalks are dry. Sweep sidewalks and masonry free of MOSS CONTROL PLUS LAWN FOOD prior to lawn watering. This product contains iron sulfate which may stain concrete and masonry.
4. Water thoroughly following application.



MOSS CONTROL PLUS LAWN FOOD

EPA REG. NO. 34704-



KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

AMOUNT TO APPLY: For established lawns, apply at the rate of 40 lbs. to cover 5,000 sq. ft. (or 20 lbs. to cover 2,500 sq. ft.)

SUGGESTED SPREADER SETTINGS: The following spreader settings are for use with new equipment at average walking speed and level terrain. A used spreader may need calibration. Many factors, such as incorrect settings, walking speed, terrain, wear, spreader calibration and general condition of the spreader can affect the rate of application. Since these conditions are beyond our control, neither Platte Chemical Co. nor the retail merchant can guarantee exact coverage as indicated by the recommended spreader settings. If you have reason to believe that your spreader is not calibrated correctly, test apply by placing the amount needed to cover 500 sq. ft. into your spreader and apply to a pre-measured 500 sq. ft. area. If you run out before covering the pre-measured area, decrease the spreader setting. If additional product is left in spreader hopper, increase the spreader setting. For further assistance, refer to your Spreader Guide manual.

SPREADER SETTINGS CHART

Ortho Drop	6.5	Scott's PF 3	8.0
Ortho Broadcast	6.5	Spyker Broadcast	4.75

[NOTE TO EPA: DEPENDING UPON EPA ACCEPTED FORMULATION USED, THE GUARANTEED ANALYSIS AND SPREADER SETTINGS MAY VARY]

FOR A GREAT LOOKING LAWN YEAR AROUND:

1. Apply MOSS CONTROL PLUS LAWN FOOD in the early spring.
2. When dandelions or other broadleaf weeds appear, apply WEBFOOT WEED AND FEED.
3. For ideal summer care apply WEBFOOT TURF TREET.
4. Before you put your lawn to bed in the fall apply WEBFOOT FALL AND WINTERGREEN.

NOTICE

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE. IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY

FORMULATED FOR
PLATTE CHEMICAL CO.

150 SO. MAIN STREET

FREMONT, NEBRASKA 68025-5887