

34704-745

3/15/2002

MAR 15 2002

Ms. Glenda Haage
Registration Manager
PLATTE CHEMICAL COMPANY
419 18th Street
Greeley, CO 80632-0667

SUBJECT: Label Amendment
Moss Control Plus Lawn Food, EPA Reg. No. 34704-745
Your Application Dated February 19, 2002

The above mentioned amendment submitted in connection with registration under Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable provided you make the following changes listed below:

- Under the "Precautionary Statements" change "Wear goggles" to "Wear protective eyewear".

A stamped copy is enclosed for your records. Please submit one(1) final printed copy for the above mentioned label before releasing the product for shipment. The amended labeling supersedes all previously accepted ones.

Sincerely,

James Tompkins
 James Tompkins
 Product Manager, (25)
 Herbicide Branch
 Registration Division (7505C)

Enclosure

CONCURRENCES

| | | | | | | | | |
|-----------|--------------|--|--|--|--|--|--|--|
| SYMBOL ▶ | 7505C | | | | | | | |
| SURNAME ▶ | MINOR, E. | | | | | | | |
| DATE ▶ | Mar 12, 2002 | | | | | | | |

Moss Control Plus Lawn Food

ACTIVE INGREDIENT: Ferrous Sulfate Monohydrate 32.0%
 INERT INGREDIENTS: 68.0%
 TOTAL 100.0%

- SPECIFICALLY FORMULATED FOR WESTERN LAWNS
- 10% IRON TO CONTROL MOSS IN LAWNS WITH ONE APPLICATION
- CONTAINS LIME TO HELP NEUTRALIZE SOIL ACIDITY

KEEP OUT OF REACH OF CHILDREN
DANGER

See Below For Additional Precautionary Statements
 EPA REG. NO. 34704-745
 EPA EST. NO. 070015-OR-007
 NET WEIGHT 50 LBS. (22.7 KG)

IHT EXP 01/02

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes eye damage. Wear goggles or face shield when handling. Do not get in eyes, on skin or clothing. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing of dust. Wash thoroughly after handling and before eating or smoking. Do not contaminate feed or foodstuffs.

FIRST AID

| | |
|--------------------------------|---|
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 -20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| If on skin or clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| If swallowed: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor • Do not give anything by mouth to an unconscious person. |
| If inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. |

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-228-5635, EXT. 136, OR CALL COLLECT, 612-851-8180, EXT. 136.
 Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL


Storage: Store in original container and preferably in a locked storage area away from children and domestic animals. Store in a cool, dry place. Do not reuse empty bag.
Disposal: Securely wrap bag in several layers of newspaper and discard in trash.

GENERAL INFORMATION

This product is a premium blend of lawn fertilizer and moss control specifically formulated for western lawns. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. Treated moss turns black quickly, indicating that the moss is dying. Large areas of dead moss should be raked away and overseeded with a high quality lawn seed.

HOW TO APPLY:

1. Mow the lawn to expose as much moss as possible. If possible, catch or rake and remove clippings.
2. Apply uniformly at the recommended use rate using a quality lawn spreader. Contents of 50 lb. bag covers 6,250 sq. ft. (1 lb. covers 125 sq. ft.).
3. Apply when sidewalks are dry. **Sweep sidewalks and masonry free of this product prior to lawn watering.** This product contains iron sulfate which may stain concrete and masonry.
4. Water thoroughly following application.



ACCEPTED with COMMENTS
 by EPA Letter Dated


MAR 15 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 34704-745

MOSS CONTROL PLUS LAWN FOOD EPA REG. NO. 34704-745

AMOUNT TO APPLY: For established lawns, apply at the rate of 40 lbs. to cover 5,000 sq. ft.

GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND UNITED HORTICULTURAL SUPPLY'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.



SUGGESTED SPREADER SETTINGS: The following spreader settings are for use with new equipment at average walking speed and level terrain. A used spreader may need calibration. Many factors, such as incorrect settings, walking speed, terrain, wear, spreader calibration and general condition of the spreader can affect the rate of application. Since these conditions are beyond our control, neither the formulator nor the retail merchant can guarantee exact coverage as indicated by the recommended spreader settings. **If you have reason to believe that your spreader is not calibrated correctly,** test apply by placing the amount needed to cover 500 sq. ft. into your spreader and apply to a pre-measured 500 sq. ft. area. If you run out before covering the pre-measured area, decrease the spreader setting. If additional product is left in spreader hopper, increase the spreader setting. For further assistance, refer to your Spreader Guide manual.

SPREADER SETTINGS CHART

| | | | |
|-----------------|-----|------------------|------|
| Ortho Drop | 6.5 | Scott's PF 3 | 8.0 |
| Ortho Broadcast | 6.5 | Spyker Broadcast | 4.75 |

| 6-0-0 GUARANTEED ANALYSIS | |
|---|--------|
| Total Nitrogen (N) | 6.00% |
| 6.00% Ammoniacal Nitrogen | |
| Calcium (Ca) | 14.00% |
| Sulfur (S) | 12.50% |
| Iron (Fe) | 10.00% |
| Derived from: Ammonium Sulfate, Ferrous Sulfate and Granular Limestone. | |

NOTICE

IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF UNITED HORTICULTURAL SUPPLY, THE MANUFACTURER OR SELLER. IN NO CASE SHALL UNITED HORTICULTURAL SUPPLY, THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, UNITED HORTICULTURAL SUPPLY, THE MANUFACTURER OR SELLER MAKES NO WARRANTIES,

PLATTE CHEMICAL CO.
419 18TH STREET, GREELEY, COLORADO 80631-5852