US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460

REGISTR NOTICE OF PESTICIDE:] REREGISTRÁTION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended).

ION NO. 772 DATE OF 34704 中国

TERM OF ISSUANCE

's *= conditional

KleenUp Systemic Weed Grass Killer

AME AND ADDRESS OF REGISTRANT (Include ZIP code)

г

Ms. Jeannie K. Smith Platte Chemical Company P.O. Box 667 Greeley, CO 80632

NOTE Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named posticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pestscide in accordance with the Act. The acceptance of any name in connection with the registration of a product under, this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others_

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) and sec. 4 when the Agency requires all registrants of similar products to submit such data.
- Add the phrase, "EPA Registration No. 34704-772". 2.
- Revise label statements as follows: 3.

Under "How to Apply", modify section to include: "Do not use the ORTHO Lawn Sprayer."

Submit one (1) copy of your final printed labeling before you 4. release the product for shipment.

ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIA	st for Lobert J Taylor	° 5/1/96
EPA/Form 8570-6 (Rev 5 76)	PREVIOUS EDITION MAY BE USED UNTIL SUPP	LY IS EXHAUSTED

KLEENUP SYSTEMIC WEED & **GRASS KILLER**

FOR GENERAL WEED CONTROL KILLS WEEDS - ROOTS AND ALL **KILLS IN 2 TO 4 WEEKS BIODEGRADABLE**

CONTAINS WETTING AGENT FOR ADDED VALUE **CONCENTRATE MAKES UP TO 24 GALLONS SPRAY**

- Contains the Same Active Ingredient as Roundup®. Roundup is a Trademark of Monsanto Co.
- New! Contains Blazon® Spray Indicator (Marker)(Biodegradable Dve)
- With Blue Marker to Show Where You Have Sprayed
- 25% More Free-5 Quarts for the 1 Gallon Price
- No Odor
- Water Based Formula
- New! Improved Formula
- Is Not Active in the Soil
- Multi-purpose Grass & Broadleaf Weed Control
- Use to Prepare Site for Planting Fruit Trees, Ornamentals and Vegetables
- Can Be Applied With a Tank Sprayer, Sprinkling Can, or Hose-**End Applicator**
- Makes XX Gallons of Spray
- Concentrated for Extra Value
- Treats up to XX Sq. Ft.
- Use for Lawn Renovations
- Can Reseed Lawn 7 Days After Treatment
- Lawns & Gardens Can Be Reseeded Soon After Treatment
- No Extra Chemical Used Like Kleeraway™ Concentrated Weed & Grass Killer or Roundup®
- 50% Less Chemical Required to Kill Weeds than Kleeraway™ Concentrate or Roundup®
- Makes the Same Amount of Spray as Kleeraway™ or Roundup® Without the Extra Wasted Active Ingredient
- Makes the Same Amount of Spray as Kleeraway™ Concentrated Weed & Grass Killer or Roundup®

ACTIVE INGREDIENT: Isopropylamine salt of *glyphosate

TOTAL

*N-(phosphonomethyi)glycine

KEEP OUT OF REACH OF CHILDREN CAUTION

Read below for additional precautionary statements EPA REG. NO. 34704-XXX 7 72

EPA EST. NO. XXXX-XX NET CONTENTS 1 GAL. (3.78 L)

5120

Made in USA

05EXP95

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes, In case of contact, immediately flush

eyes with plenty of fresh water for 15 minutes. Get medical attention if irritation persists. Keep children and pets off treated areas until spray has dried. Avoid contamination of food.

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage

area. Do not store diluted spray.

DISPOSAL: PRODUCT: Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER: Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

What is this product and what will it do?

Kleenup Systemic Weed & Grass Killer is a weed killer that kills all vegetation contacted. It moves throughout the weed, killing roots and all. Gives complete kill of tough weeds in flower beds, around trees, shrubs, walks, driveways, and mulch, and for spot treatment in lawns. It can be used to prepare sites for planting fruit trees, ornamentals and vegeta-

What will I see?

Bahiagrass

Bermudagrass

Blackberries

Black Medic

Blue Toadilax

Brassbuttons

Bromegrass Bur Clover

Chickweed

Crabgrasses

Curiy Dock

Dandelion

Dog Fennel

Dilfuse Lovegrass

Canada Thistle

Bluegrass

Bentarass

Weeds will show browning, yellowing, and wilting usually within 5-7 days with complete browning and kill in 2-4 weeks.

(Kleenup contains a blue marker that allows you to see treated weeds. The marker is non-staining and will fade away with exposure to sunlight and water.) (If marker contacts skin or clothing, it is easily removed by washing with soap and water.)

CONTROLS: Evening Primrose False Dandelion Fennel Bindweed (Wild Morning Glory) Fescue Fiddleneck Filaree Florida Pusley Garden Spurge Henbit Johnsongrass Broadleaf Plantain Knotweed Lambsquarters Little Bitter Cress London Rocket Maiden Cane,, Common Groundsel Mallow Common Plantain Mayweed Mayweed Tansy Hagwork
Mouseear Chickyned, Torpedograss Creeping Beggarweed Nimblewill Creeping Bentgrass Creeping Charlie Oldenlandia Orchardgrass . . Pennsylvania''

Smartweed

Pennywort Perennial Ryegrass Poison Ivy Poison Oak Primrose Prostrate Spurge Puncture Vine Quackgrass Ragweed Sandspur ShepherJcpurse Smooth Cat's Ear Sowthistle Spotted 3pt/ge St. Augustinagrass Tall Fescue White Clover Whitetop* Wild Bartara Yellow Nutorass

KLEENUP® SYSTEMIC WEED & GRASS KILLER EPA REG. NO. 34704-XXX

WHEN TO APPLY

Apply any time that vegetation is actively growing. Warm, sunny weather will accelerate weed control. Heavy lawn grass or difficult to control weeds, such as Bermudagrass, nimblewill, dandelion or Canada thistle may require a repeat application.

For best results, apply on a sunny day when daytime temperature is at least 60°F. Avoid application when wind may cause spray mist to drift from target area.

HOW TO APPLY

GENERAL WEED & GRASS CONTROL: To apply with a plastic, aluminum or stainless steel tank type sprayer, mix 8 fluid ounces (1 cup) of KLEENUP® Systemic Weed And Grass Killer per 1 to 11/2 gallons of water and spray to wet undesirable vegetation. NOTE: We do not recommend a galvanized or unlined steel sprayer. Never store unused spray. Rinse sprayer used.

rainse sprayer used.

To apply with an ORTHO® Lawn & Garden Sprayer (foliage setting) or ORTHO® SPRAY-ETTE® Hose-End Sprayers, add amount of product indicated to the sprayer jar and apply to specified areas. Do not add water to jar. For other brands of hose sprayers follow manufacturers directions to mix 8 fluid ounces of this product per 1 to 11/2 gallons of sprayer output.

DILUTION TABLE

Amount of KLEENUP® Systemic Weed And Grass

Killer to Use 8 fl. oz. (1 cup) 1 pint 1 quart

Water to Use • 1-11/2 gallons 2-3 gallons 4-6 gallons Area to Treat 250 sq. ft. 500 sq. ft. 1,000 sq. ft.

IMPORTANT

For spot treating in lawns and around trees and shrubs, a tank type sprayer is recommended. Spray carefully, Avoid spray or drift contact with desirable lawn grasses, shrubs or trees.

If accidental drift contacts desirable foliage, wash off immediately with water. Do not apply when rainfall is expected within 24 hours of application as weed control will be reduced.

WHERE TO APPLY

General Weed Control: Apply this product to control undesirable plants growing in fences, around physical ornaments, buildings, tool sheds or other areas where control is desired.

Landscaping: Apply this product to control undesirable weeds or grasses growing in areas where plantings of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

Ornamentais: Apply this product to control undesirable plants growing around ornamentals, trees or shrubs. Spray contact other than with mature bark of desirable plants may cause injury.

Lawns: This product may be applied to control undesirable weeds growing in lawns. Spot treating undesirable weeds in a lawn will cause a dead spot until sufficient growth occurs to close the areas. Larger spots will require reseeding to provide complete grass cover and help protect reinfestation by undesirable plants. If dead spots are unacceptable, use a lawn weed killer that does not affect grasses.

Use to eliminate old, undesirable, or weed infested lawns or to change to a more desirable grass type. For best results, skip at least one mowing prior to spraying. Delay reseeding, tilling, or sodding for 7 days after spraying.

For Vegetables, Small Fruits, and Berries: The following vegetables, small fruits and berries may be planted (by seed, rooted cuttings or transplants) 7 days after spraying. For unlisted vegetables, small fruits and berries, wait 30 days after spraying to plant.

Vegetables: Jerusalem artichoke, asparagus, beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot caulillower, casaba melon, celery, chard (Swiss), chicory, collards, corn, crenshaw melon, cucumber, eggplant, endive, garlic, gourds, ground cherry, honeydew melon, honey ball melon, horseradish, kale, kohlrabi, leek, lentils, lettuce, mango melon, melons, muskmelon, mustard greens, okra, onion, rapë greens, rhubarb, rutabaga, spinach, squash (summer, winter), tomatillo, tomato*, turnip, watercress, watermelon, and yams.

.*Tomatoes planted from seed only. Wait 30 days for rooted transplants.

SMALL FRUITS AND BERRIES: Blackberry, blueberry, boysenberry, cranberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olalieberry, raspberry (black & red), and strawberry.

TO PREPARE READY-TO-USE SPRAY SOLUTION: Add 1 part of KLEENUP® Systemic Weed And Grass Killer and 9 parts of clear tap water to make a 0.5% spray solution. Example: 2 oz. of product plus 18 oz. of water. Follow label use directions on this label.

NOTICE

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. PLANT INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE. IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

SUCH HISKS SHALL BE ASSUMED BY THE BUYEH.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND PLATTE'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

REPACKAGING OR REFORMULATING PROHIBITED

ORTHO® and SPRAY-ETTE® are registered trademarks of Monsanto Company

FORMULATED FOR
PLATTE CHEMICAL CC: 150 SO. MAIN STREET FREMONT, NEBRASKA 68025-5697

Ž