

PM 25

34704-775

10/3

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)	EPA REGISTRATION NO. <del>775</del> 34704- <del>775</del>	DATE OF ISSUANCE 4/30/96
	TERM OF ISSUANCE conditional	
	NAME OF PESTICIDE PRODUCT KleenUp Super Edger	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Ms. Jeannie K. Smith  
 Platte Chemical Company  
 P.O. Box 667  
 Greeley, CO 80632

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) and sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase, "EPA Registration No. 34704-775."
3. Submit one (1) copy of your final printed labeling before you release the product for shipment.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL <i>Janet A. Leitch</i> for Robert J. Taylor	DATE 4/30/96
--	-----------------

2923

ACCEPTED  
with COMMENTS

In EPA Label Dated  
APR 30 1996

Under the Federal Insecticide,  
Fungicide and Rodenticide Act  
EPA authority for this pesticide  
registration is under FFA Reg. No.  
34999-1  
7/15



# KLEENUP<sup>®</sup>

## SUPER EDGER

- No Mixing, Ready to Use
- Built-In Applicator Top
- Prevents Regrowth Up to 3 Months
- Kills Weeds Growing In Driveways, Pathways, Fence Lines, Tree Wells, Borders, Crack, and Crevices
- With Glyphosate & Goal Weed Killer Ingredients
- Water-based Formula
- Contains the Same Active Ingredient as Roundup<sup>®</sup> Roundup<sup>®</sup> is a Trademark of Monsanto Co.
- Plus [ + ] Goal to Keep Weeds From Germinating [Regrowing] For Up to 3 Months
- New! Contains Blazon<sup>®</sup> Spray Indicator [Marker] [Biodegradable Dye]
- Sprayer Ready, No Mixing
- Two Way Action
  - Kills Weeds and Grasses, Roots and All
  - Prevents Weed Seeds From Sprouting For Up to 3 Months
- Two Way Action
  - Kills Weeds and Grasses on Contact
  - Prevents Germination of Weeds & Grasses For Up to 3 Months
- Before/After
- Kills Moss On Brick Walls & Patios
- Can Be Used Over Root Zones Without Harming Ornamental Plants

<b>ACTIVE INGREDIENTS:</b>	
Isopropylamine salt of *glyphosate .....	0.25%
Oxyfluorfen: 2-chloro-1-(3-ethoxy-4-nitrophenoxy)-4-(trifluoromethyl) benzene .....	0.25%
<b>INERT INGREDIENTS:</b> .....	99.50%
<b>TOTAL</b>	<b>100.0%</b>

\*N-(phosphonomethyl) glycine  
Text in [ ] is optional

### KEEP OUT OF REACH OF CHILDREN

## CAUTION

See below for additional precautionary statements.

EPA REG. NO. 34704-XXX *TTL*

EPA EST. NO. \_\_\_\_\_

- NET CONTENTS  1 GALLON (3.78 L)  
 1 PINT 8 FL. OZ. (709 ml)  
 1 QUART (946 ml)  
 1/2 GALLON (1.89 L)

4605

05/95

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Causes eye irritation. Avoid contact with eyes.

#### STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists.

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONS AND DIRECTIONS.

What is this product and what will it do?

Kleenup Super Edger kills all green vegetation contacted and provides a period of continued control. Contact action begins to affect weeds immediately with visible effects as soon as 1 or 2 days after application. Systemic action gradually moves weed killer to all parts of the weeds for complete control. Residual action prevents weed seed germination for up to 3 months.

What will I see?

Weeds will show browning, yellowing and wilting usually within 1 or 2 days with complete kill in 2-4 weeks. New weeds will not germinate for up to 3 months.

[Kleenup Super Edger contains a blue marker that allows you to see treated weeds. The marker is non-staining and will fade away with exposure to sunlight and water.] [If marker contacts skin or clothing, it is easily removed by washing with soap and water.]

[FOR TANK, TRIGGER APPLICATIONS, BUILT-IN SPRINKLER FITMENT]

WHERE TO USE: Apply only where no weed growth is desired, such as driveways, brick walks, sidewalks, patios, parking areas, along paths, fences, curbs, and gutters; around buildings; and in decorative rock or bark landscapes; edging lawns; around the base of established trees, shrubs, and ornamental plants.

DO NOT USE ON OR AROUND EDIBLE FEED OR FOOD CROPS.

[FOR BUILT-IN SPRINKLER FITMENT, TANK, TRIGGER APPLICATIONS]

WHEN TO APPLY: Apply anytime, but for best results, apply to immature weeds and grasses that are actively growing. Warm sunny weather will accelerate systemic movement from foliage to roots to give complete kill. If rainfall occurs within 6 hours, repeat treatment may be required. To avoid drift to desirable plants, apply only when air is calm. If accidental contact of desirable foliage occurs, immediately wash off vegetation with water.

FOR MOSS CONTROL: In the late fall, winter and early spring, brick walkways and patios (and even bare ground areas) which remain damp due to shade and excess moisture may become slippery when coated with green moss. This product will kill the moss and other weeds and grasses on contact in 5 to 10 days and prevent them from becoming re-established for up to 3 months. Reapply as needed.

[FOR BUILT-IN SPRINKLER FITMENT APPLICATION]

HOW TO APPLY: Remove cap from applicator head and be certain that applicator head is screwed firmly on jug. Invert jug and apply product to thoroughly cover unwanted vegetation. The width of the spray pattern

# KLEENUP SUPER EDGER

EPA REG. NO. 34704-

may be adjusted by either raising or lowering the jug. For top killing around trees, shrubs and buildings and edging around lawns, fences and sidewalks, hold the jug about 2 to 6 inches from the area to be treated depending upon desired width.

For controlling weeds in brick and gravel walks and patios and in other unconfined areas, hold jug at about waist height away from body to avoid contact with skin or clothing. Walk slowly making sure that all undesirable plants are thoroughly covered with spray. One gallon will cover a band 2 inches wide and 1200 feet long. For spot treating or re-treating missed areas, hold jug so that spray hits only the weed or area to be treated.

### [FOR TANK APPLICATION]

**HOW TO APPLY — FOR USE IN A TANK SPRAYER:** Pour contents undiluted into a tank-type (pressure) sprayer and apply as a spot treatment to unwanted weedy vegetation as labeled. Adjust nozzle to deliver a coarse spray to reduce drift. For total area coverage, one gallon will treat up to 300 sq. ft. (10' x 30'). If no weed or grass growth is wanted (bare ground), be sure to cover treated area uniformly to prevent seeds from sprouting for up to 3 months.

### [FOR TRIGGER APPLICATION 1 PINT 8 FL. OZ. TO QUART SIZES ONLY]

**HOW TO USE:** Adjust spray nozzle to give a coarse spray. Hold container upright about 12 inches from unwanted vegetation, and spray until wet. Do not spray desirable plants as they will be killed. This container will treat up to 37 sq. ft. (10' x 3.7'). If no weed or grass growth is wanted (bare ground), be sure to spray area uniformly to prevent seeds from germinating.

### [FOR TRIGGER APPLICATOR 1/2 GALLON AND LARGER SIZES ONLY]

**HOW TO USE:** Adjust spray nozzle to give a coarse spray. Hold container upright and spray unwanted vegetation until wet. Do not spray desirable plants as they will be killed. One gallon will treat up to 200 sq. ft. (10' x 20'). If no weed or grass growth is wanted (bare ground), be sure to spray area uniformly to prevent seeds from sprouting for up to 3 months.

**WEEDS CONTROLLED: NOTE:** For best control, apply to actively growing, immature weeds. Heavy lawn grass or well established difficult to control perennial weeds, such as Bermudagrass, Nimblewill, Dandelion, or Canada Thistle may require a repeat application if regrowth occurs.

GRASSES	BROADLEAF WEEDS	
Bahiagrass	Bindweed	Lambsquarters
Bentgrass	Black Medic	Little Bitter Cress
Bermudagrass	Blue Toadflax	London Rocket
Bluegrass	Brassbuttons	Mallow
Bromegrass	Broadleaf Plantain	Mayweed
Crabgrass	Bur Clover	Mouseear Chickweed
Creeping Bentgrass	Canada Thistle	Nimblewill
Diffuse Lovegrass	Chickweed	Oldenlandia
Fescue	Common Groundsel	Oxalis
Johnsongrass	Common Plantain	Pennsylvania
Maiden Cane	Creeping Beggarweed	Smartweed
Orchardgrass	Creeping Charlie	Pennywort
Perennial Ryegrass	Curly Dock	Prostrate Spurge
Quackgrass	Dandelion	Primrose
Sandspur	Dog Fennel	Puncture Vine
St. Augustinegrass	Evening Primrose	Ragweed
Tall Fescue	False Dandelion	Shepherdspurse
Torpedograss	Fennel	Smooth Cat's Ear
Whitetop	Fiddleneck	Sowthistle
Wild Barley	Filaree	Spotted Spurge
Yellow Nutgrass	Florida Pusley	Tansy Ragwort
Zoysia	Garden Spurge	White Clover
	Henbit	Wild Morning Glory
	Knotweed	

## STORAGE AND DISPOSAL

**STORAGE:** Keep from freezing. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place preferably in a locked storage area.

### [FOR TRIGGER APPLICATOR 1 PINT 8 OZ. TO QUART SIZES ONLY]

**STORAGE:** Keep from freezing. To store, rotate nozzle to closed position. Keep product in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

### [FOR TRIGGER APPLICATOR 1/2 GALLON AND LARGER SIZES ONLY]

**STORAGE:** Keep from freezing. To store, rotate nozzle to closed position. Keep product in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. **NOTE:** Place sprayer nozzle under handle of container so that sprayer is not below the level of the contents of container to prevent leakage and siphoning from nozzle.

**DISPOSAL: PRODUCT —** Partially filled container may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER —** Do not reuse empty container. Rinse thoroughly before discarding in trash.

## NOTICE

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE. IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND PLATTE'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

FORMULATED FOR

PLATTE CHEMICAL CO.

150 SO. MAIN STREET

FREMONT, NEBRASKA 68025-5097

3043