



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511C)
1200 Pennsylvania Avenue N.W.
Washington, D.C. 20460

EPA Reg.
Number

34704-843

Date of Issuance:

JUL 31 2003

Term of Issuance

Conditional

Name of Pesticide Product

Amplify® Sprout Inhibitor

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Platte Chemical Company
7251 4th Street
P.O. Box 667
Greeley, CO 80632-0667

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The registration application referred to above, submitted in connection with registration under § 3(c)(7)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you do the following terms and conditions.

1. Submit/cite all data required for registration of your product under FIFRA § 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit the following data within the specified timeframes:
 - a. Livestock feeding studies (OPPTS Guideline # 860.1300)
 - b. Analytical methods for livestock on potatoes (OPPTS Guideline # 860.1650)
3. Add the phrase, "EPA Registration No. **34704-843**" to your label before you release the product for shipment
4. Submit five copies of the final printed labeling before you release this product for shipment.

This registration will automatically expire on midnight of May 31st 2006. EPA will reevaluate your application supported listed above before it decides on whether to convert the registration to a non-expiring registration.

time, that additional data are required to maintain in effect, an existing registration, the Agency will require such data under Section 3(c)(2)(B) of FIFRA.

Signature of the Approving Official


James L. Anderson

7/31/2

Amplify® Sprout Inhibitor

AEROSOL GRADE POTATO SPROUT INHIBITOR.

ACTIVE INGREDIENT: BY WEIGHT
 2, 6-Diisopropylnaphthalene 99.7%
 OTHER INGREDIENTS: 0.3%
 TOTAL 100.0%



Covered under U.S. Patent Number 5,622,912

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

EPA REG. NO. 34704-XXXX

EPA EST. NO. 70015-ID-01

NET CONTENTS _____

IHT

07/03

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing vapors, fog or dust. Avoid contact with eyes, skin and clothing. In case of contact immediately flush with plenty of water. Get medical attention if symptoms persist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

- If swallowed:**
- Call a poison control center or doctor immediately for treatment advice.
 - Have a person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by the poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15 -20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.
- If on skin**
- Take off contaminated clothing. or clothing:

- Call a poison control center or doctor for treatment advice.
- If Inhaled:**
- Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
 - Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-228-5635, EXT. 136, OR CALL COLLECT, 612-851-8180, EXT. 136.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EMERGENCY INFORMATION

For spill, leak, fire or accident involving this material, call day or night CHEMTREC 1-800-424-9300.

PERSONAL PROTECTIVE EQUIPMENT

When handling Amplify during the application period, personal protective equipment (PPE) including chemical-resistant gloves, long-sleeve shirt, long pants, shoes and socks and a respirator approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) must be worn. If entry into the storage area is necessary during application or after application and before the ventilation period (defined below) has expired, PPE including long sleeve-shirt, long pants, shoes and socks and a respirator (as described above) must be worn.

During cleanup procedures PPE including long-sleeve shirt, long pants, rubber boots and socks, and a respirator (as described above) must be worn.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Workers Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow any person, other than a person equipped with the appropriate handler personal protective equipment including the appropriate respirator (as described above), to enter the treated area until the area has been ventilated. Ventilation may be for either a total of two (2) hours with fans or other mechanical ventilation or four (4) hours with windows, vents, or other passive ventilation, or until such time that there have been 10 complete air exchanges. The ventilation time may be interrupted, i.e., the time may be accumulated at sporadic intervals, such as 15 minutes of ventilation followed by a period with not ventilation, until the total required ventilation time has accumulated.

DIRECTIONS FOR USE

Use of this product in a manner inconsistent with the terms of the label is a violation of Federal law.

NOTICE

Amplify® Sprout Inhibitor is used as an aerosol for treating potatoes for sprout inhibition during storage.

Do not apply in the field.


Do not use on seed potatoes.

Do not allow vapors or fog to come into contact with, or get near to, storage areas used for seed potatoes.

Let six months elapse before using treated storage area for seed potatoes. Air system components (including ducts) and building must be thoroughly cleaned before the area is used for storage of seed potatoes.

TREATMENT OF STORAGE WITH RECIRCULATING AIR SYSTEMS

Assemble unit as shown: place discharge from aerosol generator in the plenum, positioned to allow for thorough mixing and even distribution. Shut down the humidification equipment. Set ventilation system for recirculation and seal storage building. Reduce air flow to deliver up to 5.0 CFM per ton (0.25 CFM per cwt.) or use the lowest air flow available. Check for uniform air distribution throughout the potato pile. Maintain the system on recirculation setting until thermal fog has completely settled. Reactivate the storage ventilation and humidification systems to desired setting.



TREATMENT OF STORAGE OR OTHER AREAS THAT DO NOT HAVE RECIRCULATION AIR SYSTEMS

Prior to placing potatoes in the area to be treated, make the following preparations: On the floor of the area, install an air duct approximately 12 inches by 12 inches running the length or width of the potato pile leaving a space at one end for air circulation. The ducts should be spaced a maximum of 10 feet apart and can be perforated metal pipe, slotted wood construction or if the potatoes are in bags, by bridging a 12 inch space between two rows of bags.

At the open end of each duct in the false wall space, where the fog is to be introduced position a squirrel cage fan to force air through the duct and up through the pile. Set fans to deliver up to 5.0 CFM per ton (0.25 CFM per cwt). Check for uniform air distribution throughout the potato pile.

When the area is filled and ready to be treated, the following steps should be taken: Shut down any ventilating and humidification equipment, and seal the structure.

Start the squirrel cage fans.

Introduce the fog as near as possible to the bottom of the false wall space containing the fans.

Continue running fans until the fog has completely settled.

Reactivate ventilation and humidification equipment to the desired settings.

NOTE: When treating a small area such as a trailer truck or railroad car, it is recommended that a low volume aerosol generator be used.

APPLICATION

Potatoes must be treated with Amplify Sprout Inhibitor only ONE time during potato storage season.

For best inhibition of sprouting, Amplify Sprout Inhibitor must be applied in combination with Sprout Nip 7 Aerosol or CIPC 98A (Sprout Nip Briquettes). Apply at or about the same time as CIPC is typically applied. Apply prior to end of the natural dormancy period of the potato and before sprouting occurs. Amplify Sprout Inhibitor must be used after bruises and cuts have healed (normally a minimum of two weeks).

Amplify Sprout Inhibitor has been demonstrated to have a synergistic effect when applied with CIPC products such as SPROUT NIP 7 AEROSOL or CIPC 98A (Sprout Nip Briquettes). Apply prior to end of the natural dormancy period of the potato and before sprouting occurs.

Apply SPROUT NIP 7 AEROSOL or CIPC 98A (Sprout Nip Briquettes) at a rate of 8.33-24 ppm or 0.50 - 1.45 lb. ai per 600 cwt. of potatoes. The range of CIPC does vary due to potato variety. Refer to the SPROUT NIP 7 AEROSOL or the CIPC 98A (Sprout Nip Briquettes) labels for specific directions for proper use of these products.

Amplify Sprout Inhibitor is to be applied on all potatoes used for processing or fresh market.

Potatoes treated with Amplify Sprout Inhibitor must be held in storage for 30 days after the last treatment.

1 cwt. = 1.67 bu. = 2.5 cubic ft and 1 bu. = 60 lb. = 1.5 cubic ft

Use Amplify Sprout Inhibitor alone only if some sprouting is acceptable. Amplify, when used alone, will suppress sprouting short term. Apply prior to end of the natural

dormancy period of the potato and before sprouting occurs. Amplify Sprout Inhibitor must only be used after bruises and cuts have healed (normally a minimum of two weeks).

Apply a single application of 16.6 ppm or 1.0 lb. active ingredient (ai) per 600 cwt. of potatoes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep container closed. This product may inhibit germination of seed potatoes.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess product, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse as a container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or procedures allowed by state and local authorities.

NOTICE

IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE, THE MANUFACTURER OR SELLER. IN NO CASE SHALL PLATTE, THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE, THE MANUFACTURER OR SELLER MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND PLATTE'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

**FORMULATED FOR
PLATTE CHEMICAL CO.
P.O. BOX 667, GREELEY, COLORADO 80632-0667**