



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOV 18 2005

Ms. Glenda Haage Registration Manager Loveland Products Inc, P.O. Box 1286 Greeley, CO 80632

Dear Ms. Haage:

Subject:

ĺ

Supplemental Soybean Label Acephate 90 WSP Insecticide EPA Reg. No. 34704-862

Your Application of August 9, 2005

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, As Amended (FIFRA), is acceptable, provided that you submit five copies of your draft label incorporating the following corrections for our approval.

- 1. Correct the maximum amount of active ingredient applied per acre from 4.4 lbs. to 1.5 lbs. as is specified in the acephate Interim Reregistration Eligibility Decision (IRED) Use Pattern Table, Appendix A.
- 2. Add the minimum spray intervals cited below as are specified in the IRED, section IV.D., Labeling Summary Table.

3 days for rates up to 0.5 lb. a.i./A 7 days for rates greater than 0.5 lb. a.i./A.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended label constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely,

Daniel C. Kenny

Product Manager Team 1

Insecticide-Rodenticide Branch

Registration Division (7504C)

Supplemental Label



Acephate 90 WSP Insecticide EPA Reg. No. 34704-862 (Except in CA)

FOLIAR APPLICATION OF ACEPHATE 90 WSP INSECTICIDE FOR INSECT CONTROL IN SOYBEANS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

THIS LABELING MUST BE IN THE POSSESION OF THE USER AT THE TIME OF APPLICATION. PLEASE REFER TO CONTAINER LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. FOLLOW ALL APPLICATION DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

GENERAL USE PRECAUTIONS

Do not graze or cut vines for hay or forage. Do not apply more than 4 lbs. ai/A of Acephate 90 WSP Insecticide per season. Do not apply Acephate 90 WSP Insecticide within 14 days of harvest. Always read and follow all label directions, restrictions and precautions when using any pesticide alone or in tank mix combinations. The most restrictive labeling applies when using a tank mix.

APPLICATION METHOD	PESTS CONTROLLED	RATES OF PROD/ ACRE	REMARKS	DAYS TO HARVEST
FOLIAR: By Air: 5 to 10 gal/A of spray	Grasshopper Thrips	0.28 to 0.56 lb.	Repeat treatment as necessary to maintain control.	14
By Ground: 10 to 50 gals/A of spray	Potato Leafhopper Stinkbugs	0.56 to 1.1 lbs.		\$ } }
	Armyworms (except Beet) Bean Leaf Beetle Cabbage Looper Green Clovenworm Mexican Bean Beetle	0.83 to 1.1 lbs.		· · ·
	Soybean Aphid Threecornered Alfalfa Hopper Velvetbean Caterpillar			; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;

ACCEPTED with COMMENTS In EPA Letter Dated:

Loveland Products Inc. P.O. Bxo 1286 Greeley, CO 80632-1286

NOV 1 8 2005 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.