

## U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 EPA Reg. Number: Date of Issuance:

34704-872

DEC 2 1 2004

Terms of Issuance: Conditional

Name of Pesticide Product:

Ginmaster Cotton
Defoliant

NOTICE OF PESTICIDE:

X Registration

\_\_\_ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Loveland Products Inc.

P.O.Box 1286

Greenley, CO 80632-1286

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec.3(c)(7)(A)provided that you:

- 1. Submit and/or cite all data required for the registration of this product when the Agency requires all registrants of similar products to submit data.
- 2. Make the following label changes:
  - A. Revise the EPA Registration Number to read, "EPA Registration Number 34704-872".
  - B. Add spray drift advisory language from attachment.
  - C. Under the "Precautionary Statements", add the following statement: "Do not allow persons or pets in treated areas until dusts have settled or sprays have dried."

Signature of Approving Official:

151

Date:

DEC 2 1 2004

3. Submit one (1) copy of the final printed labeling before you release this product for shipment.

A stamped copy of the label is enclosed for your records.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product under the enclosed stamped copy of the label constitutes acceptance of these conditions.

Joanne I. Miller Product Manager 23 Herbicide Branch Registration Division (7505C)

Enclosed: Stamped copy of label.



# GINMASTER COTTON DEFOLIANT

#### For Agricultural Use On·y

ACTIVE INGREDIENTS: Thidiazuron: N-phenyl-N'-1,2,3-thidiazol-5-ylurea*		120/
Diuron: 3-(3,4-dichlorophenyl)-1,1-dimethylurea*		
INERT INGREDIENTS:	TOTAL	

Contains 1 lb. Thidiazuron per gallon and 0.5 lb. Diuron per gallon. \*Protected by U.S. Patent Nos. 4,294,605 and 4,613,354.

## DANGER — PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, have someone explain it to you in detail.)

EPA REG. NO. 34704-

EPA EST. NO.		
NET CONTENTS GALS. (L)	09/04	

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### DANGER

Corrosive. Causes irreversible eye damage. Causes burns. Harmful if inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing dust or spray mist. Prolonged or frequently repeated skin-contact may cause allergic reactions in some individuals.

#### Personal Protective Equipment:

Applicators and other handlers (other than mixers and loaders) must wear:

Coveralls worn over long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate or butyl rubber gloves, chemical-resistant footwear plus socks, and protective eyewear.

Mixers and loaders must wear: Coveralls worn over long-sleeved shirt and long pants, chemical-resistant gloves such as barrier laminate or butyl rubber gloves, chemicalresistant footwear plus socks, and protective evewear.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **Engineering Controls Statement**

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### **USER SAFETY RECOMMENDATIONS**

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## ACCEPTED with COMMENTS In EPA Letter Dated:

DEC 2 1 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

34704-872

### FIRST AID

If On Skin Or Clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first five minutes, then continue rinsing.
	Call a poison control center or doctor for treatment advice.
If Inhaled:	Move person to fresh air.     If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
If Swallowed:	Immediately call a poison control center or doctor for treatment advice.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Have person sip a glass of water if able to swallow.
	Do not give anything by mouth to an unconscious person.

#### FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-301-7976.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Note To Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply when weather conditions favor drift from the target area.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

In case of spillage, cover with an absorbent such as soda ash, lime, clay, or sawdust. Sweep up and bury, Wash area thoroughly with detergent and water.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protections of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, deconfamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls worn over long-sleeved shirt and long pants, chemical-resistant gloves such as barrier laminate or butyl rubber gloves, chemical-resistant footwear plus socks, and protective eyewear.

#### GINMASTER COTTON DEFOLIANT **EPA REG. NO. 34704-**

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

STORAGE: Store in original container and keep closed. Store in a cool, dry place. Do not use or store near heat or open flame. Do not contaminate food or foodstuffs. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposat of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Posticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent); then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by other procedures

approved by State and local authorities.
DO NOT REUSE EMPTY CONTAINER.

#### **GENERAL INFORMATION**

This product is a defoliant to be used as a pre-harvest aid for cotton. This product has performed well under both cool and warm weather conditions.

#### Use Precautions

Do not apply this product through any type of irrigation system.

Rainfall within 12 hours after application can reduce the effectiveness of this product.

Do not feed foliage from treated cotton plants or gin trash to livestock

Do not plant the following crops earlier than the specified periods after application of this product:

Small grains, sorghum, corn, or root crops (except carrots, onions)	two (2) months
Legumes (including alfalfa) or leafy vegetables	
(except lettuce)	two (2) months
Cole crops, garlic, safflower, tomatoes, and	
watermelon	two (2) months
Carrots t	hree (3) months
Onions	four (4) months
Cantaloupe, honeydew melon/casaba melon,	
muskmelon, or peppers	five (5) months
Lettuce	
with deep-plowing of soil	l (12-15 inches);
or nine (9) months when soil is only dis-	ced (4-6 inches)

Cover Crops: Small grains and/or legumes intercropped with the cotton crop to which this product will be applied may only be used as cover crops and may not be harvested for food or feed. Small grains and/or legumes planted earlier than two (2) months following application of this product may only be used as cover crops and may not be harvested for food or feed.

Do not plant any other rotational crops (except those specified above) within one year of application of this product.

Do not use immature crops for food or feed.

Do not allow spray drift to contact trees or crops other than the target crop of mature cotton, or cotton you desire to defoliate, as this product may injure or defoliate other crops.

Particular care should be taken when applying this product adjacent to lettuce, citrus, or cantaloupe.

#### PRACTICES TO LOWER THE POTENTIAL FOR DRIFT **ONTO NON-TARGET CROPS**

- During applications, particularly under windy conditions, this product may drift to non-target crops. To help reduce the drift potential, use the following practices:
- Do not apply this product by ground or air when wind speeds exceed ten (10) miles per hour at the time of application. Follow local recommendations if wind speeds of less than ten (10) miles per hour are specified in those recommendations.
- Use of low nozzle pressure (20-30 psi) is recommended.
- · Do not apply this product when a temperature inversion is present or when conditions favor an inversion prior to completing applications(s).
- . Additionally, do not apply this product by air within one-half (1/2) mile of lettuce. Do not apply this product by ground equipment within 100 feet of lettuce

#### PRACTICES TO LOWER DRIFT POTENTIAL ONTO NON-TARGET CROPS IN THE RIO GRANDE VALLEY OF TEXAS

- To help reduce the drift potential, use the following practices:
- . Do not apply this product by ground or air when wind speeds exceed ten (10) miles per hour at the time of application. Follow local recommendations if wind speeds of less than ten (10) miles per hour are specified in those recommendations
- Use of low nozzle pressure (20-30 psi) is recommended.
- . Do not apply this product when a temperature inversion is present or when conditions favor an inversion prior to completing applications(s).
- Use the largest nozzle orifice possible, which permits proper deposition and coverage of product.

. In addition, for citrus crops, do not apply this product by air when citrus in flush is within five (5) miles downwind of the point of application. Do not apply this product by ground when citrus in flush is within one-half (1/2) mile downwind of the point of application.

#### Time Of Application

Apply this product only to mature cotton plants when the last boll you expect to harvest is mature. A boll can be described as "mature" when it is to hard to be dented when squeezed between thumb and fingers, is difficult to slice with a sharp knife, and/or when seeds cut in cross sections have fully developed cotyledons, as evidenced by an absence of jelly within the seed.

Apply this product at least 5 days prior to anticipated harvest.

Precaution: The addition of adjuvants can cause desiccation and/or leaf freezing during periods of high temperature. The use of compounds that desiccate leaf tissue is not recommended.

Use of this product under extremely cool or adverse conditions can result in less than desirable defoliation and/or growth inhibition.

#### Application

This product may be applied by air or ground equipment. Apply specified dosages in 10-25 gallons of spray per acre with ground equipment or 2-10 gallons per acre by aircraft.

Apply this product at a rate of 0.4 to 1.0 pint of formulated product per acre prior to harvest (see Application Rate Table). At some locations, following the initial application of this product, it may be necessary to make a second application of this product (Do Not exceed 1.0 pint/acre per season), or an application of a standard defoliant.

#### Mixing Instructions

Fill the spray tank with one-half of the required amount of water. Add the proper amount of this product and start the spray tank agitator. Finish filling the tank with the balance of water needed. Maintain sufficient agitation during both mixing and application to ensure uniformity of the spray mixture.

#### **PRECONDITIONING** FOR USE IN CALIFORNIA

This product may be used as a pre-conditioner to enhance the activity of a defoliant application. Apply this product at 4-6 oz. formulated product per acre. Apply in 10-25 gallons of water per acre by ground or 2-10 gallons of water per acre by aerial application. Timing of application is recommended 7-10 days prior to a defoliation application of this product (see Application Rate Table) or the use of another defoliant. Refer to the second product label prior to use for complete recommendations.

#### GINMASTER COTTON DEFOLIANT

APPLICATION RATE TABLE					
To Achieve an Application Rate of:	Use This Amount of Ginmaster Cotton Defoliant	At the Indicated Rate, One Gallon of Ginmaster Cotton Defoliant Will Treat:			
0.075 lbs. al/Acre	0.4 pts/A (6.4 oz./A)	20 Acres			
0.10 lbs. al/Acre	0.55 pts:/A (8.8 oz./A)	15 Acres			
0.15 lbs, al/Acre	0.8 pts/A (12.8 oz/A)	10 Acres			
0.1875 lbs a/Acre	1.0 pts /A (16.0 pz /A)	8 Acres			

DO NOT APPLY MORE THAN 1.0 PINT OF THIS PRODUCT PER ACRE PER SEASON.

#### Cleanout Instructions

Do not allow the spray solution to dry in the application equipment. Immediately following application, clean all equipment (mix tanks, pumps, transfer lines, application tanks, sumps, booms, nozzles, and all related equipment) thoroughly with cleaner and water.

Should small quantities of this product remain in inadequately cleaned equipment, they may be released during subsequent applications and may cause damage to crops. Loveland Products, Inc. accepts no liability for damage to crops due to inadequately cleaned equipment.

#### WARRANTY DISCLAIMER AND NOTICE

THE DIRECTIONS FOR USE OF THIS PRODUCT ARE BELIEVED TO BE ADEQUATE AND SHOULD BE FOLLOWED CAREFULLY, IT IS IMPOSSIBLE TO ELIMI-NATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT DUE TO SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OR ABSENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF LOVELAND PRODUCTS, INC., THE MANUFACTURER OR SELLER.

THE PRODUCTS SOLD TO YOU ARE FURNISHED "AS IS" BY LOVELAND PROD-UCTS, INC., THE MANUFACTURER OR SELLER, AND ARE SUBJECT ONLY TO THE MANUFACTURER'S WARRANTIES, IF ANY, WHICH APPEAR ON THE LABELS TO THE PRODUCTS SOLD TO YOU. EXCEPT AS EXPRESSLY PROVIDED HERE-IN, LOVELAND PRODUCTS, INC., THE MANUFACTURER OR SELLER MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTO-RY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD OR USE OF THE

#### GINMASTER COTTON DEFOLIANT EPA REG. NO. 34704-

PRODUCT, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. EXCEPT AS EXPRESSLY STATED HEREIN, LOVELAND PRODUCTS, INC., THE MANUFACTURER OR SELLER MAKES NO WARRANTY OF RESULTS TO BE OBTAINED BY USE OF THE PRODUCT. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND LOVELAND PRODUCTS, INC.'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE LIMITED TO DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. NO AGENT OR EMPLOYEE OF LOVELAND PRODUCTS, INC. OR SELLER IS AUTHORIZED TO AMEND THE TERMS OF THIS WARRANTY DISCLAIMER OR THE PRODUCT'S LABEL OR TO MAKE A REPRESENTATION OR RECOMMENDATION DIFFERENT FROM OR INCONSISTENT WITH THE LABEL OF THIS PRODUCT.

IN NO EVENT SHALL LOVELAND PRODUCTS, INC., THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES AND THE BUYER AND USER WAIVE ANY RIGHT THEY MAY HAVE TO SUCH DAMAGES.

FORMULATED FOR



P.O. BOX 1286 GREELEY, COLORADO 80632-1286