

. U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 EPA Reg. Number: Date of Issuance:

34704-927

APR 17 2006

Terms of Issuance: Conditional

Name of Pesticide Product:

Chaser Ultra 2 Selective Herbicide

NOTICE OF PESTICIDE:
X Registration

___ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Loveland Products, Inc.

P.O. Box 1286

1

Greeley, CO 80632-1286

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA sec.3(c)(7)(A)provided that you.

- 1. Please make the following changes:
 - A. Add your EPA establishment number and net contents to the label.
 - B. Revise the EPA Registration Number to read, "EPA Reg. No. 34704-927.

(Comments continued on the next page for this Notice of Registration)

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product under the enclosed stamped copy of the label constitutes acceptance of these conditions.

Signature of Approving Official:

Date:

APR 17 2006

Joanne J. Miller

EPA Form 8570-6

2/6

- 2. Submit and/or cite all data required for the registration/reregistration of this product when the Agency requires all registrants of similar products to submit data.
- 3. Submit one (1) copy of the final printed labeling before you release this product for shipment.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505C)



CHASER ULTRE 2



Selective Herbicide

A PREMIUM THREE-WAY POST-EMERGENT SELECTIVE BROADLEAF HERBICIDE CONTAINING MCPA, FLUROXYPYR AND DICHLORPROP-p. FOR USE ON GOLF COURSES, PARKS. ORNAMENTAL TURF LAWNS AND SIMILAR TURF AREAS, ALSO FOR USE ON SOD FARMS. CONTROLS DANDELIONS, CHICKWEEDS, PLANTAINS, OXALIS, SPURGE AND MANY OTHER BROADLEAF WEEDS, SOME OF WHICH ARE LISTED ON THIS LABEL.

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	 . 41.60%
1-Methylheptyl Ester of Fluroxypyr: ((4-amino-3-5-dichloro-	
6-fluoro-2-pyridinyl)oxy) acetic Acid, 1-methylheptyl Ester**	 . 4.90%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)	
propionic Acid*** ‡	 . 8.10%
OTHER INGREDIENTS:	 45.40%
TOTAL	 100.00%

Isomer Specific Method, Equivalent to

"2-Methyl-4-Chlorophenoxyacetic Acid
"((4-amino-3-5-dichloro-6-fluoro-2-pyridinyl)oxy)acetic Acid 3.40%, 0.32 lbs.gal
***(+)-R-2-(2,4-Dichlorophenoxy)propionic Acid 6.79%. 0.64 lbs./gal.
T CONTAINS THE SINGLE ISOMED FORM OF DICHLORPPOP-D

INTENDED FOR USE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL, LANDSCAPING OR COMMERCIAL APPLICATORS ONLY. NOT INTENDED FOR SALE TO OR USE BY HOMEOWNERS.

KEEP OUT OF REACH OF CHILDREN DANGER-PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY **STATEMENTS**

EPA REG. NO. 34704-

EPA EST. NO. 228-1L-1

NET CONTENTS 1 GAL. (3.78 L)

03.06

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER-PELIGRO

Corrosive, causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid contact with skin. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse

NON-WPS TURF USES: Applicators and other handlers who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR Part 170)-in general only agricultural plant uses are covered by the WPS-must wear face shield. goggles, or safety glasses and long pants, long-sleoved shirt socks, shoes and chemical-resistant gloves when mixing, loading or applying this product. It is recommended that safety glasses include front, brow, and temple protection. In addition to the clothing and eye protection listed above, commercial mixerfloaders must wear chemical-resistant in place of rubber gloves except when the product is to be applied to a golf course. After using this product, rinse gloves before removing, remove dothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possi hie and shower.

NON-WPS INDUSTRIAL USES: When mixing, loading or applying this product or repairing or cleaning equipment used with this product, wear face shield, goggles, or salety glasses and chemical-resistant gloves, long-sleeved shirt, long pants, socks and shoes, it is recommended that safety glasses include front, brow, and temple protection. For aerial applicators in an enclosed cockpit and applicators applying this product from a tractor that has a completely enclosed cab, eye protection is not required. Wash hands, face and arms with soap and water as soon as possible after

mixing, loading or applying this product. After work, remove a softer a and shower using soap and water. Do not reuse dothing worn during the box is stated mixing and loading or application of this product without cleaning first. Cinting must be kept and washed separately from other household laundry. Remove satilitated cothing as soon as possible and shower

WPS USES: Applicators and other handlers who handle this politicide for any use covered by the Worker Protection Standard (40 CFR Part 170)-in coneral agricultural plant uses are covered-must wear: long-sleeved shirt and long pants, chemicalresistant gloves made of any waterproof material, shoes bius sockuland protective eyewear, when cleaning equipment, mixing or loading. Discard cloning and other absorbent materials that have been drenched or heavily contain materials that have been drenched or heavily contain materials that have been drenched or heavily contain materials. act's concentrate. Do not reuse them. Follow manufacturers instructions for cleaning/maintaining Personal Protective Equipment (PPE) if no such instructions for washables, use detergent and hot water Keep and wash PPE abundley from other laundry. After each day of use, clothing or PPE must not be reused until a has been

ENGINEERING CONTROLS STATEMENTS: If the mechanical system is used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users Should.

Wash hands, face and arms with soap and water before calling, or riving, chewing gum, using tobacco or using the tollet.

Remove clothing/PPE immediately if pesticide gets inside Then wash

thoroughly and put on clean dothing. Remove PPE immediately after handling this product. Wash the cuts de of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

If in eyes:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Catl a poison control center or doctor for treatment advice.
If swallowed:	 Call a poison control center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to svia low
	Do not induce vomiting unless told to do so by the poison control center or doctor.
	•Do not give anything by mouth to an unronsor is proser
lf on skin	Take off contaminated clothing.
or clothing:	 Rinse skin immediately with plenty of water for 15 to 20 minutes.
	*Call a poison control center or doctor for treatment advice

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or

doctor, or going for treatment.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-301-7976.

Note to Physician: Probable mucosal damage may contraindicate use of gastric lavage.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Drift or runolf from treated areas may be hazardous to aquatic organisms and non-target plants. Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean non color mark. Do not contaminate water when disposing of equipment washwards or resiste nor pour washwater on the ground; spray or drain over a large area away from wolls and other water sources. Do not apply this product through any type of irrigation system. Do not contaminate water used for Irrigation or domestic purposes

Most cases of groundwater contamination involving phenoxy herbicides such as MCPA and 2,4-DP-p have been associated with mixing/loading and dispess) sites. Caution should be exercised when handling this product at mixing tours are and disposal sites to prevent contamination of groundwater supplies. Use of collect systems for mixing or transferring this product will reduce the probability of spile. Piacoment of mixing/loading equipment on an impervious pad to contain spills with the prevent groundwater contamination.

CHASER® ULTRA² EPA REG. NO. 34704-

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

This product should be used strictly in accordance with the drift and runoff precautions on this label in order to minimize off-site exposure.

Under some conditions, this product may have a potential to runoff to surface water or adjacent land. Where possible, use methods which reduce soil erosion, such as no-till, limited till and contour plowing; these methods also reduce pesticide runoff. Where teasible, use application techniques such as T-banding, and in-furrow techniques which incorporate the pesticide into the soil. Use of vegetation filter strips is recommended along rivers, creeks, streams, wetlands, etc. or on the downhill side of fields where runoff could occur to minimize water runoff.

Low humidity and high temperaturos increase the evaporation rate of spray droplets and therefore the likelihood of increased spray drift. Avoid spraying during conditions of low humidity and for high temperatures.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, not-tication, and emergency assistance, it also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water, is: Long-sleeved shirt and long pants, socks, shoes, chemical resistant gloves, and protective eyewear.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on tarms, forests, nurseries, or greenhouses.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

This product is for use on Omamental Turi Lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Alhletic Fields and Golf Courses (Fairways, Aprons, Tees' and Roughs) and similar turi areas. Also for use on Sod Farms, "Excluding Bentgrass Tees.

USE PRECAUTIONS

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on Carpetgrass, Centipede, St. Augustino, Dichondra, nor on fawns or turf where desirable others are present. Avoid fine mists. Use tawn type sprayer with coarse spray as wind drift is less likely. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum control of weeds will be obtained from spring or early fall applications when weeds are actively growing. The degree of weed control and duration of effect will vary with weed size and density, spray rate and coverage, and growing conditions before, during, and after the lime of treatment. Use the higher rate for hard-to-control weeds. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apoly to newly seeded grasses until well established. Avoid broadcast applications when air temperature exceeds 90°F. When using in small, spot treatment applications in temperatures over 90°F, furf injury may occur.

The suitable use of this product on non-recommended turf species may be determined by treating a small area at any rate/acre which does not exceed 3 pints/acre. The treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area.

For optimum results: (1) avoid applying during excessively dry or hot periods unless irrigation is used; (2) turt should not be mowed 1 to 2 days before and following application; (3) reseed no sconer than 3 to 4 weeks after application of this product. Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turt resulting in turt damage. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

WEEDS CONTROLLED

This product is designed to control many broadleaf weeds such as:

Alder
Annual yellow sweet clover
Artichoke
Artichoke
Austrian fieldcress
Bedstraw
Beggartick
Bitden
Bindwead
Bird vetch
Bitterweed
Birter wintercress
Black-eyed Susan
Black medic
Black mustard
Black-seed plantain
Blessed thistle
Blue lettuce

Black-seed plantal Blessed thistle Blue lettuce Blue vervain Box elder Bracted plantain Brassbuttons Bristly oxtongue Broadleaf dock Broadleaf plantain Broomweed Buckhorn Buckhorn plantain

Bulsous buttercup Bull nettle Bull inistle Burdock Burning nettle Bur ragweed Burweed Buttercup

Buttercup
Canada thistle
Carolina geranium
Caroetweed

Catchweed bedstraw
Catsear
Catnip
Chickweed
Chicory
Cinquefoil
Clover
Cockle
Cockdebur

Coffeebean Coffeeweed Common chickweed Common mullein Common sowthistle Corn Chamomile Creeping jenny Crimson clover Croton

Croton
Cudweed
Curty dock
Curty indigo
Dandelion
Dead nettle

Dock
Dogbane
Dogfennel
Ederberry
English dalsy
Fall dandelion
False flax
False sunflower
Field bindweed
Field pansy

Flea bane (dalsy) Flixweed Florida betony Florida pusley Frenchweed Galinsoga Garlic mustard Goathead Goatsbeard

Goatsbeard
Goldenrod
Ground My
Gumweed
Hairy bittercress
Halry fleabane
Hawkweed

Healall

Heartleaf drymary Hedge bindweed Hedge mustard Hemp Henbit Hoary cress Hoary plantain Hoary vervain Honevsuckie Hop dover Horsenettle Horsetail Indiana mallow Ironweed Jewelweed .limsonueed Kachia Knawai Knotweed Lambsquarter Lespedeza Locoweed Lupine Mailow Marshelder Matchweed Mexicanweed

Milkweed bloodflower Mugwort Morningglory Mousear chickweed Musk thistle Mustard

Milk vetch

Narrowleaf plantain Narrowleaf vetch Nettle

Orange hawkweed Oxalis Oxeye daisy Parsley-piert Parship Pearhwort

Parsiey-piert
Parsnip
Pearlwort
Pennycress
Pennywort
Peppergrass
Pepperweed
Pigweed

Pigweed
Pineywoods bedstraw
Plains coreopsis
Plantain
Polson hemlock
Poison lyy
Poison oak
Pokeweed
Poorjoe
Povertyweed
Prickly lettuce

Pricklý sida Primrose Prostrate knotweed Prostrate pigweed Prostrate spurge Prostrate vervain Pundure vine Purislano Ragweed Red clover Redroot pigweed Red sorrel Redstern filaree

Red sorrel Redstern filaree Rough cinquefoll Rough fleabane Roundleafed marigord Rush Russian pigweed

Russian thiste
St. Johnswort
Scarlet pimpernel
Scotch thistle
Sheep sorrel
Shepherdspurse
Slender plantain
Smallflower galinsoga
Smartweed

CHASER® ULTRA² EPA REG. NO. 34704-

Weeds Controlled contid.:

Southern wild rose Sowthistle Spanishneedle Spatterdock Speedwell Spiny amaranth Spiny cocklebur Spotted catsear Spotted knapweed Spotted spurge Source Spurweed Stinging nettle Stinkweed Stitchwort Strawberry clover Sumac Sunflower Sweet clover Tatl nettle Tell vervain Tansy mustard Tansy ragwort Tanweed Tarweed Thistle Tick trefoil Toadflax Trailing crownvetch

Tumble mustard

Tumble pigweed

Tumbleweed

Venice mallow

Velvet leaf

Veronica

Vervain

Vetch

Virginia buttonweed Virginia creeper Virginia pepperweed Wavyleaf bullthistle Western clematis Western salsity White cloves White mustard Wild mustard Wild aster Wild buckwheat Wild carrot Wild four-of-clock Wild garlic Wild geranium Wild lettuce Wild mangold Wild onion Wild parsnip Wild radish Wild rape Wild strawberry Wild sweet potato Wild vetch Willow Witchweed Woolly marningglary Woodsorrel Woolly croton Woolly plantain

Yarrow
Yellow rocket
Yellowflower pepperweed
and other broadleaf weeds

Wormseed

RECOMMENDED MIXING INSTRUCTIONS

Fill spray tank with water. Start agritation and slowly add the recommended amount of concentrate. Maintain continuous agritation after mixing and during application. If this product is allowed to stand in tank for extended periods of time, some separation may occur. Reagitate before use.

ORNAMENTAL LAWNS AND TURF

Apply this product at the rate of 2 to 3 pirits in 20 to 240 gallons of water per acre (0.73 to 1.10 fluid ounces in 0.5 to 5.5 gallons of water per 1,000 square feet) to control weeds growing in turl planted to Bluegrass, Fescue, Ryegrass, Bentgrass (excluding golf course greens and fees). Batha, Bermudagrass and Zovsia grass.

Lower Volume Equipment: Use as little as 5 gallons of water per acre. Use only application equipment that is capable of spreading a uniform droplet, wetting each weed surface.

NOTE: For all grasses (1) avoid double coverage resulting from overlap unless temporary turf injury can be tolerated and (2) use reduced rates if grass is stressed from heat, drought, etc.

COMPATIBILITY

This product can be mixed with some liquid fertilizers or liquid iron materials. Because liquid fertilizers and liquid iron differ in pH, free ammonia content, density, salt concentration and percentage of water, a compatibility test (given bolow) is recommonded prior to mixing in the application equipment. All regulations, either State or Federal, relating to the application of floud fertilizers or liquid iron and this product must be strictly followed. The following compatibility test should always be performed prior to full-scale mixing.

- 1. Pour 18 ounces of water into a quart jar
- 2. Add 1 ounce of either the liquid fertilizer or liquid iron to be used.
- 3. Add 1 ounce of this product.
- 4. Close far and shake well.
- Watch the mixture for several seconds after shaking and check again after 30 minutes.
- If the mixture does not show signs of separating, the combination may be used if the mixture loams excessively, gels, separates or gets very thick, do not combine for field application.
- 7. Compatibility may be improved by the use of a compatibility agent. Some suggested compatibility agents to try are Kalo Laboratories Complex, HACO Inc.'s Unite, Farm Chemicals Inc.'s Compat. Harcros Chemicals' T-Mutz 734-2, Rigo Company's Rigo Compatibility Agent, Witco Chemicals' Sponto 168D. Amoco Oirs Amoco Spray Mate, Universal Coop's Chem-Link and Loveland Industries, Inc.'s E-Z Mix. These agents are all used in the same manner. Follow the previously outlined test procodures and add 1/6 ounce of the compatibility agent between steps (the compatibility agent must be added to the fertilizer or iron before adding this product).

 If the mixture does not separate, gel, toam, or get very thick, it may be used for field application. Mix only the amount to be sprayed. Do not allow to stand overnight.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Store at temperatures above 25°F. Protect product from freezing, if allowed to freeze, remmx well before using. This does not after this product. Containers should be opened in well ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for quidance.

CONTAINER DISPOSAL FOR NON-REFILLABLE CONTAINERS: Triple rinse (or equivalent), adding rinsate to spray tank. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and local authorities, by burning, if burned, stay out of smoke. CONTAINER DISPOSAL FOR REFILLABLE CONTAINERS: Close all openings which have been opened during use and replace all caps. Contact Loveland Products, Inc. at 1-970-356-4400, to arrange for return of the empty refiliable container For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC – 1-800-424-9300.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVE-LAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury ineffectiveness. or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC, and the seller The buyer or user of this product assumes all such inherent risks

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL, THIS PRODUCT IS SOLD AS IS TO THE EXTENT ALLOWED BY APPLICABLE LAW. LOVELAND PRODUCTS. INC MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL. BUYER OR USER MUST SEND. TO THE EXTENT REQUIRED BY APPLICABLE LAW. WRITTEN NOTICE OF SUCH CLAIM TO THE FOLLOWING ADDRESS LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, 7251 WEST 4TH STREET, GREELEY, CO 80634.

TO THE EXTENT ALLOWED BY APPLICABLE LAW. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE. STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT ALLOWED BY APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES OR DAMAGES IN THE NATURE OF A PENALTY.

Chaser is a Registered Trademark of Loveland Products, Inc.



P.O. BOX 1286, GREELEY, COLORADO 80632-1286

ACCEPTED with COMMENTS In EPA Letter Dated:

APR 1 7 2006
Under the Federal Insecticide.
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

34704-921

6/6