



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D.C. 20460

OFFICE OF CHI MICAL SAFETY AND POLLUTION PREVENTION

Loveland Products Inc Chris Mason, Ph D P O Box 1286 Greeley, CO 80632-1286

NOV 2 6 2012

Subject

Label Notification per PRN 98-10 Product Name Chaser Turf Herbicide EPA Registration Number 34704-928 Application Dated August 20, 2012

Dear Dr Mason,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for Chaser Turf Herbicide (EPA Reg. No. 34704-928) dated August 20, 2012. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Emily Hartman of my staff at (703) 347-0189 or hartman emily@epa gov

Sincerely, Beth Benton

Kathryn V Montague, Product Manager 23 Herbicide Branch

Herbicide Branch
Registration Division

Office of Pesticide Programs

	hafara samulatina far		Γ	on Amazanad ONA	C 1- 2070 0000	2/0	
EPA Envir	United Conmental Pro Washington 1			M Approved OM' ☐ Res ☐ Ame ☑ Othe	ation indment	OPP Identifier Number	
		Application fo	or Pesticide	- Section I			
1 Company/Product Numbe			2 EPA Produ		ue	3 Proposed Classification	
4 Company/Product (Name)  CHASER TURF HERBICIDE			PM#	_23		✓ None ☐ Restricted	
5 Name and Address of Applicant (Include ZIP Code) Loveland Products Inc P O Box 1286 Greeley CO 80632 1286  Check if this is a new address			6 Expedited Review In accordance with FIFRA Section 3(c)(3)(b)(i) my product is similar or identical in composition and labeling to  EPA Reg No  Product Name				
CHEC	k ij tilis is a new daart		ection - II				
Amendment Explain below  Resubmission in response to Agency letter dated  Notification Explain below  Explanation Use additional page(s) if necessary (For Section I and Section II )  Per PR Notice 98 10 Fixing a minor typographical error On page 5 of the should be 1 5 not 0 5 For clarity this is now listed as 1 47 oz per 100			Final printed labels in response to  Me Too Application Agency letter dated  Other Explain below  The enclosed label the conversion of the accepted 1.0 pounds of acid equivalent to floor per 1000 sq. 10 sq. ft				
This notification is consistent with thi formula of this product   understand terms of PR Notice 98 10 and 40 CFR	that it is a violation of 18 U 152 46, this product may be	S C Sec 1001 to willfully in violation of FIFRA and	make any false statem	ent to EPA I further u	understand that if this	notification is not consistent with the	
1 Material This Product Will		· · · · · · · · · · · · · · · · · · ·			<u> </u>		
Child Resistant Packaging  Yes*  No	Unit Packaging ☐ Yes* ✔ No	W	/ater Soluble Pacl ☐ Yes* ☑ No	kaging	2 Type of Container  ☐ Metal ☑ Plastic ☐ Glass		
* Certification must be submitted	If Yes Unit Packaging wgt		Yes ckage wgt N/A	No per container N/A	Paper Other (S)	pecify)	
3 Location of Net Contents Information 4 Size(s) R  ✓ Label Container			ntainer GAL 30 GAL	5	Location of Label Directions  On Label  On Label accompanying product		
6 Manner in Which Label	is Affixed to Product	☐ Pa	chograph aper glued enciled	<b>✓</b> Other	Self Adhesive		
			ection - IV				
1 Contact Point (Complete	e items directly below			contacted if ne	cessary to proce	ess this application )	
Name Title Chris Mason Ph D chris mason@cpsagu.com			Manager of Registrations			ne No  (Include Area Code) (970) ر 685 3287 د	
I certify that the statements acknowledge that any knowl						6 Date Application Received  ( (Starnped)	
under applicable law 2 Signature  This Was-			3 Title ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (			( (	
4 Typed Name Chris Mason Ph D chris mason@cpsagu com			ate 8/20/2012				



August 20, 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S Crystal Drive
Arlington VA 22202

Subject 34704-928, Chaser Turf Herbicide

Dear Ms Montague,

This Notification per PR Notice 98 10, updates the label, correcting a typographical error on page 5 of the enclosed label. The conversion of the accepted 1 0 pounds of acid equivalent to fl. oz. per 1000 sq. ft. should be 1 5 not 0 5. For clarity this is now listed as 1 47 oz. per 1000 sq. ft.

Please find the following supporting documentation enclosed

- 1 Form 8570 1 Application for Registration
- 2 2 copies of revised label
- 3 2 copies of revised label with the changes highlited in red
- 4 E Label Certification Statement
- 5 CD ROM Containing Searchable PDF Files

This notification is consistent with the provisions of PR Notice 98 10 and EPA regulations at 40 CFR 152 46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U S C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152 46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please contact me at 970 685 3287 or by e mail (chris mason@cpsagu com) if there are any questions or comments concerning this submission

Sincerely,

Chris Mason, Ph D

Manager of Registrations

chris mason@cpsagu com

Loveland Products Inc

**Enclosures** 



NOTIFICATION NOV 2 6 2012

TOTAL

# To be applied only under the direct supervision of Commercial applicators responsible for turf weed control programs

Low Volatile Weed Killer
For the control of annual and perennial broadleaf weeds in residential, commercial, and recreational turf and commercial sod

**ACTIVE INGREDIENT(S)** 

2,4 dichlorophenoxyacetic acid, butoxyethyl ester †
triclopyr BEE 3,5,6 trichloro 2 pyridinyloxyacetic acid, butoxyethyl ester
OTHER INGREDIENT(S)\*

34 4% 16 5%

49 1% 100 0%

\*Contains Petroleum Distillates
Acid Equivalents
2,4 dichlorophenoxyacetic acid 23 7% 2 0 pounds per gallon
triclopyr 11 9% 1 0 pound per gallon
† Isomer Specific by AOAC Method No 978 05 (15th Ed )

# KEEP OUT OF REACH OF CHILDREN CAUTION—PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle (If you do not understand this label, find someone to explain it to you in detail)

FIRST AID				
If swallowed	<ul> <li>Immediately call a poison control center or doctor</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor</li> <li>Do not give any liquid to the person</li> <li>Do not give anything by mouth to an unconscious person</li> </ul>			
<b>NOTE TO PHY</b>	uct container or label with you when calling a poison control center or doctor or going for treatment SICIAN May pose an aspiration pneumonia hazard. Contains petroleum distillate AL EMERGENCY INVOLVING THIS PRODUCT CALL. 1 866 944 8565	***		

See Below For Additional Precautionary Statements

**EPA REG NO 34704 928** 

**EPA EST NO 34704 WIT 001** 

NET CONTENTS 21/2 GALS (9 46 L)

070108 V6D 08R12

# CHASER® TURF HERBICIDE EPA REG NO 34704-928

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful If Swallowed • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Skin Reactions In Some Individuals

#### Personal Protective Equipment (PPE)

Some materials that are chemical resistant to this product are barrier laminate intrile rubber neoprene rubber and viton. If you want more options, follow the instructions for category E on an EPA chemical resistance category selections chart.

# All mixers, loaders, applicators, and other handlers must wear

- · Long sleeved shirt and long pants
- Shoes and socks
- Chemical resistant gloves when applying with any handheld nozzle or equipment mixing or loading cleaning up spills or equipment or otherwise exposed to the concentrate
- · Chemical resistant apron when mixing or loading cleaning up spills or equipment or otherwise exposed to the concentrate and
- · Protective eyewear

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water Keep and wash PPE separately from other laundry

# See engineering controls for additional requirements

#### **Engineering Controls**

When handlers use enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170 240 (d) (4 6)] the handler PPE requirements may be reduced or modified as specified in the WPS

## **USER SAFETY RECOMMENDATIONS**

#### Users should

- . Wash hands before eating drinking chewing gum using tobacco or using the toilet
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin wash immediately with soap and water.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable particularly where the water table is shallow may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Notice Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.

### PHYSICAL OR CHEMICAL HAZARDS

Combustile Do not use or store the product near heat or open flame

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling Read all Directions for Use carefully before applying

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

# **EPA REG NO 34704-928**

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR part 170. This Standard con tains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural tural pesticides it contains requirements for training decontamination notification and emergency assistance it also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restrictedentry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours

AGRICULTURAL USE REQUIREMENTS

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with any thing that has been treated such as plants soil or water is

- Coveralls
- · Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

# **NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricul tural pesticides (40 CFR Part 170) The WPS applies when this product is used to produce agricultural plants on farms forests nurs eries or greenhouses

Restricted Entry Interval For use on residential and other turf sites (excluding sod farms and turf grown for seed), do not enter or allow people (or pets) to enter the treated area until sprays have dried

#### **GENERAL INFORMATION**

Foliage sprays should be applied during warm weather when weeds are actively growing. Application under drought conditions may provide less than desirable results. Use low spray pressures to minimize spray drift. Apply this herbicide in a manner to avoid contacting nearby susceptible crops or other desirable plants and to avoid contaminating water intended for irrigation or domestic use. Read and follow all use precautions given on this label

# **GENERAL PRECAUTIONS and RESTRICTIONS**

Apply this product only as specified on this label

Be sure that use of this product conforms to all applicable regulations

Use of this product in certain portions of California Oregon and Washington is subject to the January 22 2004 Order for injunctive relief in Washington Toxics Coalition et al. v. EPA C01 0132C (W.D. WA). For further information, please refer to http://www.epa.gov/esp/wtc/

In Arizona The state of Arizona has not approved Chaser® Turf Herbicide for use on sod farms

For ground application only

Chemigation Do not apply this product through any type of irrigation system

Do not enter or allow people (or pets) to enter the treated area until sprays have dried

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application

Do not apply Chaser Turf Herbicide directly to or otherwise permit it to come into direct contact with cotton grapes tobacco vegetable crops flowers fruit or ornamental trees or other desirable broadleaf plants and do not permit spray mists containing it to drift onto them

Do not apply to exposed roots of shallow rooted trees or shrubs

Chaser Turf Herbicide is formulated as a low volatile ester. However, the combination of spray contact with impervious surfaces, such as roads and rocks and increasing ambient air temperatures may result in an increase in the volatility potential for this herbicide increas ing a risk for off target injury to sensitive crops such as grapes and tomatoes

In handgun applications drift can be reduced by using low pressure Teejet® flat fan raindrop or other drift controlling nouz es. Standard flat fan nozzles may also be used at no more than 20 psi. At this pressure, the spray pattern may be narrower

At high temperatures vapors from this product may injure susceptible crops growing nearby. Excessive amounts of this herbicide in the soil may temporarily inhibit seed dermination and plant growth

Most cases of groundwater contamination involving phenoxy herbicides such as 2 4-D have been associated with mixing /loading and dis posal sites Caution should be exercised when handling 2.4 D pesticides at such sites to prevent contamination of groundwater supplies

# **CHASER® TURF HERBICIDE EPA REG NO 34704-928**

Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equip ment on an impervious pad to contain spills will help prevent groundwater contamination

#### SPRAY DRIFT MANAGEMENT

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of applications. cation (e.g. ground aerial airblast) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjust ments when applying this product

2.4 D esters may volatilize during conditions of low humidity and high temperatures. Do not apply during conditions of low humidity and high temperatures

## **Droplet Size**

When applying sprays that contain 2.4 D as the sole active ingredient or when applying sprays that contain 2.4 D mixed with active ingre dients that require a Coarse or coarser spray apply only as a Coarse or coarser spray (ASAE standard 572) or a volume mean diameter of 385 microns or greater for spinning atomizer nozzles

When applying sprays that contain 2.4 D mixed with other active ingredients that require a Medium or more fine spray apply only as a Medium or coarser spray (ASAE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles

#### Wind Speed

Do not apply at wind speeds greater than 15 mph. Only apply this product if the wind direction favors on target deposition and there are not sensitive areas (including but not limited to residential areas bodies of water known habitat for nontarget species nontarget crops) within 250 feet downwind If applying a Medium spray leave one swath unsprayed at the downwind edge of the treated field

#### Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must determine if a) conditions of temperature inversion exist or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions. pheric conditions

### Susceptible Plants

Do not apply under circumstances where spray drift may occur to food forage or other plantings that might be damaged or crops there of rendered unfit for sale use or consumption. Susceptible crops include but are not limited to cotton okra flowers grapes (in grow ing stage) fruit trees (foliage) soybeans (vegetative stage) ornamentals sunflowers tomatoes beans and other vegetables or tobacco Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants

# Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of 2.4 D herbicides. Where states have more stringent regulations they must be observed

#### Equipment

All ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates. The boom length must not exceed 75% of the wingspan or 90% of the rotor blade diameter. For ground boom application, do not apply with a nozzle height greater than 4 feet above the crop canopy

ADJUVANT USE When an adjuvant is to be used with this product Loveland Products. Inc. recommends using Li 700® For drift control. and defoaming the use of Compadre® at 0 125% v/v is recommended

# **WEEDS CONTROLLED**

Creeping beggarweed

Dwarf beggarweed

Field bindweed

Dandelion

Goldenrod

Docks

Black medic Bull thistle (a) Burdock (a) Buttercup (a) Canada thistle (a) Catnip Chamise Chickweeds (common and mouseear) Chicory Cinquefo I Clovers

Ground IVV (b) Henbit Knawel Lambsquarters Lespedeza Cocklebur Matchweed Mustards (a) Cornflower Oxalis (stricta and corniculata) (b) Cornspectivel (b)

Plantain Poison ivv Poison oak Prostrate spurge (b)

Purslane speedwell Smartweed Sowthistle Spiderwort Spotted catsear Vetch

Wild carrot (a) Wild violet (b) Yarrow

(a) (b)-See Broadcast Treatment of Residential Commercial and Recreational Turf and Commercial Sod Farms

Preparing The Spray Chasel Turf Herbicide in water forms an emulsion (not a solution) and separation may occur unless the spray mix ture is autaled continuously. Fill the spray tank about half full with clean water. Then add the Chaser Turf Herbicide and complete filling the tank with anitation running. Mix thoroughly and continue moderate agitation while spraying

# CHASER® TURF HERBICIDE EPA REG NO 34704-928

# **LABELED USES**

Turf

#### Broadcast Treatment of Residential, Commercial, and Recreational Turf and Commercial Sod Farms

Apply 1 0 to 2 0 quarts (0 5 to 1 0 pound acid equivalent) of Chaser Turf Herbicide in enough water to make 20 0 to 200 gallons total spray per acre to control broadleaf weeds growing in tall fescue bluegrass or perennial ryegrass turf **Do not** use on other grass species such as bentgrass or St Augustine grass unless injury can be tolerated. Chaser Turf Herbicide at 3 0 pints per acre (0 75 pound acid equivalent) or 1 1 ounces per 1000 square feet will provide control of most weeds listed. The use of 4 0 pints per acre (1 0 pound acid equivalent or 1 47 ounces per 1000 square feet) is suggested for those followed by (a). Optimum control of those species followed by (b) has been obtained when 2 applications of 3 0 pints per acre (0 75 pound acid equivalent per acre) have been made 4 weeks apart. Apply from early spring through early fall when weeds are growing. Applications should be made 4 weeks apart to minimize grass injury.

Newly seeded turf should be mowed 2 or 3 times before being treated. Do not water for 24 hours after application. Do not reseed for 3 weeks after application.

**Broadcast Application Restrictions for Residential, Commercial, and Recreational Turf Postemergence** Limited to 2 applications per year. Use a maximum of 6.0 pints Chaser Turf Herbicide (1.5 pounds acid equivalent) per acre per application. The maximum seasonal rate is 6.0 quarts Chaser Turf Herbicide per acre (3.0 pounds acid equivalent per acre) excluding spot treatments.

**Broadcast Application Restrictions for Commercial Sod Farms** A maximum of 2 0 quarts of Chaser Turf Herbicide per acre may be applied up to 2 times a year to control a variety of broadleaf weed species which may germinate at different periods. Limited to 2 applications per year. Do not exceed a maximum of 8 0 pints Chaser Turf Herbicide per acre (2 0 pounds acid equivalent per acre) per application. Observe a minimum of 21 days between applications

Spot Treatment of Residential, Commercial, and Recreational Turf and Commercial Sod Using Portable Sprayers

Mix 1 0 to 2 0 fluid ounces (0 01 to 0 03 pound acid equivalent) of Chaser Turf Herbicide in enough water to make 3 0 gallons of spray (1 0 to 2 0 quarts per 100 gallons of spray) and apply at any time broadleaf weeds are susceptible by wetting foliage of undesirable plants to point of runoff

#### IN CASE OF AN EMERGENCY

#### AGRICULTURAL CHEMICAL

In case of an emergency endangering health or the environment — Do not ship or stor involving this product call 1 866 944 8565

Do not ship or store with food feeds drugs or clothing

### STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

**PESTICIDE STORAGE** Store above 10 °F or agitate before use

PESTICIDE DISPOSAL Pesticide wastes are toxic Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance

**CONTAINER DISPOSAL. Nonrefiliable container** Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate) After emptying and cleaning it may be allowable to temporarily hold rinsate or other pesticide related materials in the container Contact your state regulatory agency to determine allowable practices in your state

Once cleaned some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site contact your chemical dealer or manufacturer or contact. The Agricultural Container Recycling Council (ACRC) at www acrecycle org. If not recycled, then puncture and dispose of in a sanitary landfill or incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke

Triple rinse or pressure rinse container (or equivalent) promptly after emptying

(For packages equal to or less than 5 gallons ) Triple rinse as follows. Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Pressure rinse as follows. Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container ripside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

(For packages with capacities greater than 5 gallons or 50 pounds) Triple rinse as follows. Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rince as follows.

# CHASER® TURF HERBICIDE EPA REG NO 34704-928

Storage & Disposal cont d

Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC - 1 800 424 9300

### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability By buying or using this product the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability which no employee or agent of LOVELAND PRODUCTS INC or the seller is authorized to vary in any way Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury ineffectiveness or other unintended consequences may result from such risks as weather or crop conditions mixture with other chemicals not specifically identified in this products label or use of this product contrary to the label instructions all of which are beyond the control of LOVELAND PRODUCTS. INC and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks LOVELAND PRODUCTS INC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use EXCEPT AS WARRANTED IN THIS LABEL AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THIS PRODUCT IS SOLD AS IS AND LOVELAND PRODUCTS INC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED INCLUDING BUT NOT LIMITED TO MERCHANTABILITY FITNESS FOR A PARTICULAR PURPOSE OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS INC HAS BREACHED A WARRANTY CON TAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW BUYER OR USER MUST SEND WRITTEN NOTICE OF ITS CLAIM TO THE FOLLOWING ADDRESS LOVELAND PRODUCTS INC ATTENTION LAW DEPARTMENT PO BOX 1286 GREELEY COL ORADO 80632 1286

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY LOSS OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT NEGLIGENCE STRICT LIABILITY OR OTHER TORTS SHALL BE LIMITED TO ONE OF THE FOLLOWING AT THE ELECTION OF LOVELAND PRODUCTS INC OR THE SELLER DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT TO THE EXTENT CONSISTENT WITH APPLICABLE LAW LOVELAND PRODUCTS INC AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL SPECIAL OR INDIRECT DAMAGES OR DAMAGES IN THE NATURE OF A PENALTY

Chaser Compadre and LI 700 are registered trademarks of Loveland Products Inc Teelet is a registered trademark of Spraying Systems Company

FORMULATED FOR
LOVELAND PRODUCTS, INC
P O BOX 1286, GREELEY, COLORADO 80632-1286