



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 28, 2015

Chris Mason, Ph.D.
Manager of Registrations
Loveland Products, Inc.
P.O. Box 1286
Greeley, CO 80632-1286

Subject: Label and CSF Amendment – Adding Crops, Minor Label Error Correction, and Updated Confidential Statements of Formula (CSFs)
Product Name: MCP Ester 4 Herbicide
EPA Registration Number: 34704-992
Application Date: 10/23/2014
Decision Number: 497135

Dear Dr. Mason:

The amended label and CSFs referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.


Please note that the record for this product currently contains the following CSFs:

- Basic CSF and Alternate CSF C dated 10/22/2014
- Alternate CSF A dated 01/24/2012
- Alternate CSF B dated 11/15/2012.

Any CSFs other than those listed above are superseded/no longer valid.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions regarding this letter, please feel free to contact Terri Stowe at (703) 305-6117 or via e-mail at stowe.terri@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "Kathryn V. Montague". The signature is written in black ink and is positioned above the typed name and title.

Kathryn V. Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Enclosure



MCP ESTER 4 HERBICIDE

ACTIVE INGREDIENT:

2-methyl-4-chlorophenoxyacetic acid, 2-ethylhexyl ester*	74.93%
OTHER INGREDIENTS:**	25.07%
TOTAL	100.00%

*Equivalent to 48.05% 2-methyl-4-chlorophenoxyacetic acid. Contains 4.0 pounds acid equivalent per gallon.
**Contains petroleum distillates.

ACCEPTED
08/28/2015
<small>Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 34704-992</small>

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

FIRST AID	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL ANY TIME: 1-866-944-8565. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.</p>	

See inside booklet for additional precautionary statements.

EPA REG. NO. 34704-992

EPA EST. NO. 34704-MT-001

NET CONTENTS 2.5 GAL (9.46 L)

EXP 10/14 Pasture PPE

**MCP ESTER 4 HERBICIDE
EPA REG. NO. 34704-992**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

May be fatal if absorbed through skin. Harmful if swallowed. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber, or viton.

Mixers, loaders, applicators, flaggers, and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants,
- Chemical-resistant gloves,
- Chemical-resistant footwear plus socks,
- Chemical-resistant headgear for overhead exposure,
- Chemical-resistant apron when cleaning equipment, mixing, or loading, and
- Protective eyewear.

Additional PPE requirement for mixers and loaders supporting aerial application to rangelands, pasture lands, or non-cropland.

These mixers/loaders also must wear:

- A chemical-resistant apron, and
- A NIOSH approved particulate filter with any N, R, P filter with NIOSH approval number prefix TC-84A; or a NIOSH-approved powered air purifying respirator with an HE filter with NIOSH approval number prefix TC-21C. It is recommended that you require that respirator wearer be fit tested, and trained in the use, maintenance, and limitations of the respirator.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. Pilots must use an enclosed cockpit that meets the requirements listed in the WPS for agricultural pesticides [40 CFR 170.240(d)(6)].

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
- As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Groundwater Contamination: This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPA have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPA pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Cleaning of Equipment: When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources.

**MCP ESTER 4 HERBICIDE
EPA REG. NO. 34704-992**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water is:

- Coveralls,
- Shoes plus socks, and
- Chemical-resistant gloves made of any waterproof material.

USE INSTRUCTIONS

Susceptible weeds controlled are Annual mustards, Cocklebur, Field pennycress, Lambsquarters, Marshelder, Shepherd's-purse, Yellow rocket and many others. Less susceptible weeds partially controlled (may have more erratic results) are Wild Buckwheat, Canada thistle, Dandelions, Hempnettle, Kochia, Pigweed, Plantains, Purslane, Ragweed, Stinging nettle, Sunflowers and many others.

Avoid use of small-diameter spray nozzles. Avoid spray drifts onto susceptible plants such as beans, flowers, tomatoes, sugar beets, sunflowers, vegetables and other legumes. Coarse sprays are less likely to drift. Do not spray at all in the vicinity near susceptible plants to prevent any vapor drift.

SPRAY DRIFT MANAGEMENT

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and-weather-related factors determines the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

Apply only as a medium or coarser spray (ASAE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

Apply only when the wind speed is 2 to 10 mph at the application site.

Additional requirements for aerial application:

The boom length must not exceed 75% of the wingspan or 90% of the rotor blade diameter.

Release spray at the lowest height consistent with efficacy and flight safety. Do not release spray at a height greater than 10 feet above the crop canopy.

When applications are made with a crosswind, the swath will be displaced downwind. The applicator must compensate for this displacement at the downwind edge of the application area by adjusting the path of the aircraft upwind.

Do not make applications into temperature inversions.

Additional requirements for ground boom application:

Do not apply with a nozzle height greater than 4 feet above the crop canopy.

**MCP ESTER 4 HERBICIDE
EPA REG. NO. 34704-992**

CROP SPECIFIC INSTRUCTIONS

BARLEY, OATS, TRITICALE, WHEAT

Application Timing	Amount of Product/A	Directions
Apply any time from emergence to boot stage of grain.	1.0 pt (0.5 lb AE)	Apply in 5.0 gal of water by ground application or in 3.0 to 5.0 gal of water by aerial application.
	1.3 pt (0.67 lb AE)	For Canada thistle

Restrictions

- **DO NOT** plant any rotational crop, other than those listed on this label or other MCPA product labels, within 60 days of treatment.
- **DO NOT** apply from boot through the dough stage.
- Preharvest interval (PHI) is 40 days.
- **DO NOT** apply more than 0.75 pound acid equivalent per acre per year (1.5 pints of this product per acre per year).
- **DO NOT** permit dairy animals or meat animals being finished for slaughter to forage or graze treated grain fields within 7 days after treatment.

Precautions

- **DO NOT** use on small grains interplanted with sweet clover unless injury to the legume can be tolerated.
- Use on grain underseeded with alfalfa only where specifically recommended by local agricultural experiment station and extension service weed specialists.

FLAX

Application Timing	Amount of Product/A	Directions
Apply when weeds are up and when flax is 2 to 6 inches high and before it comes into bud.	0.5 pt (0.25 lb AE)	Apply in 5.0 gal of water by ground application or in 3.0 to 5.0 gal of water by aerial application.

Restrictions

- **DO NOT** apply more than 0.25 pound acid equivalent per acre per year (0.5 pint of this product per acre per year).
- **DO NOT** permit dairy animals or meat animals being finished for slaughter to forage or graze treated grain fields within 7 days after treatment.

Precautions

- Treatment after early bud stage may result in severe damage.

ESTABLISHED GRASSLAND AND PASTURES

Application Timing	Amount of Product/A	Directions
Spray perennials in early bud to full bloom stage and regrowth in fall.	1.5 pt to 2.6 pt (0.75 to 1.3 lb AE)	Apply in sufficient water (2.0 to 100 gal of mixture) in airplane or ground spray application and give thorough coverage. Use higher rate for White top, Canada thistle and other less easy-to-kill weeds.
Other weeds in spring or fall.		

Restrictions

- **DO NOT** apply more than 1.5 pounds acid equivalent per acre per year (3.0 pints of this product per acre per year).
- **DO NOT** apply more than 2 applications per year.
- **DO NOT** permit dairy animals or meat animals being finished for slaughter to forage or graze treated grain fields within 7 days after treatment.
- Minimum retreatment interval is 21 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store below temperature of 0 °F. If frozen, warm to 45 °F and redissolve before using by rolling or shaking the container. Store in safe manner. Do not store under conditions which might adversely affect the container or its ability to function properly. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org. If not recycled, then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For packages greater than 5 gallons or 50 lbs: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For packages greater than 56 gallons: Triple rinse or pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Fill the container about 1/4 full with water, rinsing down all sides inside the container thoroughly. Recirculate water with the pump for 2 minutes. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

For refillable containers: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC – 1-800-424-9300. For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC – 1-800-424-9300.

**MCP ESTER 4 HERBICIDE
EPA REG. NO. 34704-992**

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way. Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS PRODUCT IS SOLD "AS IS," AND LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW, BUYER OR USER MUST SEND WRITTEN NOTICE OF ITS CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, P.O. BOX 1286, GREELEY, COLORADO 80632-1286.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

**FORMULATED FOR
LOVELAND PRODUCTS, INC.
P.O. BOX 1286, GREELEY, COLORADO 80632-1286**



Supplemental Labeling MCP ESTER 4
HERBICIDE

GROUP 4 HERBICIDE

Supplemental Labeling
MCP ESTER 4 HERBICIDE
EPA REG. NO. 34704-992

ACCEPTED
08/28/2015
Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 34704-992

FOR BROADLEAF WEED CONTROL IN ESTABLISHED GRASSLAND AND PASTURES AND SMALL
GRAINS including TRITICALE.

This supplemental label expires July 31, 2018

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for MCP Ester 4 Herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of MCP Ester 4 Herbicide according to the supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for MCP Amine 4.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Additional PPE requirement for mixers and loaders supporting aerial application to rangelands, pasture lands, or non-cropland.

These mixers/loaders also must wear:

- A chemical-resistant apron, and
- A NIOSH approved particulate filter with any N, R, P filter with NIOSH approval number prefix TC-84A; or a NIOSH-approved powered air purifying respirator with an HE filter with NIOSH approval number prefix TC-21C. It is recommended that you require that respiratorwearer be fit tested, and trained in the use, maintenance, and limitations of the respirator.

ESTABLISHED GRASSLAND AND PASTURES

Application Timing	Amount of Product per acre	Directions
Spray perennials in early bud to full bloom stage and regrowth in Fall. Other weeds in Spring or Fall.	1.5 pt to 2.6 pt (0.75 to 1.3 lb ae)	Apply in sufficient water (2.0 to 100 gallons of mixture) in airplane or ground spray application and give thorough coverage. Use higher rate for White top, Canada thistle and other less easy-to-kill weeds

Restrictions

- Do not apply more than 1.5 pounds acid equivalent per acre per year (3 pints of this product per acre per year).
- Do not apply more than 2 applications per year
- Do not permit dairy animals or meat animals being finished for slaughter to forage or graze treated grain fields within 7 days after treatment.
- Minimum retreatment interval is 21 days.

Supplemental Labeling MCP ESTER 4
HERBICIDE

WHEAT, TRITICALE, OATS, BARLEY

Application Timing	Amount of Product per acre	Directions
Apply any time from emergence to boot stage of grain.	1 pt (0.5 lb ae)	Apply in 5 gallons of water by ground application or in 3-5 gallons of water by aerial application.
	1.3 pt (0.67 lb ae)	For Canada Thistle

Restrictions

- Do not plant any rotational crop, other than those listed on this label or other MCPA product labels, within 60 days of treatment.
- Do not apply from boot through the dough stage.
- Preharvest interval (PHI) is 40 days.
- Do not apply more than 0.75 pounds acid equivalent per acre per year (1.5 pints of this product per acre per year).
- Do not permit dairy animals or meat animals being finished for slaughter to forage or graze treated grain fields within 7 days after treatment.

Precautions

- Do not use on small grains interplanted with sweet clover unless injury to the legume can be tolerated.
- Use on grain underseeded with alfalfa only where specifically recommended by local agricultural experiment station and extension service weed specialists.

**FORMULATED FOR
LOVELAND PRODUCTS, INC.
P.O. BOX 1286, GREELEY, COLORADO 80632-1286**