

34704-1021

09-08-2009

1/7



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:
34704-1021

Date of Issuance:
SEP 8 2009

Terms of Issuance:
Unconditional

Name of Pesticide Product:
First Choice Coastox Carbaryl
Cutworm Bait

NOTICE OF PESTICIDE:
 Registration
XX Reregistration
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):
Loveland Products
P.O. Box 1286
Greeley, CO 80632-1286

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product. Within 45 days from the date of this notice, two copies of a final printed label must be submitted.

Your Confidential Statement of Formula (CSF) dated February 17, 2006 is acceptable. This CSF supercedes all previous CSFs. You may distribute products bearing the old label for 12 months from receipt of this letter or your next printing of the label, whichever comes first.

We are in receipt of your request to voluntarily cancel the 24c CA-960009.

A copy of the stamped label is enclosed for your records.

Signature of Approving Official:
Meredith Laws
Meredith Laws, Branch Chief
Registration Division, Insecticide-Rodenticide Branch

Date:
SEP 8 2009

2/7



COASTOX CARBARYL CUTWORM BAIT

For the control of cutworms, armyworms and crickets.

This product is intended for commercial use.

READ ENTIRE CONTAINER LABEL BEFORE USING THIS PRODUCT

ACTIVE INGREDIENT:

Carbaryl	
(1-Naphthyl N-Methylcarbamate)	5.0%
INERT INGREDIENTS	95.0%
TOTAL	100.0%

Contains 5% Sevin®. Carbaryl is a N-Methyl Carbamate.

KEEP OUT OF THE REACH OF CHILDREN AND DOMESTIC ANIMALS

CAUTION

EPA REG. NO. 34704-1021

EPA EST. NO. 51896-CA-050

IHT EXP 090209 RED

PRECAUTIONARY STATEMENTS

CAUTION. Harmful if swallowed. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and chemical resistant gloves when applying this product

FIRST AID
N-Methyl Carbamate

If On Skin Or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses. If present, after the first 5 minutes, then continue rinsing eye.

If Swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

ACCEPTED

SEP 18 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
Registered under
EPA Reg. No. 34704-1021

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Carbaryl contains an N-methyl carbamate that inhibits cholinesterase. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase-inhibiting drugs.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are barrier laminate, Nitrile Rubber, Neoprene Rubber, Polyethylene and Viton. If you want more options, follow the instructions for category "A" on an EPA Chemical-resistance category chart.

Loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, and
- Shoes plus socks

Aerial application is prohibited.

User Safety Requirements:

Follow manufacturer's instructions of cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls Statement:

When applicators use enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for Agricultural pesticides (40 CFR 170.240(d)(5)), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from area treated. Drift and run-off may kill aquatic invertebrates in water adjacent to treated areas. Do not contaminate water by cleaning equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters.

INFORMATION

FIRST CHOICE CARBARYL CUTWORM BAIT is a special pelletized formulation for the control of cutworms, armyworms, crickets, darkling ground beetles, grasshoppers, mole crickets and sowbugs. Apply when air is calm.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. The area being treated must be vacated by unprotected persons. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulations.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours (unless otherwise specified in the directions for use associated with each crop.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over short-sleeve shirt and short-pants,
- Chemical-resistant footwear plus socks,
- Chemical-resistant gloves made of any waterproof material, and
- Chemical-resistant headgear if overhead exposure.

When the Restricted-Entry Interval for a crop is 7 days or longer, you must notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter the treated area (except those involved in the watering-in) until the watering-in is completed and the area has dried.

This product may be applied only by ground broadcast equipment.
Hand, spoon, and belly-grinder application methods are prohibited.

FIELD AND VEGETABLE CROPS

Single App Rate lb product / lb ai/A	Minimum Retreatment Interval, Days	Max # of Applications per year	Maximum Annual App: lb Product / lb ai/A	Pre-Harvest or Pre-Grazing Interval (Days)	Use Directions & Restrictions
ASPARAGUS					
20 / 1.0 Preharvest	3	3 Pre Harvest	60 / 3.0	1	No more than a total of 5 applications (both pre- ad post-harvest) may be made per year for a total annual maximum application rate of 5 lbs ai/A.
40 / 2.0 Post Harvest	3	5 Pre & Post harvest combined	100 / 5.0	N/A	
ALL MEMBER OF THE CURCUBIT VEGETABLE, Group 9, including: Chayote (fruit); Chinese waxgourd (Chinese preserving melon); citron melon; cucumber; gherkin; gourd, edible (includes hyotan, cucuzza, hechima, Chinese okra); <u>Momordica</u> spp (includes balsam apple, balsam pear, bittermelon, Chinese cucumber); muskmelon (includes cantaloupe); pumpkin; squash, summer; squash, winter (includes butternut squash, calabaza, Hubbard squash, acorn squash, spaghetti squash); watermelon.					
20 / 1.0	7	6	120 / 6.0	3	
ALL MEMBERS OF HEAD AND STEM BRASSICA (Cole) VEGETABLES, Sub-Group 5 A including: Broccoli; broccoli, Chinese; brussels sprouts; cabbage; cabbage, Chinese (napa); cabbage, Chinese mustard; cauliflower; cavalo broccolo; kohlrabi.					
40/ 2.0	7	3	120 / 6.0	3	Use restricted to application only within 30 days of crop emergence or transplanting.
ALL MEMBERS OF LEAFY BRASSICA GREENS, Sub-Group 5 B including: Broccoli raab; cabbage, Chinese (bok choy); collards; kale; mizuna; mustard greens; mustard spinach; rape greens.					

Single App Rate lb product / lb ai/A	Minimum Retreatment Interval, Days	Max # of Applications per year	Maximum Annual App: lb Product / lb ai/A	Pre-Harvest or Pre-Grazing Interval (Days)	Use Directions & Restrictions
40 / 2.0	7	3	120 / 6.0	14	Use restricted to application only within 30 days of crop emergence or transplanting.
ALL MEMBERS OF FRUITING VEGETABLES (except cucurbits), Crop Group 8 including: Eggplant; groundcherry (<i>Physalis</i> spp); pepino; pepper (includes bell pepper, chili pepper, cooking pepper, pimento, sweet pepper); tomatillo; tomato.					
40 / 2.0	7	4	160 / 8.0	3	
ALL MEMBER OF ROOT AND TUBOR VEGETABLES, Crop Group 1 (except sugar beets and sweet potatoes) including: Arracacha; arrowroot; artichoke, Chinese; artichoke; Jerusalem; beet, garden; beet, sugar; burdock, edible; canna, edible; carrot; cassava, bitter and sweet; celeriac; chayote (root); chervil, turnip-rooted; chicory; chufa; dasheen (taro); ginger; ginseng; horseradish; leren; parsley, turnip-rooted; parsnip; potato; radish; radish, oriental; rutabaga; salsify; salsify, black; salsify, Spanish; skirret; sweet potato; tanier; turmeric; turnip; yam bean; yam, true.					
40 / 2.0	7	3	120 / 6.0	7	
LEAVES OF ROOT AND TUBER VEGETABLES, specifically: Beet, garden (tops); Turnip (tops).					
40 / 2.0	7	3	120 / 6.0	14	
SUGAR BEETS					
40 / 2.0	14	3	60 / 3.0	7	
SWEET CORN					
40 / 2.0	3	3	160 / 8	2 (ears) 14 (forage) 48 (fodder)	Hand harvesting prohibited. REI is 24 hrs. EXCEPTION: REI is 21 days for workers detasselling corn. Use prohibited in CA.
CORN, FIELD AND POP					
40 / 2.0	14	4	160 / 8.0	14 (forage and silage) 48 (grain and fodder)	Hand harvesting prohibited. REI is 24 hrs. EXCEPTION: REI is 21 days for workers detasselling corn. Use prohibited in CA.
ORNAMENTAL FLOWERS AND SHRUBS - For use in and around ornamental flower and shrub beds around the outside perimeters of buildings					
2 lb. product/ 0.1 lb ai/1000 ft ²	7	4		N/A	Irrigate after application. Do not use on plants taller than 4 feet (chest height).
EUROPEAN EARWIGS ON PRICKLY PEAR CACTUS (FOR USE IN CALIFORNIA ONLY)					
40 / 2.0	7	3	120 / 6	3	Apply 30 – 40 pounds product per acre. Apply by ground equipment only as a broadcast or band treatment. Do not apply directly to edible portions of the plant.

STORAGE AND DISPOSAL

Do not contaminate, water, food or feed by storage or disposal.

PESTICIDE STORAGE

Keep in original container. Store in cool, dry place. Protect from excessive heat.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

For help with any spill, leak, fire or exposure involving this material, call CHEMTREC day or night, (800) 424-9300.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. **EXCEPT AS WARRANTED IN THIS LABEL AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS PRODUCT IS SOLD "AS IS" AND LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.**

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW, BUYER OR USER MUST SEND, WRITTEN NOTICE OF SUCH CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, P.O. BOX 1286, GREELEY, CO 80632-1286.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

NET WEIGHT: 50 lbs.(22.68 kgs.)

7
-
7

Formulated for:



P.O. Box 1286
Greeley, CO 80632-1286

FIRST CHOICE® is a registered trademark of Western Farm Services, Inc.

SEVIN® is a registered trademark of Bayer Corporation.

EXP REV 08/18/09 JTT