



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511M)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

34704-1200

Date of Issuance:

6/9/2025

NOTICE OF PESTICIDE:

☒ Registration

☐ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

LPI 6742

Name and Address of Registrant (include ZIP Code):

Loveland Products Inc.
P.O. Box 1286
Greeley, CO 80632

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency. In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration or registration review of your product when EPA requires all registrants of similar products to submit such data.

Signature of Approving Official:

Cody Kendrick

Cody Kendrick, Senior Regulatory Advisor
Microbial Pesticides Branch
Biopesticides and Pollution Prevention Division (7511M)
Office of Pesticide Programs

Date:

6/9/2025

2. Make the following labeling change before you release this product for shipment:
 - Revise EPA Registration Number to read, "EPA Reg. No. 34704-1200."
3. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statement of Formula (CSF):

- Basic CSF dated 05/07/2025

If you have any questions, please contact please contact Andrew Queen by phone at 202-566-1539 or via email at queen.andrew@epa.gov.

Sincerely,



Cody Kendrick, Senior Regulatory Advisor
Microbial Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511M)
Office of Pesticide Programs

Enclosure(1): Label

ACCEPTED

Jun 09, 2025

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 34704-1200

LPI 6742[LPI 6742 logo]

[Loveland Products, Inc.Image/Logo] [Distributor Company Logo]

([Biological Insecticide])[Bio(-)]insecticide[Bio(-)]pesticide) for Use in Corn

Active Ingredient: *Methylobacterium extorquens* strain NLS0042* 2.0%

Other Ingredients:98.0%

Total:100.0%

* Contains not less than 1×10^9 CFU/g of product.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See ([back] [side] [other] [inside]) ([panel(s)] [attached] [booklet]) for additional precautionary information, directions for use, storage and disposal and Limited Warranty and Disclaimer.

FIRST AID	
[nose graphic] IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for treatment advice.
[eye graphic] IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565.	

EPA Reg. No.: 34704-XXXX
EPA Est. No.: XXXXX-XX-XXX

Net Weight: xxxxxxxx
([Batch] [Lot]) ([ID] [No]): XXXX

FORMULATED FOR :
LOVELAND PRODUCTS, INC.®P.O. BOX 1286
GREELEY, COLORADO 80632-1286

[Not for Sale or Use After:][Expiration Date:]

[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Harmful if inhaled. Avoid breathing dust or spray mist. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Mixers/loaders and applicators must wear a minimum of NIOSH-approved particulate filtering facepiece respirator with an N99, R99, or P99 filter; OR a NIOSH-approved elastomeric particulate respirator with any N99, R99, or P99 filter; OR a NIOSH-approved powered air-purifying respirator with HE filters. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS: When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.607(d) and (e)], the handler PPE requirements may be reduced or modified as specified in the WPS.

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/ PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: *For terrestrial uses:* Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

EXCEPTION: If the product is soil-incorporated or soil-injected, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water) is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

BASIC USE INFORMATION

LPI 6742 is a product for the mitigation of corn rootworm larval feeding damage. Apply LPI 6742 alone or in tank mixes with other registered crop protection products. [Apply LPI 6742 as a soil drench alone or in tank mixes with other registered crop protection products] [or] [with a seed lubricant][.] When conditions are conducive to high corn rootworm pressure, use LPI 6742 ([in combination] [or] [in a rotational program]) with other registered insecticides effective against corn rootworm. Apply LPI 6742 with equipment commonly used for making ground applications. Heavy rainfall or irrigation shortly after application may require retreatment.

INSECTICIDE RESISTANCE MANAGEMENT AND INTEGRATED PEST MANAGEMENT (IPM)

- Use tank mixtures with insecticides/acaricides from a different group that are equally effective on the target pest when such use is permitted. Do not rely on the same mixture repeatedly for the same pest population. Consider any known cross-resistance issues (for the targeted pests) between the individual components of a mixture. In addition, consider the following recommendations provided by the Insecticide Resistance Action Committee (IRAC):
 - Individual insecticides selected for use in mixtures should be highly effective and be applied at the rates at which they are individually registered for use against the target species.
 - Mixtures with components having the same IRAC mode of action classification are not recommended for insect resistance management.
 - When using mixtures, consider any known cross-resistance issues between the individual components for the targeted pest(s).

[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]

- Mixtures become less effective if resistance is already developing to one or both active ingredients, but they may still provide pest management benefits.
- The insect resistance management benefits of an insecticide mixture are greatest if the two components have similar periods of residual insecticidal activity. Mixtures of insecticides with unequal periods of residual insecticide activity may offer an insect resistance management benefit only for the period where both insecticides are active.
- Adopt an integrated pest management program for insecticide/acaricides use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact company representatives at [phone number inserted here]."

PRE-HARVEST INTERVAL

LPI 6742 can be applied up to and on the day of harvest.

For Soil Surface (Drench), and In-Furrow Applications:

MIXING INSTRUCTIONS

Prepare a pre-mix that consists of 1-part LPI 6742 plus a minimum of 3 parts water. Once the premix is complete, introduce this solution into the full pesticide tank solution. Maintain sufficient tank agitation during the mixing and application operations.

LPI 6742 must be diluted with water. Partially fill the spray tank with clean, non-chlorinated water and begin agitation. Add the specified amount of LPI 6742 to the tank, which has been slurred prior to introduction into the tank. Finish filling the tank to the desired volume to obtain the proper spray concentration. It is critical that the spray solution be agitated during mixing and application to assure a uniform suspension. Do not allow spray mixture to stand overnight or for prolonged periods. Maintain a spray solution pH between 5.5 and 7.5.

LPI 6742 may be tank mixed with other registered pesticides to enhance corn rootworm control or suppression. This product cannot be mixed with any product with prohibition against such mixing. When tank mixing LPI 6742 with other registered pesticides, always read and follow all use directions, restrictions, and precautions of both LPI 6742 and the tank-mix partner(s). Use of the resulting tank mix must be in accordance with the more restrictive label limitations and precautions. Do not exceed label application rates.

COMPATIBILITY: Do not combine LPI 6742 in the spray tank with pesticides, surfactants, or fertilizers if there has been no previous experience or use of the combination to show it is physically compatible, effective and non-injurious under your use conditions.

[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]

LPI 6742 is compatible with many commonly used pesticides, fertilizers, and non-ionic surfactants but has not been fully evaluated with all of these. LPI 6742 is not compatible with crop oil concentrate (COC) or methylated seed oil (MSO). To ensure compatibility of tank-mix combinations, evaluate them prior to use as follows: Using a suitable container, add proportional amounts of product to water. Add wettable powders first, followed by water dispersible granules, then by liquid flowables and lastly, emulsifiable concentrates. Mix thoroughly and let stand for at least five minutes. If the combination stays mixed or can be remixed, it is physically compatible. Test the combination on a small portion of the crop to be treated to ensure that a phytotoxic response will not occur as a result of application.

APPLICATION INSTRUCTIONS

Mix LPI 6742 in the appropriate amount of water per acre according to the mixing instructions and the application rates table. Use the higher listed rates if the field has a history of heavy corn rootworm pressure, or if minimum/low till programs are in place. LPI 6742 can be mixed with registered pesticides for soil applications.

Soil Surface (Drench) Applications at Planting:

Use at planting, seeding, or transplant. Apply finished spray mixture, at a rate to thoroughly soak the growing media through the root zone, as a drench or directed spray using hand-held, mechanical or motorized spray equipment, or as a chemigation drench or directed spray using applicable sprinkler or drip irrigation systems. Apply in a final volume of at least 4 gallons per acre.

Chemigation Instructions:

- A. Apply this product only through sprinkler including center pivot, lateral move, or drip (trickle) irrigation systems. Do not apply this product through any other type of irrigation system.
 - B. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.
 - C. If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.
 - D. Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.
 - E. A person knowledgeable of the chemigation system and responsible for its operation or under the supervision of the responsible person shall shut the system down and make necessary adjustments should the need arise.
- Follow mixing instructions above. Agitation is recommended in the pesticide supply tank. Apply the pesticide during the first half of water application.

For Sprinkler Chemigation:

- The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from back flow.
- The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
- The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
- The system must contain functional interlocking controls to automatically shut off the pesticide

[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]

injection pump when the water pump motor stops.

- The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
- Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
- Do not apply when wind speed favors drift beyond the area intended for treatment.

For chemigation through systems connected to public water systems:

- Public water system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regular serves an average of at least 25 individuals daily at least 60 days out of the year.
- Chemigation systems connected to public water systems must contain a functional, reduced-pressure zone, back flow preventer (RPZ) or the functional equivalent in the water supply line upstream from the point of pesticide introduction. As an option to the RPZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the flow outlet end of the fill pipe and the top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe.
- The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
- The pesticide injection pipeline must contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
- The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops, or in cases where there is no water pump, when the water pressure decreases to the point where pesticide distribution is adversely affected.
- Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
- Do not apply when wind speed favors drift beyond the area intended for treatment.

For Drip (Trickle) Chemigation:

- The system must contain a functional check valve, vacuum relief valve and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from back flow.
- The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
- The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
- The system must contain functional inter-locking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
- The irrigation line or water pump must include a functional pressure switch which will stop the

[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]

water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

- Systems must use a metering pump such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Shanked-In or Injected Applications:

LPI 6742 can be shanked-in or injected into the soil prior to-, at-, or post- planting/ transplanting of crops alone or with most types of liquid nutrients.

In-Furrow Applications:

For in-furrow applications, apply LPI 6742 as an in-furrow spray in the appropriate amount of water per acre for the crop at planting according to the mixing instructions. Mount the spray nozzle so the spray is directed in the furrow just before the seeds are covered.

For Planter Box [Hopper Box](Onsite) Applications:

MIXING INSTRUCTIONS

LPI 6742 may be applied mixed with seed flow lubricants and/or other products labeled for planter box use, but has not been evaluated with all of these products. This product cannot be mixed with any product with prohibition against such mixing. When mixing LPI 6742 with other products, including registered pesticides, always read and follow all use directions, restrictions, and precautions of both LPI 6742 and the partner(s). Use of the resulting mix must be in accordance with the more restrictive label limitations and precautions. Do not exceed label application rates.

COMPATIBILITY: Do not combine LPI 6742 in the planter box with pesticides, surfactants, or fertilizers if there has been no previous experience or use of the combination to show it is physically compatible, effective and non-injurious under your use conditions.

[To ensure LPI 6742 efficacy, seed should be planted within six months of mixing LPI 6742 with seed flow lubricants and corn seed in the planter box.] [If sold as a co-pack with ([BioWake™ for Corn][Terrasym® 450][Terrasym 450 + DUST][Provid-R Corn][other Brand Names with the same label directions for use]), pour ([LPI 6742][BioWake Prime][Supplemental Distributor Brand Name]) into the ([BioWake™ for Corn][Terrasym 450][Terrasym 450 + DUST][Provid-R Corn][other Brand Names with the same label directions for use]) packaging. Seal package and mix well. Allow product to settle before reopening package for application to seed.] [If sold as a co-pack with ([Revline® Hopper Throttle™ Corn Planter Box] Treatment)[Tune Up + Corn][other Brand Names with the same label directions for use]), push down button labeled ([LPI 6742][Guard X][Supplemental Distributor Brand Name]) to release contents into the base. Seal package and shake aggressively. Allow product to settle before reopening package for application to seed.]

For mitigation of corn rootworm larval feeding, apply according to application rates in table. [Measure a full level scoop (provided in package) of ([LPI 6742][Supplemental Distributor Brand Name])[the combined products]) for the amount of seed to be treated. One scoop treats [insert number] ([unit(s)] [of kernels]) at the low rate and [insert number] ([unit(s)] [of kernels]) at the highest labeled rate. [This package treats [insert number] bags of corn seed at an average of 50 pounds per bag.]]

APPLICATION INSTRUCTIONS

Apply product by dispersing the powder evenly onto seed. Mix well and ensure that seed is uniformly

[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]

coated. For application rates, see application rates table. Use higher rates if the field has a history of moderate to heavy corn rootworm pressure, [if the regional forecast indicates high expected corn rootworm pressure] or if minimum/low till programs are in place. [LPI 6742 can be mixed with a seed flow lubricant [and other products labeled] for onsite planter box applications, see mixing instructions for details.]

For Use as a Commercial Seed Treatment:

MIXING INSTRUCTIONS

MIXING: LPI 6742 may be mixed with other registered pesticides. This product cannot be mixed with any product with prohibition against such mixing. When mixing LPI 6742 with other registered pesticides, always read and follow all use directions, restrictions, and precautions of both LPI 6742 and the mix partner(s). Use of the resulting mix must be in accordance with the more restrictive label limitations and precautions. Do not exceed label application rates.

To mix when using with other chemical insecticide or fungicide seed treatments: first add the chemical insecticides or fungicides to the slurry mix with approximately 10% of the required water. Slowly add the LPI 6742 to the slurry until a suspension is obtained. Add the remainder of the water and maintain continuous agitation. Do not store mixed slurries for more than 4 hours.

To mix when using only LPI 6742 seed treatment: Add 10% of the required water to the slurry mix. Slowly add the LPI 6742 to the slurry until a suspension is obtained. Add the remainder of the water and maintain continuous agitation. Do not store mixed slurries for more than 4 hours.

COMPATIBILITY: Do not combine LPI 6742 in the slurry with pesticides, or fertilizers if there has been no previous experience or use of the combination to show it is physically compatible, effective, and non-injurious under your use conditions.

LPI 6742 is compatible with many commonly used pesticides, and but has not been fully evaluated with all of these. See application rate tables for more detailed application instructions.

APPLICATION INSTRUCTIONS

LPI 6742 as a seed treatment may be applied as a water-based slurry alone or with other registered seed treatment insecticides and fungicides through standard slurry or mist commercial seed treatment equipment. Under moderate to severe disease pressure, for improved performance, increase rates or use LPI 6742 in a program with other registered insecticides effective against corn rootworm [for seed treatment].

Do not use treated seed for food or feed purposes or process for oil. Treat only those seeds needed for use within 6 months.

This product does not contain dye and is not covered by an appropriate tolerance, tolerance exemption, or other clearance under the Federal Food, Drug and Cosmetic Act. To comply with 40 CFR 153.155, therefore, all seed treated commercially with this product must be colored with an EPA-approved dye or colorant of a suitable color to prevent accidental use as food for man or feed for animals.

SEED BAG LABEL REQUIREMENTS

The Federal Seed Act requires that bags containing seeds treated with this product shall be labeled

[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]

with the following information:

- This seed has been treated with *Methylobacterium extorquens* strain NLS0042.
- Do not use for feed, food or oil purposes. Store away from feed and food stuffs.

User is responsible for ensuring that the seed bag meets all requirements under the Federal Seed Act.

APPLICATION RATES

For improved performance under moderate to severe insect pressure increase rates or use LPI 6742 in a tank-mix or rotational program with other registered insecticides.

Application Rates of LPI 6742				
Crops	Insect	Rate for Soil Surface (Drench), In-Furrow, Shanked-in/ Injected Application (oz/ acre)	Rate for Seed Treatment	Rate for Planter Box Application
Corn Sweet Corn Popcorn Seed Corn Silage Corn Field Corn	Mexican Corn Rootworm[*] Northern Corn Rootworm[*] Southern Corn Rootworm[*] Western Corn Rootworm[*]	4 - 10	0.25 – 2 oz per 100 lb of seed 0.125 – 1 oz per unit ¹ of seed	0.25 – 10 oz per 100 lb of seed 0.125-5 oz per unit ¹ of seed

[*Not registered for use in California]

¹ One unit is 80,000 corn seeds

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry area inaccessible to children. Store in original container only. Keep container closed when not in use. Do not store at temperatures above 78°F (25°C).

Pesticide Disposal: To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER HANDLING:

[For plastic bags] - Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

[For fiber drums with liners] - Nonrefillable container. Do not reuse or refill this container.

[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling if available or dispose of liner in sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

[For plastic containers with a capacity equal to or less than 50 pounds] - Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration if allowed by State and local authorities. If burned, stay out of smoke.

[batch codes are applied to the front panel of every sales unit container]

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS PRODUCT IS SOLD "AS IS," AND LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW, BUYER OR USER MUST SEND WRITTEN NOTICE OF ITS CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, P.O. BOX 1286, GREELEY, CO 80632-1286.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE

[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]

SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

LPI 6742 are trademarks of Loveland Products, Inc. All other trademarks are the property of their respective owners.

[Note to reviewer: the following are optional marketing statements/logos:] [the power of Pink Performance.] [Pink Performance] [the power of PPFMs] [repel[s] corn rootworms in the soil] [CRW Management + Root Regen] [Champions of Pink Performance] [promotes regrowth in roots from corn rootworm damage]

Optional Label Logos specific to supplemental distribution registration 34704-XXXX:



[Note to Reviewer: Language within brackets is optional label language. When brackets are enclosed in parenthesis, one bracketed option must be chosen.]