It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Algacci de Initial Dose: add 1 gallon 5% المراجة المر to 25,000 gallons of pool water. Aleccide

Maintainance Dose: add 1 quart 5% Agrac Blue swimming pool algaecide to 25,000 gallons of pool water.

Initial dose is used when filling pool at beginning of swimming season, If pool has visible algae growth, treat with initial dose. Vaccum pool after 24 hours to remove algae debris. If visible algae are still present or reappear, repeat this tre-tment procedure as necessary. When pool is free of visible algae, use the recommended maintenance dose.

Maintenance dose should be added at 3-5 day intervals. If high temperatures prevail or pool has unusually heavy use, add maintenance dose more frequently.

If make-up water is added at the rate of more than 10% per week of pool capacity, add 1 quart of 5% நிழம் சிம்ட் 107 each 5,000 gallons of fresh make-up water added per week. When swimming season is over, add 1 gallon of 5% Hour Bucklo 25,000 gallons of water in treating water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

Menecide When 5% ന്യൂലം മിലം is used as directed, it will kill and prevent development of Chlorella pyrenoidosa (green), Phormidium inundatum and Phormidium retzil (blue-green algee), Lyngba versicolor (blue-green) and other swimming pool aglae


5% Aqua நின்க compatible with most commonly used swimming pool chemicals, but should not be mised with soap or other water-treating chemicals. 5% வெரும் விடியில் இது when added by itself directly to pool water. 5% சிழும் சிழும் கிழும் corrosive to inanimate surfaces.

# DIRECTIONS FOR USE'N CUTSIDE SPAS

WHIRLPOOLS/ HOT TUB. Agazcide Initial Dose: Add 25.6 ounces of 5% Agua Aue Swimming Pool Algaecide per 5,000 gallons of water. Initial dose is used upon filling of Spa/Whinlpool/Hot Tub-Bath. . . Algazeiree

Maintenance Dose: Add 6.4 punces of 5% Again Sing grimming Pool Algaecide per 5,000 gallons of water. Maintenance dose should be added at 3-5 days intervals. If high temperatures prevail or Spa/Whirlpool/Hot Tub Bath has unusually heavy use. add maintenance dose more frequently.

Drain and clean Spa/Whirlpool/Hot Tub Bath at least once a month or as needed debending on bather load.



Concentrated Swimming Pool Algaecide Keeps Pool Water Clear and Free of Visible Algae.

Controls Algae Slime in both swimming pools and guiside Spa/Whirlpool/Hot tub baths.

#### **ACTIVE INGREDIENTS:** n-Alkyl (60%C14, 30%C16, 5%C12, 5%C16) dimethyl benzyl ammonium chlorides..... 4.2% n-Dialkyl (60%C14, 30%C16, 5%C12, 5%C16) Alcaecia methyl benzyl INERT INGREDIENTS ...... 95.0% TOTAL 100.0%

EPA REG. No.34743-7 EPA EST. No.34743-MA-01

## **KEEP OUT OF REACH OF CHILDREN**

# DANGER

See side panel for additional precautionary statements.

Wal-Ben Industries, Inc. 516 Chicopee Street Chicopee, Mass. 01013

**NET CONTENTS** 

#### PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals DANGER

Keep Out of Reach of Children, Corrosive, Causes severe eve and skin damage. Do not get in eyes, on skin or on clothing. Wear googles or face shield and rubber gloves when handling Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, agg whites, gelatin solution or if these are not reliable, drink large quantities of water, Avoid alcohol, Call a Jolan.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbituate drug.

#### **ENVIRONMENTAL HAZARDS**

This posticide is toxic to figh. Do not disphares officent containing this product into labor, streems, ponts, estuaries, oceans, er public vaters unless this product is specifically identified and addressed in an MPDHM permit. Do not discharge offluent containing this product to somer systems without proviously notifying the severe treatment plant authority. For guidance contact your State Nater Board or Regional Office of the EPA.

### STORAGE AND DISPOSAL

-00 NOT CONTANTNATE WATER, FOOD, CR. FERA BY STORACE OR DISPOSAL

-STORAGE-Store in a dry place so lower in temperature then 50°F or higher then 120°F.

-PESTICIDE DISPOSAL-Posticide vestes are scutely heaardone. Improper disposal of excess posticide, spray mixture, or rissate is a violation of Federal Law, If theme wastes cannot be disposed of by use according to label instructions contact your State Posticide or Environmental Control Agency or the Mazardous Weste representative at the mearest EPA Regional Office for guidance. -CONTAINER DISPOSAL-Do not rouse empty container. Triple risse copty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State or local authorities. Plastic containers may be dis-

posed of in a manitary landfill, incinerated or, if allowed by local authorities, by burning. If burned, stay out of moke.