PROTECTION AGENCY
WERE CITY SOLVEDES PROGRAMS
REGISTRA SCHOOLSON #5 2671
WASH COLORORS OF OCTOBER

NOTICE OF PESTICIDE X TOPERATE OF

Which is a constraint of the following con-

TOUGH STUANCE

MAY 11 1995

HAME OF PESTICIDE PRODUCT

CH MOLTANTION NO

34743-17

Clear Pool Swimming Pool Shock 10.5%

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Γ

Ionics Inc.
D/B/A Elite Chemicals
65 Grove Street
P. O. Box 923
Watertown, MA 02272-0923

NCTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named posticide is hereby Registered/Reregistered under the Federal Insecticide. Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similiar products to submit such data; and submit acceptable responses required for re egistration of your product under FIFRA section 4.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase, "EPA Registration No. 34743-17."
 - b. Place "Keep Out of Reach of Children" immediately above the signal word "Danger."
 - c. Revise the title "First Aid" to read "Statement of Practical Treatment (First Aid)."
 - d. Change "Caution" in the arrows to "Note" or "Important."

T ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	· Da

- e. Include the following misuse statement immediately below the "Directions For Use" heading: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Ruth Douglas

Product Manager (32)

Antimicrobial Program Branch Registration Division (7505C)

Enclosure





STRONG BLEACHING AGENT Vented cap may leak causing damage. Do not place on surfaces that could be damaged by spill or leak.

DANGER:

KEEP OUT OF REACH OF CHILDREN


See Back Panel For Additional Precautions And First Aid Statements.

For trol of and Superchase ation of rol Water

FIR

If on skin, v
of soap and v
flush with w
15 minutes.
attention. If
drink large a
Do not induce
a physician of

Net Contents: 1 Gal. (128 FL. OZ



DIRECTIONS FOR USE

SWIMMING POOL WATER DISINFEC-TION FOR A NEW POOL OR SPRING START-UP, Superchlorinate with 54 to 108 ounces of the product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm TO MAINTAIN THE POOL Add manually or by a feeder device 12 ounces of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. STABILIZED POOLS should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalimity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon the temperature and number of swimmers. Every 7 days, or as necessary, superchlorinate the pool with 54 to 108 ounces, of product for each 10,000 gallons of water to yield 5 to 10 ppm availa' 'e chlorine by weight. Check the level of available chloring with a test kit. Do not reenter pool until the chlorine residual is between 1.0 and 3.0ppm. AT THE END OF THE SWIMMING POOL SEASON OR WHEN WATER IS TO BE DRAINED FROM THE POOL; Chlorine

must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS: While water is still clear and clean, apply 4 ounces of product per 1,000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacture; is instructions.

FOR CONTROL OF ALGAE: If algae growth develops resulting in a greenish growth on the pool sides and/or bottom, a slimy feel to the pool sides, or cloudiness in the pool water, treatment with Clear Pool Shock should be initiated. Adjust pool water pH to 7 2-7.6. Add 1 gallon of Clear Pool Shock in the evening for each 11,000 gallons of pool water. This dosage is equivalent to 10 ppm available chlorine by weight. After circulating the pool water for a minimum of four hours at 5-10 ppm available chlorine, turn the pool water recirculation system off. Brush pool sides and bottom thoroughly to loosen the dead algae Vacuum the pool the following morning. Do not allow swimmers to use the pool until a chlorine residual of 1 0-3.0 ppm has been established in the pool water. Repeat shock treatment as necessary.

STORAGE AND DISPOSAL

Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container, but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Store in upright position.

QUESTIONS OR COMMENTS?

Elite Chemicals

P O Box 923, Watertown, MA 02172 (500) 457-4449



PRODUCED BY:

fonics, fnc DBA Elite Chemicals Springfield, MA 01104

© 1992, Tonics, incorporated EPA Registration # EPA Establishment # 34743-MA-01 PATENT # 4.242.185

THIS PRODUCT DEGRADES WITH AGE USE A CHLORINE TEST KIT AND INCREASE DOSAGE AS NECESSARY TO OBTAIN THE REQUIRED LEVELS OF AVAILABLE CHLORINE

DANGER: PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

FIRST AID: If on skin, wash with plenty of soap and water, if in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large amounts of water. Do not induce vomiting. Call a physician or poison control center immediately.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the PA

PHYSICAL OR CHEMICAL HAZARD: STRO JOXIDIZ-ING AGENT Mixonly with water according to la directions Mixing this product with chemicals (e.g. urine, feces, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

We are not responsible for chemical damage to persons vehicles or other property

SHIP AND STORE THIS CONTAINER IN AN UPRIGHT POSITION AT ALL TIMES VENTED CAP MAY LEAK, CAUSING BLEACHING AND DAMAGE.

HAY 11 1995

WAY 11 1995

Under the Federal Increticate
Function and Federal Increticate

The control of the federal Increticate

The control of the federal Increticate

The control of the federal of t