

P: 4 34797-1

P11-15

181

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply undiluted to hair and scalp or any other infested areas until entirely wet. Do not use on eyelashes or eyebrows. Allow treatment to remain 10 minutes, but no longer. Then wash thoroughly with warm water and shampoo or soap. Dead lice and eggs may require removal with enclosed fine-toothed comb. Do not exceed two applications within 24 hours. To help eliminate infestations, it is important to sterilize all clothing and bedding of infested person at time of treatment.

STORAGE AND DISPOSAL: Store product in original container above freezing and away from children. Do not reuse container; wrap in several layers of newspaper before discarding in trash.

LICE X

Liquid pediculicide for human use. Kills head lice, body lice, crab lice, and their eggs on contact.

ACTIVE INGREDIENTS:

PYRETHRINS.....	0.3%
*Piperonyl Butoxide, Technical.....	3.0%
Inert Ingredients.....	96.7%
	<u>100.0%</u>

*Equivalent to 2.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.6% related compounds.

KEEP OUT OF REACH OF CHILDREN.

CAUTION: SEE OTHER

PRECAUTIONS ON SIDE PANEL.

Manufactured By:

Qualis, Inc.

Des Moines, IA 50321

2 fl. oz.

EPA 34797-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Do not get in eyes. Harmful if swallowed. Do not inhale. Avoid contact with mucous membranes. In case of infection or skin irritation, discontinue use and consult a physician. Consult a physician if infestation of eyebrows and eyelashes occurs. Avoid contamination of feed or foodstuffs.

USE PRECAUTIONS: This product is for external use only. Should be used with caution by ragweed sensitized persons.

STATEMENT OF PRACTICAL TREATMENT: If swallowed—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply artificial respiration if indicated.

If in eyes—Flush eyes with plenty of water. Call a physician if irritation persists.

EPA Reg. No. 34797-00001

EPA Est. No. 34797-IA-03

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply undiluted to hair and scalp or any other infested areas until entirely wet. Do not use on eyelashes or eyebrows. Allow treatment to remain 10 minutes, but no longer. Then wash thoroughly with warm water and shampoo or soap. Dead lice and eggs may require removal with enclosed fine-toothed comb. Repeat treatment in 7 - 10 days or earlier if reinfestation has occurred. Do not exceed two applications within 24 hours. To help eliminate infestations, it is important to sterilize all clothing and bedding of infested person at time of treatment.

STORAGE AND DISPOSAL: Store product in original container above freezing and away from children. Do not reuse container; wrap in several layers of newspaper before discarding in trash.

LICE X

Liquid pediculicide for human use. Kills head lice, body lice, crab lice, and their eggs on contact.

ACTIVE INGREDIENTS:

PYRETHERINS.....	0.3%
*Piperonyl Butoxide, Technical.....	3.0%
Inert Ingredients.....	96.7%
	100.0%

*Equivalent to 2.4% (butylcarbitol) (6-propylpiperonyl) ether and 0.6% related compounds.

KEEP OUT OF REACH OF CHILDREN.

CAUTION: SEE OTHER PRECAUTIONS ON SIDE PANEL.

Manufactured by:
Qualis, Inc.
Des Moines, IA 50321
1 fl. oz.

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 26 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

34797-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Do not get in eyes. Harmful if swallowed. Do not inhale. Avoid contact with mucous membranes. In case of infection or skin irritation, discontinue use and consult a physician. Consult a physician if infestation of eyebrows and eyelashes occurs. Avoid contamination of feed or foodstuffs.

USE PRECAUTIONS: This product is for external use only. Should be used with caution by ragweed sensitized persons.

STATEMENT OF PRACTICAL TREATMENT: If swallowed—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply artificial respiration if indicated.

If in eyes—Flush eye with plenty of water. Call a physician if irritation persists.

EPA Reg. No. 34797-00001
EPA Est. No. 34797-IA-03