

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 34797-35	DATE OF ISSUANCE 1-6-86
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Generic Pediculicide I	

NOTICE OF PESTICIDE:  REGISTRATION  
 REREГИSTRATION  
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Qualis, Inc.  
 4500 Park Avenue  
 Des Moines, IA 50321

161 / 152418  
 18 / 1


NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 34797-35."
  - b. 
  - c. You must confirm the trade name of the concentrate, which does not correspond with the Registration No. given on the Confidential Statement of Formula.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

*[Handwritten Signature]*

DATE

1/6/86

d. The Statement of Practical Treatment is normally required on the front panel, immediately below the ingredient statement.

e. Refer to PR Notice 83-3 for container sizes greater than 1 gallon.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C) *GH*

Enclosure

PROPOSED LABEL COPY

Product Name: Generic Pediculicide I	Label Dimensions
Formulation/ Product Number:	Height:
Authored by:	Width:
Reviewed by:	Paper Type:
	Paper Weight:

(Front Panel)

Generic Pediculicide I

EPA Reg. No. 34797-

EPA Est. No. 34797-IA-03

Kills Head Lice (Pediculus humanus capitis DeG.); Body Lice (Pediculus humanus humanus L.); and Crab or Pubic Lice (Phthirus pubis L.)

A Non-foaming Shampoo Parasiticide

ACTIVE INGREDIENTS:


Pyrethrins.....	0.3%
*Piperonyl Butoxide, Technical.....	3.0%
INERT INGREDIENTS:.....	<u>96.7%</u>
	100.0%

\*Equivalent to min. 2.4% (butylcarbityl) (6-propyl-piperonyl) ether and 0.6% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See sidepanel for additional precautions.



ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JAN 6 1986

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

34797-35

NET CONTENTS:

Manufactured by:  
Qualis Inc.  
Des Moines, Iowa 50321

(Side Panel)

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This Product Is For External Use On Humans Only.

APPLICATION USE:

- \* Apply undiluted to infested areas until entirely wet. DO NOT USE ON EYELASHES OR EYEBROWS.
- \* Allow treatment to remain 10 minutes but no longer.
- \* Then wash thoroughly with warm water and shampoo or soap.
- \* Dead lice and eggs may require removal with a fine comb.
- \* A second treatment must be made in 7 to 10 days to kill any newly hatched lice.

TO PREVENT REINFESTATION:

To avoid reinfestation with head, pubic or body lice, all clothing and bed linen should be disinfected by washing in hot water and drying using the hot cycle for at least 20 minutes or by dry cleaning. Combs and brushes should be soaked in water above 135°F for 5 or 10 minutes. Sexual partners should be treated simultaneously. Rooms inhabited by infested patients should be thoroughly vacuumed.

GENERAL INFORMATION

Head Lice live on the scalp, laying small white eggs (nits) on the hair shaft close to the scalp. The nits are most easily found on the nape of the neck or behind the ears. All personal headgear, scarves, coats and bed linen should be disinfected by machine washing in hot water and drying using the hot cycle of a dryer for at least 20 minutes. Personal articles of clothing or bedding that cannot be washed may be dry cleaned or sealed in a plastic bag for a period of about 2 weeks. Personal combs and brushes may be disinfected by soaking in hot water (above 130°F) for 5 to 10 minutes. Thorough vacuuming of rooms inhabited by infested patients is recommended.

Crab or pubic lice generally transmitted by sexual contacts are very small and look almost like brown or grey dots on the skin. Crab lice usually cause intense itching and lay small white eggs (nits) on the hair shaft close to the skin surface. In hairy individuals, the crab louse may be present on the short hairs of the thighs and trunk, under arms and occasionally on the beard and mustache. Sexual partners should be treated simultaneously to avoid reinfestation. All underwear should be disinfected by machine washing in hot water and then using the hot cycle for at least 20 minutes.

(Side Panel Continued)

Body Lice and their eggs are generally found in the seams of clothing particularly in the waistline and armpit area. They move to the skin to feed then return to the seams of the clothing where they lay their eggs. All clothing should be disinfected by the same procedure outlined for head lice. Clothing should be sealed for at least 30 days in a plastic bag for body lice because the nits (eggs) can remain dormant for a period of up to 30 days.

STORAGE AND DISPOSAL

Store product in original container above freezing and away from children. Do not reuse container, but wash with water and wrap in several layers of newspaper before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Causes eye irritation. Do not get in eyes. Harmful if swallowed. Do not inhale. Avoid contact with mucous membranes. In case of infection or skin irritation, discontinue use and consult a physician. Consult a physician if infestation of eyebrow and eyelashes occurs. Avoid contamination of feed or foodstuffs.

THIS PRODUCT IS FOR EXTERNAL USE ONLY.

STATEMENT OF PRACTICAL TREATMENT.

If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply respiration if indicated.

If in eyes - Flush eyes with plenty of water. Call a physician if irritation persists.

IMPORTANT. Should be used with caution by ragweed sensitized persons.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

