

Tag # 34797-59

PM-10

ONNE™

nal fly-t



CAUTION

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting unless directed by a physician. Petroleum distillate may cause aspiration. Contact a physician immediately.

If in Eyes: Flush eyes with plenty of water. Contact a physician if irritation persists.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If On Skin: Remove contaminated clothing and wash affected areas with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment wash waters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Final Fly-T has been especially developed for use on horses. It provides protective hair coating against flies while imparting a high sheen to the hair when brushed out. 1-2 ounces per head per day gives adequate protection. Apply by either soft cloth or fine mist spray.

USE TO WIPE ON: First, brush animal to remove excess dirt and dandruff (but do not wet to the point of dripping) a soft cloth and rub it into the hair. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen.

Only a light application is required. Avoid using an excessive amount on young horses. Do not wet skin.

After application, brush out thoroughly to bring out bright sheen on the coat. Repeat daily or as required.

USE AS A SPRAY: Final Fly-T may be applied as fine mist spray to stall area and over and around stabled horses for fast paralysis and kill of flies. Do not wet horse's skin or exceed two ounces per application.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Remove or cover exposed foods before spraying. Do not apply to dairy animals.

30000
000

ACCEPTED

19 APR 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
an amendment to the pesticide
registration under
EPA Reg. No. 34797-59

BEST AVAILABLE COPY