HORSE WIPE E.C.I

PM17 34797-60

1-16-10

BEST AVAILABLE COPY

~IH

For use on horses and ponies.

This concentrate may be diluted with water or oil.

Kills and repels horse flies, stable flies, face flies, horn flies, deer flies, house flies, mosquitoes and gnats.

Kills fleas, lice and ticks.

Effective for use as a wipe-on or as a spray on the animal as well as a space spray in horse barns, stables or tack rooms.

ACTIVE INGREDIENTS:
Pyrethrins
*Piperonyl Butoxide, Technical 7.50%
Buloxypolypropylene Glycol53.00%
INERT INGREDIENTS
100.00%

*Equivalent to 6% (butylcarbityl)(6-propylpiperonyl) ether and 1.5% related compounds.

KEEP OUT OF REACH	OF CIULDREN
CAUTIO	4
Harmful if swallowed. If induce vomiting; cal See side panel for addit	ta physician.
No. 34797-60	EPA Est. NO. 34797-DA-0

Not Reviewed. Registrant claims to be in accordance with **Reregistration of Pesticide Product Guidance for Phase 2** Response, Page 2.12, Active to Inert Change in Status.

EPA Red.

DIRECTIONS FOR USE

Pg. 2011

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ON HORSES AND PONIES Brush the animal thoroughly to remove loose dirt and dust.

Prepare the appropriate dilution of Dionne Horse Wipe E.C.I in the amount required for immediate use (about one quart per horse). Diluted Dionne Horse Wipe E.C.I should be used within 24 hours.

To Kill and Repel House Flies, Horn Flies, Gnats, and Mosquitoes:

Dilute 1 part concentrate with 14 parts water.

To Kill and Repel Horse Flies, Stable Flies, Deer Flies and Face Flies:

Dilute 1 part concentrate with 9 parts water.

Moisten (do not soak) a folded 12" square piece of turkish toweling with the dilution.

Rub against, then with hair growth. Give special altention to facial areas, neck, legs, shoulders and shanks where the flies are most often seen. Avoid contact with eyes or nostrils. Apply thoroughly to moisten hair.

If desired, the sheen of the coat may be enhanced by light brushing following application. For best results apply Dionne Horse Wipe E.C.I. daily.

To Kill Fleas and Lice:

Using a dilution of 1 part concentrate to 49 parts water. Apply enough spray to thoroughly wet the skin of the animal. Repeat treatment as necessary. To help in prevention of reinfestation, thoroughly spray premises and sleeping quarters paying particular attention to cracks and crevices.

To Kill Attached Ticks: Saturate a cloth with this concentrate and daub directly on ticks. Avoid contact with eyes or nostrils.

IN HORSE BARNS, STABLE AND TACK ROOMS

To control flies, mosquitoes and gnats, dilute at a rate of lineart concentrate to 24 parts water or oil and apply as a fog or fine mist directing spray toward the ceiling and upper corners until the area is filled with mist using about 2 ounces per 1000 cobjec feet of space. For best results, close doors and windows before spraying and keep them closed for ten to fifteen minutes. Variate the area and ventilate before reoccupying. Repeat application as necessary.

USE Λ S Λ water spray

1-9 Dilution: Mix 1 quart of emulsifiable concentrate Dionne Horse Wipe E.C.I with 9 parts water to make 2.5 gallons of spray. Stir

BEST AVAILABLE COPY

before using. Apply at the rate of 1 pint to 1 quart of dilute spray per animal depending on the size of the animal.

PJ. 3034

Horn Flies, Mosquitoes, and Gnats: Apply as necessary to give continued protection.

Stable Flies and House Flies: Apply as necessary to give continued protection.

Horse Flies and Deer Flies: Apply as necessary to give continued protection.

This dilution will kill horse flies, stable flies, house flies, horn flies, mosquitoes, and gnats on the animal at the time of application.

1-14 Dilution: Mix 1 quart of emulsifiable concentrate Dionne Horse Wipe E.C.I. with 14 quarts of water to make 3 3/4 gallons of spray. Stir before using. Apply at the rate of 1 pint to 1 quart per animal depending on the size of the animal.

Horse Flies, Mosquitoes, and Gnats: Apply as necessary to give continued protection. This dilution will kill horn flies, mosquitoes and gnats on the animal at the time of application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local pro**cedures**.

> PRECAUTIONARY STATEMENTS ***** HAZARDS TO HUMANS & DOMESTIC ANIMALS *...*

CAUTION

Do not contaminate feed or foodstuffs. Not for use on horses **int**ended for food. Remove pets, birds and cover fish aquariums before*spraying.

ENVIRONMENTAL HAZARDS


i.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment of disposal of wastes. Apply this product only as specified on the label. STATEMENT OF PRACTICAL TREATMENT

- If Swallowed: Do not induce vomiting unless directed by a physician. Petroleum distillate may cause aspiration. Contact a physician immediately.
- If In Eyes: Flush eyes with plenty of water. Contact a physician if irritation persists.
- If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.
- If On Skin: Remove contaminated clothing and wash affected areas with plenty of soap and water.

NET CONTENTS: 1 quart

MANUFACTURED BY: Qualis, Inc. Des Moines, Iowa 50321



pg.4024