




3. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

  
John H. Lee  
Product Manager (31)  
Antimicrobial Program Branch  
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

CANINE PARVO VIRUS DISINFECTANT  
Germicidal Detergent

Canine Parvo Virus Disinfectant is a concentrated, multi-purpose germicide detergent effective in the presence of 5% organic serum. Canine Parvo Virus Disinfectant disinfects, cleans, and deodorizes in one labor-saving step. Canine Parvo Virus Disinfectant is effective against the following pathogenic organisms.

According to current AOAC Use-Dilution test methods, Canine Parvo Virus Disinfectant is effective against the following pathogenic organisms at 1:256 dilution.

- Pseudomonas aeruginosa
- Staphylococcus aureus
- Staphylococcus aureus phage 80
- Salmonella choleraesuis
- Serratia marcescens

According to the current AOAC fungicidal test method Canine Parvo Virus Disinfectant is effective against the following pathogenic organisms at a 1:256 dilution.

- Trichophyton interdigitale
- Aspergillus flavus
- Candida albicans
- Aspergillus fumigatus
- Aspergillus glaucus var. tonophilus

Canine Parvo Virus Disinfectant is virucidal against the following pathogenic organisms at a 1:256 dilution.

- Bovine rhinotracheitis virus
- Rubella virus
- Avian infectious brochitis virus
- Newcastle disease virus
- Canine Parvovirus
- Adenovirus Type 3
- Vaccinia
- Influenza A/Texas
- Herpes simplex Type 1
- Avian influenza

ACCEPTED  
with CERTIFICATE  
3-7-90

JUN 27 1990

All tests were modified in the presence of 5% organic serum.

DILUTION: 1 to 256

ONE-HALF OUNCE PER GALLON

ACTIVE INGREDIENTS:

- Didecyl dimethyl ammonium chloride . . . . . 7.5%
- n-Alkyl (C<sub>14</sub> 50%, C<sub>12</sub> 40%, C<sub>16</sub> 10%)k dimethyl benzyl ammonium chloride . . . . . 5.0%
- INERT INGREDIENTS. . . . . 87.5%

34797-75

KEEP OUT OF REACH OF CHILDREN

DANGER: See other precautions on back panel.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician immediately. If swallowed, drink promptly a large quantity of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Manufactured By: Qualis, Inc.  
Des Moines, Iowa 50321

Net Contents: 1 Gallon

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:**

**CORROSIVE:** Causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Wash contaminated clothing before reuse. Avoid contamination of food, water, or feed. To protect eyes, wear goggles or face shield and to protect skin, wear rubber gloves when handling. Wash thoroughly with soap and water after handling. Harmful if swallowed.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**GENERAL USE DIRECTIONS**

**USES:** Floors, walls, metal surfaces, painted surfaces, exterior bowl surfaces, empty basins, showers, conductive flooring, and lavatory fixtures. For institutional use only such as in hospitals and nursing homes, schools and colleges, medical and dental offices, veterinary clinics and animal life science laboratories.

**APPLICATION:** Use 1/2 ounce of Canine Parvo Virus Disinfectant per gallon of water for a minimum contact time of 10 minutes in a single application. For disinfecting, remove gross filth and heavy soil deposits, then thoroughly wet all surfaces. Canine Parvo Virus Disinfectant can be applied with a mop, sponge or cloth as well as soaking. The use solution is used once and discarded. Rinsing is not necessary on floor surfaces unless floors are to be waxed or polished.

**STORAGE AND DISPOSAL**

**PROHIBITIONS**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

**PESTICIDE DISPOSAL**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**

**PLASTIC CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**FIBER DRUMS WITH LINERS:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

**METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**GENERAL**

Consult federal, state or local authorities for approved alternative procedures such as limited open burning.

ACCEPTED  
with COMMENTS  
in EPA Letter #  
34797-75  
JUN 27 1991