

APR 26 1985

Wexford Labs, Inc.  
325 Leffingwell  
Kirkwood, MO 63122

Attention: Said Raziq

Gentlemen:

Subject: WEX-CIDE Concentrated Germicidal Detergent  
EPA Registration No. 34810-8  
Label Submissions of December 4, 1984, and February 7, 1984

The label referred to above, submitted in connection with registration under FIFRA sec. 3(e)(7)(A), is acceptable, provided you comply with the following conditions:

1. Make the following label changes on the finished printed label:
  - a. A suitable DISPOSAL statement for containers 1 gallon or less would be "Rinse thoroughly; wrap containers and put in trash." Refer to FR Notice 84-1, February 17, 1984.
  - b. The signal word DANGER should precede the precautionary paragraph.
  - c. The wording "wear goggles or face shield and rubber gloves when handling" is required for all products carrying the signal word "DANGER." Refer to Section 162.10 (b)(2)(1)(B), 40 CFR.

An edited version of your label is enclosed.

2. Two (2) copies of the finished printed labels, as defined in the A-79 enclosure, must be submitted to the Agency before the product is released for shipment to comply with FR Notice 82-2 of June 18, 1982.
3. The finished printed labels must comply with the general labeling requirements of 162.10 of Title 40 of the Code of Federal Regulations. Failure to do so may result in rejection of the labels.

A stamped copy of the label is enclosed for your records.

CONCURRENCES							
SYMBOL							
SURNAME	HCL						
DATE	4-26-85						

EPA Form 1320-1 (4-81)


OFFICIAL FILE COPY

Please note: The address of record for this product file is:

Wexford Labs. Inc.  
1035 S. Vandeventer Ave.  
St. Louis, MO 63110

If you wish it changed to the Kirkwood, Missouri address, then you should write to our "Registration Support Branch," Registration Division, OPTS-767C, and request this change be made.

Sincerely yours,



J. A. L. Castillo  
Product Manager (32)  
Disinfectants Branch  
Registration Division (TS-767C)

Enclosure

JOB:92200:RD85-16:4/22/85:Del:4/25/85:Kendrick:898-'270:DAA



# WEX-CIDE

**CONCENTRATED GERMICIDAL DETERGENT**  
**CLEANS --- DISINFECTS --- DEODORIZES**  
**GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL**  
**FUNGICIDAL and VIRUCIDAL\***  
in soft or hard water (A.O.A.C. 400 ppm Hardness as Calcium Carbonate)

**ACTIVE INGREDIENTS:**

ortho-Phenylphenol 6.73%, ortho-Benzyl-para-Chlorophenol 5.76%  
Essential Oils 0.50%

**INERT INGREDIENTS:**

87.01%. Includes biodegradable detergents and no phosphates

EPA REGISTRATION NO. 34810-8

**DANGER: KEEP OUT OF REACH OF CHILDREN.**

**STATEMENT OF PRACTICAL TREATMENT**

In case of eye contact, flush with water for 15 minutes. Get prompt medical attention. For skin contact, flush with water. See back panel for additional precautionary statements

**Wexford Labs, Inc.**

325 Leffingwell Avenue

Kirkwood, Missouri 63122

**FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY.**

Contents: One U.S. Gallon

**GERMICIDAL QUALIFICATIONS**

(AOAC Use Dilution Confirmation) .....

**TUBERCULOCIDAL ACTIVITY TEST**

(AOAC, M. Tuberculosis) .....

**FUNGICIDAL TEST**

(AOAC, T. mentagrophytes) .....

**STORAGE AND DISPOSAL:** Store at room temperature. Do not leave containers of this product open during storage. Do not allow to contaminate water, food, or feed by storage or use. Rinse (or equivalent). Then offer for recycling, or puncture and dispose of in sanitary landfill, or by other methods approved by state and local authorities.

## **WEX-CIDE**

### **CONCENTRATED GERMICIDAL DETERGENT**

WEX-CIDE is used for cleaning, disinfecting and deodorizing floors, walls, and other similar hard surfaces. Especially suited for use in Operating Rooms, Intensive Care, Nurseries, Emergency Areas, Patient Rooms and Rest Rooms.

When used as directed WEX-CIDE is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Pseudomonas aeruginosa*, pathogenic fungi, Influenza A3 (Hong Kong), Adenovirus Type 2, Herpes simplex Types 1 and 2, and Vaccinia virus.

WEX-CIDE is a synthetic germicidal detergent with broad spectrum kill of both gram positive and gram negative micro-organisms. It is an excellent cleaner. WEX-CIDE is biodegradable detergents and is phosphate free. Do not mix with other cleaners.

#### **DIRECTIONS:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For all disinfection of hard, inanimate surfaces, including hospital and health care facilities, use WEX-CIDE at a dilution of 1/2 ounce per gallon of water, for walls, floors, bathroom fixtures, surgical instruments, stainless steel, chrome, glass and vinyl. WEX-CIDE solution may be applied with a cloth, mop or brush, or by immersing equipment to be disinfected. Wet all surfaces thoroughly. The sur-

face must remain wet for at least 10 minutes before drying the hard surface with a cloth, or a mop in the case of floors. Gross filth and heavy soil must be removed before applying cleaning solution. Discontinue solution when it becomes dirty and replace with fresh solution.

When disinfecting surgical instruments with WEX-CIDE, these instruments must be pre-cleaned to remove blood and serous exudates prior to immersion in, or treatment with WEX-CIDE.

#### **PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS AND DOMESTIC ANIMALS:** Keep out of reach of children. Corrosive. Causes eye damage or skin irritation. Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed.

**STATEMENT OF PRACTICAL TREATMENT:** In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol and call a physician.

**NOTE TO PHYSICIAN:** Probable mucosal damage may occur. Indicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**Wexford Labs, Inc.**

EPA ESTABLISHMENT NUMBER 34810-MO.1

**ACCEPTED**  
**COMMENTS**  
EPA Letter Dated:

26  
APR 26 1985

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

34810-8



# WEX-CIDE

**CONCENTRATED GERMICIDAL DETERGENT  
CLEANS — DISINFECTS — DEODORIZES  
GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL  
FUNGICIDAL and VIRUCIDAL\***

In soft or hard water (A.O.A.C. 400 ppm Hardness as Calcium Carbonate)

**ACTIVE INGREDIENTS:**

ortho-Phenylphenol 6.73%, ortho-Benzyl-para-Chlorophenol 5.76%  
Essential Oils 0.50%

**INERT INGREDIENTS:** ..... 87.01%

87.01% Includes biodegradable detergents and no phosphates.

EPA REGISTRATION NO. 34810-8

**DANGER: KEEP OUT OF REACH OF CHILDREN.**

**STATEMENT OF PRACTICAL TREATMENT**

In case of eye contact, flush with water for 15 minutes. Get prompt medical attention. For skin contact, flush with water. See back panel for additional precautionary statements.

**Wexford Labs, Inc.**

325 Leffingwell Avenue

Kirkwood, Missouri 63122

**FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY.**

Contents: One U.S. Gallon

**GERMICIDAL QUALIFICATIONS**

(AOAC Use Dilution Confirmation) ..... 1

**TUBERCULOCIDAL ACTIVITY TEST**

(AOAC, M. Tuberculosis) ..... 1

**FUNGICIDAL TEST**

(AOAC, T. mentagrophytes) ..... 1

**STORAGE AND DISPOSAL:** Store at room temperature. Do not leave containers of this product open during storage. Do not contaminate water, food, or feed by storage or disposal. Rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in sanitary landfill or by other procedures approved by state and local authorities.

*Then thoroughly. Do not reuse empty container; wrap put in trash.*

*Submitted for EPA  
by H&L 4-26-85*

**WEX-CIDE**  
**CONCENTRATED GERMICIDAL DETERGENT**

WEX-CIDE is used for cleaning, disinfecting and deodorizing floors, walls, and other similar hard surfaces. Especially suited for use in Operating Rooms, Intensive Care, Nurseries, Emergency Areas, Patient Rooms and Rest Rooms.

When used as directed WEX-CIDE is effective against Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa, pathogenic fungi, Influenza A3 (Hong Kong), Adenovirus Type 2, Herpes simplex Types 1 and 2, and Vaccinia virus.

WEX-CIDE is a synthetic germicidal detergent with broad spectrum kill of both gram positive and gram negative micro-organisms. It is an excellent cleaner. WEX-CIDE contains biodegradable detergents and is phosphate free. Do not mix with other cleaners.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For all disinfection of hard, inanimate surfaces, including hospital and health care facilities, use WEX-CIDE at a dilution of 1/2 ounce per gallon of water, for walls, floors, bathroom fixtures, surgical instruments, stainless steel, chrome, glass and vinyl. WEX-CIDE solution may be applied with a cloth, mop or brush, or by immersing equipment to be disinfected. Wet all surfaces thoroughly. The sur-

face must remain wet for at least 10 minutes before drying the hard surface with a cloth, or a mop in the case of floors. Gross filth and heavy soil must be removed before applying cleaning solution. Discard solution when it becomes dirty and replace with fresh solution.

When disinfecting surgical instruments with WEX-CIDE, these instruments must be precleaned to remove blood and serous exudates prior to immersion in, or treatment with WEX-CIDE.

**PRECAUTIONARY STATEMENTS**

**DANGER.**

**HAZARD TO HUMANS AND DOMESTIC ANIMALS:** Keep out of reach of children. Corrosive. Causes eye damage or skin irritation. Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing. *Protect eyes and skin when handling concentrate. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling.*

**STATEMENT OF PRACTICAL TREATMENT:** In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol and call a physician.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**Wexford Labs, Inc.**

EPA ESTABLISHMENT NUMBER 34810-MO.1