

JAN 3 1986

Wexford Labs, Inc.
325 Leffingwell Avenue
Kirkwood, MO 63122

Attention: Said Raziq


Gentlemen:

Subject: WEX-CIDE Concentrated Germicidal Detergent
EPA Registration No. 34810-8
Amendment Application of June 2, 1985

The proposed alternate formulation involving a reduction in acid content is acceptable.

This information has been made apart of the record for this file.

Sincerely yours,


A. E. Castillo

Product Manager (32)
Disinfectants Branch
Registration Division (TS-767C)

91442:Lucke:RD-16:KENCO:12/26/85:1/7/86:dej:VO

CONCURRENCES

SYMBOL							
AN3	1986						

0-1 (4-81)

OFFICIAL FILE COPY

2/5
JAN 3 1986

Wexford Labs, Inc.
325 Leffingwell Avenue
Kirkwood, MO 63122

Attention: Said Raziq

Gentlemen:

Subject: WEX-CIDE Concentrated Germicidal Detergent
EPA Registration No. 34810-8
Amendment Application of October 15,
and November 11, 1985

The label referred to above submitted in connection with registration under FIFRA section 3(c)(7)(A), is acceptable, provided that you comply with the following conditions:

1. On the label which will be used for the product in channels of trade, make the labeling addition "Wex-Cide is suitable for cleaning floors and walls in all departments of food processing plants at 1:256 use dilution" to the "Directions for Use" section.
2. Your draft label is accepted in accordance with PR Notice 82-2 of June 18, 1982. This means that you must submit five (5) copies of the finished printed label before you use it on your product in channels of trade. Refer to the A-79 enclosure for a description of the finished printed labels.

91442:Lucke:RD-16:KENCO:12/26/85:1/7/86:dej:VO

CONCURRENCES

SYMBOL	NAME							
	WEX							
	N3	1986						

20-1 (4-81)

OFFICIAL FILE COPY

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped label is enclosed for your records.

Sincerely yours,



A. E. Castillo
Product Manager (32)
Disinfectants Branch
Registration Division (TS-767C)

Enclosures

stamped draft label
A-79

QUALIFICATIONS:
 (Confirmation) in the presence of 400
 and 5% serum at 1:256
 aeruginosa, S. aureus, S. choleraesuis).

ACTIVITY TEST:
 (tuberculosis) in the presence of 400 ppm
 % blood serum at 1:256

TEST:
 (agrophytes) in the presence of 400 ppm
 % serum at 1:256

ACTIVITY TEST:
 (Hong Kong), Adenovirus Type 2, Herpes
 and 2, and Vaccinia virus) in the presence
 of 5% serum at 1:256

DISPOSAL: Store at room temperature.
 Containers of this product open during
 use should be thoroughly washed. Do not reuse empty containers;
 wash.

WEX-CIDE
 CONCENTRATED GERMICIDAL DETERGENT

WEX-CIDE is used for one-step cleaning, disinfecting and deodorizing floors, walls, and other similar hard surfaces. Especially suited for use in Operating Rooms, Intensive Care, Nurseries, Emergency Areas, Patient Rooms and Rest Rooms.

When used as directed WEX-CIDE is effective against Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa, pathogenic fungi, Influenza A3 (Hong Kong), Adenovirus Type 2, Herpes simplex Types 1 and 2, and Vaccinia virus.

WEX-CIDE is a synthetic germicidal detergent with broad spectrum kill of both gram positive and gram negative micro-organisms. It is an excellent cleaner. WEX-CIDE contains biodegradable detergents and is phosphate free. Do not mix with other cleaners.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For all disinfection of hard, inanimate surfaces, including hospital and health care facilities, use WEX-CIDE at a dilution of 1/2 ounce per gallon of water, for walls, floors, bathroom fixtures, surgical instruments, stainless steel, chrome, glass and vinyl. WEX-CIDE solution may be applied with a cloth, mop or brush, or by immersing equipment to be disinfected. Wet all surfaces thoroughly. The sur-

face must remain wet for at least 10 minutes. For heavy soil must be removed before use. Wex-cide is suitable for use on all hard surfaces. When disinfecting surgical instruments must be pre-cleaned prior to immersion in solution.

PRECAUTIONS

HAZARD TO HUMANS: Keep out of reach of children. Avoid skin irritation. Avoid breathing dust, skin, or on clothing. Wear gloves when handling the concentrate.

STATEMENT OF PRACTICE: Immediately flush eyes or skin for 15 minutes. For eyes call a physician. If swallowed, drink large quantities of water.

NOTE TO PHYSICIAN: Indicate the use of gastric lavage, shock, respiratory depression.

Wexford Labs, Inc.

EPA ESTABLISHMENT NUMBER 34810-MO.1

July 1985

WEX-CIDE

CONCENTRATED GERMICIDAL DETERGENT

CLEANS --- DISINFECTS --- DEODORIZES

GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL
FUNGICIDAL and VIRUCIDAL*

in soft or hard water (A.O.A.C. 400 ppm Hardness as Calcium Carbonate)
and organic soil (5% serum).

ACTIVE INGREDIENTS:

ortho-Phenylphenol 6.73%, ortho-Benzyl-para-Chlorophenol 5.76%
Essential Oils 0.50%

INERT INGREDIENTS: 87.01%

Includes biodegradable detergents and no phosphates.

EPA REGISTRATION NO. 34810-8

DANGER: KEEP OUT OF REACH OF CHILDREN.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, flush with water for 15 minutes. Get prompt medical attention. For skin contact, flush with water. See back panel for additional precautionary statements

Wexford Labs, Inc.

325 Leffingwell Avenue

Kirkwood, Missouri 63122

FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY.

Contents: One U.S. Gallon

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 3 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

34810-8

GERMICIDAL QUALIFICATIONS:

(AOAC Use Dilution Confirmation) in the presence of 400
ppm hardness and 5% serum at 1:256
(A.O.A.C. Ps. aeruginosa, S. aureus, S. choeraesuis).

TUBERCULOCIDAL ACTIVITY TEST:

(AOAC M. Tuberculosis) in the presence of 400 ppm
hardness and 5% blood serum at 1:256

FUNGICIDAL TEST:

(AOAC, T. mentagrophytes) in the presence of 400 ppm
hardness and 5% serum at 1:256

VIRUCIDAL ACTIVITY TEST:

(*Influenza A₃ (Hong Kong), Adenovirus Type 2, Herpes
simplex Types 1 and 2, and Vaccinia virus) in the presence
of 400 ppm hardness and 5% serum at 1:256

STORAGE AND DISPOSAL: Store at room temperature.
Do not leave containers of this product open during
storage. Rinse thoroughly. Do not reuse empty containers;
wrap and put in trash.

WEX-CIDE is used for one-ster-
ing floors, walls, and other sur-
for use in Operating Rooms, In-
Areas, Patient Rooms and Re-

When used as directed WEX-C
cus aureus, Salmonella chole-
pathogenic fungi, *Influenza A
Herpes simplex Types 1 and 2

WEX-CIDE is a synthetic germi-
kill of both gram positive and c-
an excellent cleaner. WEX-C
gents and is phosphate free. L

DIRECTIO

It is a violation of Federal La-
inconsistent with its labeling.

For all disinfection of hard, in-
and health care facilities, use
per gallon of water, for walls
instruments, stainless steel, c-
solution may be applied with a
equipment to be disinfected. V