

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 34810-18	DATE OF ISSUANCE 30 JUN 1987
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT TRYPIC-5000	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Western Labs, Inc.
 325 Leffingwell
 Birdwood, MO 63121

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 34810-18" to your label before you release the product for shipment.
3. The results of the 12-month Storage and Stability study must be received by the Agency within 2 years after the granting of registration.
4. Submit two (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-71 enclosure for a further description of final printed labeling.

A copy of your proposed label with our acceptance stamp is included with this registration with the understanding that you will comply with the conditions in the attachment to the Registration Notice.

[Signature]
 Joe K. Koster
 Product Manager (2)
 Registration Branch
 Registration Division (75-767)

Enclosures

ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

Pringle 6/26

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 30 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, the pesticide
registered under EPA Reg. No.
34810-12

THYMO-WEX
Concentrated Germicidal Detergent

CLEANS -- DISINFECTS -- DEODORIZES
GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL, FUNGICIDAL and VIRUCIDAL*
IN SOFT WATER or HARD WATER (A.O.A.C. 400 ppm hardness as
Calcium Carbonate), with 5% Serum.


- ACTIVE INGREDIENTS:
- 5-Methyl-2-isopropyl-1 phenol..... 13%
- INERT INGREDIENTS:
- Includes biodegradable detergents, perfume and water..... 87%

EPA REG. NO. _____

CAUTION:: KEEP OUT OF REACH OF CHILDREN
See rear panel for additional precautionary and first aid statements.

WEXFORD LABS, INC.
325 Leffingwell Avenue Kirkwood, Missouri 63122

FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY
Contents: One U.S. Gallon



THYMO-WEX
Concentrated Germicidal Detergent

THYMO-WEX is used for cleaning, disinfecting and deodorizing floors, walls, and other hard surfaces. Especially suited for use in Operating Rooms, Intensive Care, Nurseries, Emergency Areas, Patient Rooms and Rest Rooms. When used as directed THYMO-WEX is effective against gram negative and gram positive microorganisms such as Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa, Pathogenic fungi, Mycobacterium tuberculosis and *Lipophilic viruses, such as Influenza A₃(H3N2-Hong Kong), Herpes Simplex Type 2, and Vaccinia, in the presence of A.O.A.C. 400 ppm hard water and 5% serum.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For all disinfection of hard surfaces in hospitals, health care facilities, schools and nursing homes, such as floors, walls, bathroom fixtures, shower stalls, use THYMO-WEX at 1 ounce per gallon of water. THYMO-WEX use-dilution may be applied with a cloth, mop or brush on surfaces such as stainless steel, chrome, glass, vinyl, ceramic, and terrazzo. Wet all non-porous environmental surfaces with moderate organic soil load thoroughly for at least ten minutes. Use-dilution of THYMO-WEX should be changed daily or sooner if it becomes over diluted or soiled.

THYMO-WEX is effective against Influenza A³ Hong Kong, Herpes Simplex Type 2, and Vaccinia viruses in 400 ppm hard water and 5% organic soil for inanimate hard surfaces. THYMO-WEX is a synthetic germicidal detergent with broad spectrum kill of both gram positive and gram negative microorganisms.

Contains biodegradable detergents and is phosphate free. DO NOT MIX WITH OTHER CLEANERS. For gross filth or heavy soil a pre-cleaning step is required.

CAUTION

KEEP OUT OF REACH OF CHILDREN. Corrosive, causes eye damage and skin irritation. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wear rubber gloves and safety glasses when handling concentrate. Harmful if swallowed. Avoid contamination of food.

STORAGE and DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration, if allowed by state and local authorities. Consult federal, state or local disposal authorities for approved alternative procedure.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol and call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulator shock, respiratory depression and convulsion may be needed.

EPA ESTABLISHMENT NUMBER 34810-MO-1

BEST AVAILABLE COPY