ACC		
Under the Federal Rodenticide Act a pesticide, register EPA Reg. No.	CONCENTRATED GERMICIDAL DETERGENT CLEANS - DISINFECTS - DEODORIZES GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL, FUNGICIDAL AND VIRUCIDAL* in soft water or hard water (A.O.A.C. 400 ppm hardness as Calcium Carbonate), with 5% Serum, on inanimate surfaces. ACTIVE INGREDIENT: 5-methyl-2-isopropyi-1-phenol 13% INERT INGREDIENTS: 87%	DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not mix with other cleaners. For all disinfection of hard, nonporous, surfaces in hospitals, health care facilities, schools, and nursing homes, such as floors, walls, bathroom fixtures, shower room stalls, use THYMO-CIDE at 1/2 ounce per gallon of water. THYMO-CIDE use-dilution may be applied with a cloth, mop or brush on surfaces such as stainless steel, chrome, glass, vinyi, ceramic, and terrazzo. Wet all surfaces thoroughly for at least 10 minutes. **Gross filth and heavy soil must be removed before applying cleaning solution. When used for mopping or from an open pail solution should be changed at least daily or more often if the solution becomes diluted or solled. STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage and disposal. PESTICIDE STORAGE: Store at room temperature. Do not leave container of this product open during storage. PESTICIDE DISPOSAL Open dumping is prohibited. Pesticide wastes are acutely hazardous IMPORTANT: Disposal of excess pesticides, spray mixture or rinsate is a violation of Federal Law. PESTICIDE CONTAINER DISPOSAL: Do not reuse employ container. Triple rinse (or equivalent) then offer for recycling or reconditioning, or dispose of h a sanitary landfill or by incineration, if allowed by state or local authorities. Consult federal, state or local disposal authorities for approved alternative procedure, GENERAL INFORMATION
•	100% EPA REG. NO. 34810-18 • EPA EST, NO. 34810-MO-1 KEEP OUT OF REACH OF CHILDREN DANNEF See side panel for additional precautionary statements. Wexford Labs, Inc. S25 Leffingwell Avenue	GENERAL INFORMATION GERMICIDAL QUALIFICATIONS:(A.O.A.C. Use Dilution Confirmation) in the presence of 400 ppm hardness as Calcium Carbonale and 5% serum al 1:256 (A.O.A.C. Ps. aeruginosa, S. aureus, S. choleraesuis; including S. aureus [MRSA] [TNSR] [GRM] and [PA] and S. Epidermidis [MRSE]). TUBERCULOCIDAL ACTIVITY TEST :(A.O.A.C. M. tuberculosis) in the presence of 400 ppm hardness as Calcium Carbonale and 5% serum at [20°C for 10 minutes]**See back panel

FOR INDUSTRIAL and INSTITUTIONAL USE CONTENTS: One Half Gallon (64 Fluid Ounces) or 1.8925 Liters

DIRECTIONS FOR USE

ot contaminate water, food or feed by storage and disposal. PESTICIDE AGE: Store at room temperature. Do not leave container of this product open storage. PESTICIDE DISPOSAL: Open dumping is prohibited. Pesticide wastes utely hazardous IMPORTANT; Disposal of excess pesticides, spray mixture or is a violation of Federal Law, PESTICIDE CONTAINER DISPOSAL: Do not reuse container, Triple rinse (or equivalent) then offer for recycling or reconditioning, cose of in a sanitary landfill or by incineration, if allowed by state or local ities. Consult federal, state or local disposal authorities for approved alternative dure, 🔔 **GENERAL INFORMATION** ICIDAL QUALIFICATIONS: (A.O.A.C. Use Dilution Confirmation) in the ce of 400 ppm hardness as Calcium Carbonate and 5% serum at...... 1:258 .C. Ps. aeruginosa, S. aureus, S. choleraesuls; including S. aureus [MRSA] [GRM] and [PA] and S. Epidermidis [MRSE]). RCULOCIDAL ACTIVITY TEST: (A.O.A.C. M. tuberculosis) in the presence of pm hardness as Calcium Carbonate and 5% serum at (20°C for 10 CIDAL TEST: (A.O.A.C. T. mentagrophytes) In the presence of 400 ppm hard-IDAL ACTIVITY TEST: (*Influenza A2/Hong Kong, Herpes simplex Type 2 and la virus, in the presence of 400 ppm hardness and 5% serum, and HIV-1 [AIDS

- 01848 90

100/14/2001

thymo-cide

CONCENTRATED GERMICIDAL DETERGENT

GENERAL PRECAUTIONS AND RESTRICTIONS

DECONTAMINATION OF CRITICAL OR SEMI-CRITICAL DEVICES PRIOR TO TERMINAL STERILIZATION/HIGH LEVEL DISINFECTION: This product is not to be used as a ternical sterilant/righ level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts infact mucous membranes but which does not ordinarily penetrate the blood pamer or of ternise enter normal sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

*KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES /OBJECTS PREVIOUSLY SOLEE WITH BLOOD/BODY FLUIDS in health care settings or other settings or which there is an expected likelihood of soiling of inanimate surfaces/objects with blood of body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1(HIV-1) (associated with ADS).

APPLICATION INSTRUCTIONS

SPECIAL INSTRUCTIONS FOR CLEANING AND DECON-TAMINATING SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1 (AIDS VIRUS). PERSONAL PROTECTION: Wear discosable rubber or latex glowns, gowns, face masks, or eye coverings as appropriate, when performing manual cleaning of these surfaces. CONTACT TIME: Leave surfaces wet for 1 minute. This contact time will not control other common types of viruses and bacteria.

CLEANING PROCEDURE: THYMO-CDE solution may be used to remove and clean blood and other body fluids from surfaces and objects before disinfection. For lightly solied areas wipe off usual soli/clean with THYMO-CDE solution, and disinfect surface with a second application of the THYMO-CDE solution. For large spils the contaminated area should

4

and the second state of the second second

be flooded with the THYMO-CIDE solution before cleaning, then decontaminated with fresh THYMO-CIDE solution.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

CORROSIVE: Causes irreversible eye damage. Harmful if absorbed prough the skin. Do not get in eyes or on clothing. Wear protective eyewear (face shield, or safety glasses). Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and genity with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, men conlinue rinsing. Call a Poison Control Center or doctor for reatment advice. IF ON SKIN: Take off contaminated clothing. Alines exin mmediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a Poison Control Center or doctor. Call a Poison Control Center or doctor mmediately for treatment advice. In case of emergency call Chemitec at 300-424-9300. Have the product container or label with you when calling a Poison Control Center or doctor.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate me use of gastric lavage. Measures against circulatory shock, respiratory repression and convulsion may be needed. (Have the product container or label with you when calling a poison control center or doctor or going for treatment)

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

Wexford Labs, Inc.

THYMO-052101

(P)=1