thymo-cide

CONCENTRATED GERMICIDAL DETERGENT **CLEANS - DISINFECTS - DEODORIZES**

GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL, FUNGICIDAL AND VIRUCIDAL* in soft water or hard water (A.O.A.C. 400 ppm hardness as Calcium Carbonate), with 5% Serum, on inanimate surfaces.

ACTIVE INGREDIENT:

Thymol 13%

INERT INGREDIENTS: 87% Includes biodegradable detergents, perfume and water

100%

EPA REG. NO. 34810-18 • EPA EST, NO. 34810-MO-1

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements.

Wexford Labs. Inc.

325 Leffingwell Avenue

Kirkwood, Missouri 63122

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not mix with other cleaners.

For all disinfection of lians, componius, surmore in the spitale, health care facilities, schools, and nursing homes, such as floors, walls, bathroom fixtures, shower room stalls, use THYMO-CIDE at 1/2 ounce per gallon of water. THYMO-CIDE use-dilution may be applied with a cloth, mop or brush on surfaces such as stainless steel, chrome, glass, virryl, ceramic, and terrazzo. Wet all surfaces thoroughly for at least 10 minutes. **Gross fifth and heavy soil must be removed before applying cleaning solution. When used for mopping or from an open pail solution should be changed at least daily or more often if the solution becomes diluted or solled.

STORAGE AND DISPOSAL.

Do not contaminate water, food or feed by storage and disposal. PESTICIDE STORAGE: Store at room temperature. Do not leave container of this product open during storage, PESTICIDE DISPOSAL: Open dumping is prohibited. Pesticide wastes are acutely hazardous IMPORTANT: Disposal of excess pesticides, spray mixture or rinsate is a violation of Federal Law, PESTICIDE CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse for equivalent) then offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration, if allowed by state or local authorities. Consult federal, state or local disposal authorities for approved alternative procedure. _

GENERAL INFORMATION

GERMICIDAL QUALIFICATIONS:(A.O.A.C. Use Dilution Confirmation) in the presence of 400 porn hardness as Calcium Carbonale and 5% serum at...... 1:258 (A.O.A.C. Ps. seruginosa, S. aureus, S. choleraezuls; including S. aureus [MRSA] [TNSR] [GRM] and [PR] and S. Epidermidis [MRSE]).

TUBERCULOCIDAL ACTIVITY TEST:(A.O.A.C. M. tuberculosis) in the presence of 400 ppm hardness as Calcium Carbonate and 5% serum at 20°C for 10 minutes)**See back panel

FUNGICIDAL TEST: (A.O.A.C. T. mentagrophytes) in the presence of 400 ppm hard-

VIRUCIDAL ACTIVITY TEST: (*Influenza A2/Hong Kong, Herpes simplex Type 2 and Vaccinia virus, in the presence of 400 ppm hardness and 5% serum, and HIV-1 (AIDS virus]) in the presence of 400 ppm hardness as Calcium Carbonate and 10% serum on inanimate surfaces, at

FOR INDUSTRIAL and INSTITUTIONAL USE CONTENTS: One Half Gallon (64 Fluid Ounces) or 1.8925 Liters

ACCEPTED

MAY 3 0 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under

thymo-cide

CONCENTRATED GERMICIDAL DETERGENT

GENERAL PRECAUTIONS AND RESTRICTIONS
DECONTAMINATION OF CRITICAL OR BEMI-CRITICAL DEVICES
PRIOR TO TERMINAL STERILIZATION/HIGH LEVEL DISINFECTION:
This product is not to be used as a terminal sterilant/high level disinfectant
on any surface or instrument that [1] is introduced directly into the human
body, either into or in contact with the bloodstream or normally sterile
areas of the body, or [2] contacts intact mucous membranes but which
does not ordinarily penetrate the blood barrier or otherwise enter normal
sterile areas of the body. This product may be used to preclean or
decontaminate critical or semi-critical medical devices prior to sterilization
or high level disinfection.

*KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES /OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1@HIV-1) (associated with AIDS).

APPLICATION INSTRUCTIONS

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1 (AIDS VIRUS). PERSONAL PROTECTION: Wear disposable rubber or latex gloves, gowns, face masks, or eye coverings as appropriate, when performing manual cleaning of these surfaces. CONTACT TIME: Leave surfaces wet for 1 minute. This contact time will not control other common types of viruses and bacteria.

CLEANING PROCEDURE: THYMO-CIDE solution may be used to remove and clean blood and other body fluids from surfaces and objects before disinfection. For lightly solled areas wipe off visual soil/clean with THYMO-CIDE solution, and disinfect surface with a second application of the THYMO-CIDE solution. For large spills the contaminated area should

be flooded with the THYMO-CIDE solution before cleaning, then decontaminated with fresh THYMO-CIDE solution.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

CORROSIVE: Causes irreversible eye damage. Hamful if absorbed through the skin. Do not get in eyes or on clothing. Wear protective eyewear (face shield, or safety glasses). Wash hands before eating, drinking, chewing gum, using tobacco or using the tollet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, it present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice. IF ON SKIN: Take off conteminated clothing. Pinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a Poison Control Center or doctor. Call a Poison Control Center or doctor immediately for treatment advice. In case of emergency call Chemtrec at 800-424-8300. Have the product container or label with you when calling a Poison Control Center or doctor.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. (Have the product container or label with you when calling a poison control center or doctor or going for treatment.)

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

Wexford Labs, Inc.

ACCEPTED

MAY 3 0 2002

Under the Federal Insecticide, Fungicide, and Rodenficide Act as amended, for the penticide, registered under EPA Reg. No. 3:48/0-/8

2