

RECEIVED
JAN 12 2000



TOPPS

Concentrated Germicidal Detergent

CLEANS -- DISINFECTS -- DEODORIZES
GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL,
FUNGICIDAL and VIRUCIDAL*

in soft water or hard water (A.O.A.C. 400 ppm hardness as Calcium Carbonate), with 5% Serum, on inanimate surfaces.

ACTIVE INGREDIENTS:

o-Phenylphenol	7%
5-Methyl-2-(1-Methylethyl)phenol	7%
INERT INGREDIENTS:	86%
Includes biodegradable detergents, perfume and water	
	100%

EPA REG. NO. 34810-19 • EST. NO. 34810-MO-1

KEEP OUT OF REACH OF CHILDREN
DANGER

See side panel for additional precautionary and first aid statements.

Wexford Labs, Inc.

325 Lottingswell Avenue

Kirkwood, Missouri 63122

FOR INDUSTRIAL AND INSTITUTIONAL USE
Contents: One U.S. Gallon (128 Ounces) or 3.785 Liters

GERMICIDAL QUALIFICATIONS:

(A.O.A.C. Use Dilution Confirmation) in the presence of 400 ppm hardness as Calcium Carbonate and 5% serum at 1:256
(A.O.A.C. Ps. aeruginosa, S. aureus, S. choleraesuis, including S. aureus [MHSA] [1NSF] [GRM] and [PR] and S. Epidermidis [MRSE]).

TUBERCULOCIDAL ACTIVITY TEST:

(A.O.A.C. M. tuberculosis) in the presence of 400 ppm hardness as Calcium Carbonate and 5% serum at (20°C. for 10 minutes)** See back panel 1:256

FUNGICIDAL TEST:

(A.O.A.C. T. mentagrophytes) in the presence of 400 ppm hardness as Calcium Carbonate and 5% serum at 1:256

VIRUCIDAL ACTIVITY TEST:

(*Influenza A; Hong Kong, Dengue, Sindbis, Types 1 and 2, and Vaccinia virus, in the presence of 400 ppm hardness as Calcium Carbonate and 5% serum, and HIV-1 [AIDS virus]) in the presence of 400 ppm hardness and 10% serum, on inanimate surfaces, at 1:256

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive, causes eye damage and skin irritation. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wear safety glasses when handling concentrate. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Avoid alcohol and call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration, if allowed by state or local authorities. Consult federal, state or local disposal authorities for approved alternative procedure. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture or rinsate is a violation of Federal Law.

PM34

34810-19

1/12/00

1 of 2

TOPPS

CONCENTRATED GERMICIDAL DETERGENT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not mix with other cleaners.

For all disinfection of hard, nonporous, surfaces in hospitals, health care facilities, schools, and nursing homes, such as floors, walls, bathroom fixtures, shower stalls, and surgical instruments, use TOPPS at 1/2 ounce per gallon of water. TOPPS use-dilution may be applied with a cloth, mop or brush on surfaces such as stainless steel, chrome, glass, vinyl, ceramic, and terrazzo. Wet all surfaces thoroughly for at least 10 minutes. **Gross filth and heavy soil must be removed before applying cleaning solution. When used for mopping or from an open pail, solution should be changed at least daily or more often if the solution becomes diluted or soiled.

DECONTAMINATION OF CRITICAL OR SEMI-CRITICAL DEVICES PRIOR TO TERMINAL STERILIZATION/HIGH LEVEL DISINFECTION:

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normal sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

***TOPPS KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY**

FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING SURFACES OR OBJECTS SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1 (AIDS VIRUS). PERSONAL PROTECTION; Wear disposable rubber or latex gloves, gowns, face masks, or eye coverings as appropriate, when performing manual cleaning of these surfaces. **CONTACT TIME:** Leave surfaces wet for 1 minute. This contact time will not control other common types of viruses and bacteria.

CLEANING PROCEDURE: TOPPS solution may be used to remove and clean blood and other body fluids from surfaces and objects before disinfection. For lightly soiled areas wipe off visual soil/clean with TOPPS solution, and disinfect surface with a second application of the TOPPS solution. For large spills the contaminated area should be flooded with the TOPPS solution before cleaning, then decontaminated with fresh TOPPS solution.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

Wexford Labs, Inc.

EPA ESTABLISHMENT NUMBER 34810-MO-1

T-101794

2072