## READY TO USE TOPPS

## GERMICIDAL DETERGENT CLEANS • DISINFECTS • DEODORIZES GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL, FUNGICIDAL and VIRUCIDAL\*

ACTIVE INGREDIENTS:	
ortho-Phenylphenol	0.02/%
5-Melhyl-2-(1-Methylethyl)phenol	0.027%
INERT INGREDIENTS:	99.946%
Includes biodegradable detergents and no phosphates	100.000%
EPA REG. NO. 34810-22 PEPA EST, NO. 34810-mo-1	

## KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Polson Control Center or doctor for treatment advice. Have the product container or label with you when calling a polson control center or doctor or going for treatment. PRECAUTIONARY STATEMENTS. HAZARD TO HUMANS AND DOMESTIC ANIMALS.

PRECAUTIONARY STATEMENTS. HAZARD TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Harmful if absorbed through skin, Avoid contact with eyes, skin or clothing, Wash hands before sating, drinking, chewing gum, using tobacco or using the toilet.

STORAGE AND DISPOSAL: On not contaminate water, food or feed by storage and disposal PESTICIDE STORAGE; Wastes resulting from the use of this product may be disposed of according to applicable Federal, State or local procedures. PESTICIDE CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash

GERMICIDAL ACTIVITY: (AOAC Use Dilution Confirmation in the presence of 5% serum.) Ps. aeruginosa, S. aureus, S. choleraesuis; including S. aureus (MRSA) (TNSR) (GRM) and (PR) and S. Epidermidis (MRSE). TUBERCULOCIDAL ACTIVITY: (AOAC M. tuberculosis in the presence of 5% serum at 20°C for 10 minutes) FUNGICIDAL ACTIVITY: (AOAC T. Mentagrophytes in the presence of 5% serum.) VIRUCIDAL ACTIVITY: (\*Influenza A3(Hong Kong), Herpes simplex Types 1 & 2, Vaccinla virus in the presence of 5% serum, and HIV-1 (AIDS) in the presence of 10 % serum on inanimate surfaces.

Wexford Labs, Inc.

325 Leffingwell Avenue • Kirkwood, Missouri 63122

Contents: One Quart



It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Use READY TO USE TOPPS for one-step cleaning, disinfecting and deodorizing of hard, inanimate surfaces, in In Operating Rooms, Intensive Care, Nurseries, Emergency Areas, Dental Operatories, EMS, and other emergency response units, for working surfaces, stainless steel, chrome, glass and vinyl. Apply with a cloth or brush, or by immersing equipment to be disinfected. All hard surfaces must be wet thoroughly, and remain wet for at least 10 minutes before drying with a cloth. Gross filth and heavy soil must be removed before applying cleaning solution. Discard solution when it becomes dirty and replace with fresh solution. DO NOT MIX WITH OTHER CLEANERS.

GENERAL PRECAUTIONS AND RESTRICTIONS

DECONTAMINATION OF CRITICAL OR SEMI-CRITICAL DEVICES PRIOR TO TERMINAL STERILIZATION/HIGH LEVEL DISINFECTION: This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

\*READY TO USE TOPPS KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in all settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1(AIDS virus). PERSONAL PROTECTION: Wear disposable rubber or latex gloves, gowns, face masks, or eye coverings as appropriate, when performing manual cleaning of these surfaces. CONTACT TIME: Leave surfaces wet for 1 minute. This contact time will not control other common types of viruses and bacteria. CLEANING PROCEDURE: The solution may be used to remove and clean blood and other body fluids from surfaces and objects before disinfection. For lightly soiled areas wipe off visual soil/clean with solution, and disinfect surface with a second application of the solution. For large spills the contaminated area should be flooded with the solution before cleaning, then decontaminated with fresh solution. DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

JUL 13 2007

Under the Federal Insecticide, Funging of Rodenticide Act as amended, for the pesticide, registered under FPA Reg. No. 348/0-22

S