

pm 32

34810-28

153

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JAN 28 1991

Werford Labs, Inc.
325 Leffingwell
Kirkwood, MO 63122

Gentlemen:

Subject: ULTRA
EPA Registration No. 34810-28
Your Resubmission Dated December 13, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Five (5) copies of the finished labeling must be submitted before you release the product for shipment.

Sincerely yours,



Walter C. Francis
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosure

6 1997:I:Pringle:L32-17:KEVRIC:01/18/91:02/14/91:CL:WO:DD:tlc

CONCURRENCES

SYMBOL	H-75048						
SURNAME	Pringle						
DATE	1-23-91						

013

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 28 1989

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No.

34810-28



ULTRA

CONCENTRATED GERMICIDAL DETERGENT
CLEANS --- DISINFECTS --- DEODORIZES
GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL
FUNGICIDAL AND VIRUCIDAL*

in soft or hard water (A.O.A.C. 400 ppm Hardness as Calcium Carbonate) and
organic soil (5% serum).

ACTIVE INGREDIENTS:	
ortho-Phenylphenol	10.10%
ortho-Benzyl-para-Chlorophenol	8.64%
INERT INGREDIENTS:	81.26%
	100.00%

EPA REGISTRATION NO. 34810-28

KEEP OUT OF REACH OF CHILDREN
DANGER

See side panel for additional precautionary statements.

Wexford Labs, Inc.

325 Leffingwell Avenue

Kirkwood, Missouri 63122

FOR INDUSTRIAL AND INSTITUTIONAL USE
Contents: One U.S. Gallon (128 ounces)

GERMICIDAL QUALIFICATIONS:

(AOAC Use Dilution Confirmation) in the presence of 400 ppm hardness
and 5% serum at

(AOAC: Ps. aeruginosa, S. aureus, S. choleraesuis; including S. aureus
and MR) and S. Epidermidis (MRSE)).

TUBERCULOCIDAL ACTIVITY TEST:

(AOAC: M. Tuberculosis) in the presence of 400 ppm hardness as Ca
5% serum at (20 °C for 10 minutes)

FUNGICIDAL TEST:

(AOAC: T. mentagrophytes) in the presence of 400 ppm hardness as Ca
5% serum at

VIRUCIDAL ACTIVITY TEST:

(*Influenza A3 (Hong Kong), Adenovirus Type 2, Herpes simplex Types
in the presence of 400 ppm hardness and 5% serum, and HIV-1 (AIDS v
400 ppm hardness as Calcium Carbonate and 10% serum at

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS. DANGER. Keep
Container. Causes eye damage or skin irritation. Avoid breathing spray
on skin, or on clothing. Wear goggles or face shield and rubber gloves
concentrate. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT: In case of contact immedi-
ately with plenty of water for at least 15 minutes. For eyes call a physi-
cian. Contaminated clothing before reuse. If swallowed drink promptly a large
amount of alcohol and call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate
Measures against circulatory shock, respiratory depression and convulsions.

STORAGE AND DISPOSAL

Store at room temperature. Do not leave containers of this product open
thoroughly. Do not reuse empty containers, wrap and put in trash.

Made in U.S.A.

343

ULTRA

CONCENTRATED GERMICIDAL DETERGENT

ULTRA is used for one-step cleaning, disinfecting and deodorizing floors, walls, and other similar hard surfaces. Especially suited for use in Operating Rooms, Intensive Care, Nurseries, Emergency Areas, Patient Rooms and Rest Rooms. ULTRA is a synthetic germicidal detergent with broad spectrum kill of both gram positive and gram negative micro-organisms. It is an excellent cleaner, contains biodegradable detergents and is phosphate free. Do not mix with other cleaners.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For all disinfection of hard surfaces in hospitals, health-care facilities, schools, and nursing homes, use ULTRA at a dilution of 1/3 ounce per gallon of water for walls, floors, bathroom fixtures, surgical instruments, stainless steel, chrome, glass and vinyl. ULTRA solution may be applied with a cloth, mop or brush, or by immersing equipment to be disinfected. Wet all surfaces thoroughly. The surface must remain wet for at least 10 minutes before drying with a cloth, or a mop in the case of floors. Gross filth and heavy soil must be removed before applying cleaning solution. Discard solution when it becomes dirty and replace with fresh solution. ULTRA is suitable for cleaning floors and walls in all departments of food processing plants at 1:384 use dilution. **DISINFECTING SURGICAL INSTRUMENTS:** These instruments must be thoroughly pre-cleaned to remove blood and serous exudates, rinsed and roughed dried prior to immersion in, or treatment with ULTRA.

***ULTRA KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1(AIDS virus). Wear rubber or latex gloves when performing manual cleaning of these surfaces. **CONTACT TIME:** Leave surfaces wet for 10 minutes.

CLEANING PROCEDURE: ULTRA solution may be used to remove blood and other body fluids from surfaces and objects. For lightly soiled areas wipe off visual soil with ULTRA solution, and disinfect surface with a second application of the ULTRA solution. For large spills the contaminated area should be flooded with the ULTRA solution before cleaning, then decontaminated with fresh ULTRA solution.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

Wexford Labs, Inc.

EPA ESTABLISHMENT NUMBER 34810-MO.1

Worfr.d Labs, Inc.
325 Leffingwell
Kirkwood, MO 63122

Gentlemen:

Subject: ULTRA
EPA Registration No. 34810-28
Your Resubmission Dated December 13, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Five (5) copies of the finished labeling must be submitted before you release the product for shipment.

Sincerely yours,



Walter C. Francis
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosure

61997:I:Pringle:L32-17:KEVRIC:01/18/91:02/14/91:CL:WO:DD:tlc

CONCURRENCES

CONCURRENCES						
SYMBOL	H-75048					
SURNAME	Pringle					
DATE	1-23-91					

ACCEPTED
with COMMENTS
in EPA Letter Dated:

28 1991
JAN 28 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

34810-28



ULTRA

CONCENTRATED GERMICIDAL DETERGENT
CLEANS — DISINFECTS — DEODORIZES
GERMICIDAL, PSEUDOMONACIDAL, TUBERCULOCIDAL
FUNGICIDAL AND VIRUCIDAL*

In soft or hard water (A.O.A.C. 400 ppm Hardness as Calcium Carbonate) and
organic soil (5% serum).

ACTIVE INGREDIENTS:	
ortho-Phenylphenol	10.10%
ortho-Benzyl-para-Chlorophenol	8.64%
INERT INGREDIENTS:	81.26%
	<u>100.00%</u>

EPA REGISTRATION NO. 34810-28

KEEP OUT OF REACH OF CHILDREN
DANGER

See side panel for additional precautionary statements.

Wexford Labs, Inc.

325 Leffingwell Avenue

Kirkwood, Missouri 63122

FOR INDUSTRIAL AND INSTITUTIONAL USE
Contents: One U.S. Gallon (128 ounces)

GERMICIDAL QUALIFICATIONS:

(AOAC Use Dilution Confirmation) In the presence of 400 ppm hardness
and 5% serum at

(AOAC Ps. aeruginosa, S. aureus, S. choleraesuis; including S. aureus
and [PR] and S. Epidemidis [MRSE]).

TUBERCULOCIDAL ACTIVITY TEST:

(AOAC M. Tuberculosis) In the presence of 400 ppm hardness
5% serum at (20° C for 10 minutes)

FUNGICIDAL TEST:

(AOAC T. mentagrophytes) In the presence of 400 ppm hardness
5% serum at

VIRUCIDAL ACTIVITY TEST:

(Influenza A3 [Hong Kong], Adenovirus Type 2, Herpes simplex
In the presence of 400 ppm hardness and 5% serum, and HIV-1 [AIDS]
400 ppm hardness as Calcium Carbonate and 10% serum at

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS. DANGER.
Corrosive. Causes eye damage or skin irritation. Avoid breathing
on skin, or on clothing. Wear goggles or face shield and rubber gloves.
concentrate. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT: In case of contact
with plenty of water for at least 15 minutes. For eyes call a physician.
contaminated clothing before reuse. If swallowed drink promptly with
alcohol and call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate
Measures against circulatory shock, respiratory depression and cardiac arrest.

STORAGE AND DISPOSAL

Store at room temperature. Do not leave containers of this product
thoroughly. Do not reuse empty containers, wrap and put in trash.

Made in U.S.A.

ULTRA

CONCENTRATED GERMICIDAL DETERGENT

ULTRA is used for one-step cleaning, disinfecting and deodorizing floors, walls, and other similar hard surfaces. Especially suited for use in Operating Rooms, Intensive Care, Nurseries, Emergency Areas, Patient Rooms and Rest Rooms. ULTRA is a synthetic germicidal detergent with broad spectrum kill of both gram positive and gram negative micro-organisms. It is an excellent cleaner, contains biodegradable detergents and is phosphate free. Do not mix with other cleaners.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For all disinfection of hard surfaces in hospitals, health-care facilities, schools, and nursing homes, use ULTRA at a dilution of 1/3 ounce per gallon of water for walls, floors, bathroom fixtures, surgical instruments, stainless steel, chrome, glass and vinyl. ULTRA solution may be applied with a cloth, mop or brush, or by immersing equipment to be disinfected. Wet all surfaces thoroughly. The surface must remain wet for at least 10 minutes before drying with a cloth, or a mop in the case of floors. Grease film and heavy soil must be removed before applying cleaning solution. Discard solution when it becomes dirty and replace with fresh solution. ULTRA is suitable for cleaning floors and walls in all departments of food processing plants at 1:384 use dilution. **DISINFECTING SURGICAL INSTRUMENTS:** These instruments must be thoroughly pre-cleaned to remove blood and serous exudates, rinsed and roughed dried prior to immersion in, or treatment with ULTRA.

***ULTRA KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1(AIDS virus). Wear rubber or latex gloves when performing manual cleaning of these surfaces. **CONTACT TIME:** Leave surfaces wet for 10 minute.

CLEANING PROCEDURE: ULTRA solution may be used to remove blood and other body fluids from surfaces and objects. For lightly soiled areas wipe off visual soil with ULTRA solution, and disinfect surface with a second application of the ULTRA solution. For large spills the contaminated area should be flooded with the ULTRA solution before cleaning, then decontaminated with fresh ULTRA solution.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

Wexford Labs, Inc.

EPA ESTABLISHMENT NUMBER 34810-MO.1