GERMICIDAL DETERGENT: CLEANS • DISINFECTS • DEODORIZES
GERMICIDAL, PSEUDOMONACIDAL, FUNGICIDAL and VIRUCIDAL*

EPA Reg. No. 34810-35 ... EPA Est. No. 34810-MO-1 KEEP OUT OF REACH OF CHILDREN CAUTION

GERMICIDAL ACTIVITY: This product is effective in 5% serum against: Pseudomonas aeruginosa (ATCC 15442), Staphylococcus aureus' (ATCC 6538), Salmonella choleraesuis' (ATCC 10708), Trichophyton mentagrophytes (ATCC 9533), Listeria monocytogenes' (ATCC 19117), Escherichia Coli' (ATCC 43888), Clostridium difficile' (ATCC 9689), Poliovirus' type 1 (ATCC VR-58, Strain Brunhilde), Canine Parvovirus' (CPV), (ATCC VR-2017, Strain Cornell), Respiratory Syncytial Virus' (ATCC VR-26, Strain Long), Rotavirus' (Strain WA, University of Ottawa), Human Immunodeficiency Virus'Type 1, (Strain HTLV-III), Staphylococcus aureus - MRSA' (ATCC 33592), Staphylococcus epidermis - MRSE' (ATCC 51625), Enterococcus faecalis Vancomycin Resistant'(ATCC 51575), Herpes Simplex' Type 1 (ATCC VR-733, Strain F(I)), Herpes Simplex' Type 2 (ATCC VR-734, Strain G), Vaccinia Virus'(ATCC VR-119, Strain WR), Influenza' A Virus (ATCC VR-544, Strain Hong Kong), Adenovirus' type 2 (ATCC VR-846, Strain Adenoid 6), Duck Hepatitis B Virus (DHBV)², 1 - Five minutes Contact Time 2 - Ten minutes Contact Time

PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. FIRST AID - IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call a Poison Control Center or doctor for further treatment advice.

STORAGE AND DISPOSAL: Store in a cool place. Do not leave containers open during storage. Do not reuse empty container. Wastes resulting from use of this product may be poured down the drain. No special handling is required. Federal, State, or local regulations should be observed.

Wexford Labs, Inc. 325 Leffingwell Avenue Kirkwood, Missouri 63122

- Net Contents: One Quart -

Clean-Cide

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Product is ready to use. DO NOT DILUTE. Clean-Cide is a synthetic germicidal detergent with broad spectrum kill of gram positive and gram negative microorganisms. It is an excellent cleaner for working surfaces, such as stainless steel, chrome, glass, and vinyl. Apply with a doth or brush, or by immersing equipment to disinfect. CONTACT TIME: 10 Minutes. For heavily soiled areas or surfaces or objects soiled with blood or body fluids, a precleaning step must be implemented to remove the heavy soil before disinfection. Discard solution when it becomes dirty, replace with fresh solution. DECONTAMINATION OF CRITICAL OR SEMI-CRITICAL DEVICES PRIOR TO TERMINAL STERILIZATION/HIGH LEVEL DISINFECTION: This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (I) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection. *CLEAN-CIDE KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOURCE DEVICES in all settings in which there is an excellent cleaner for working detergent with breast an excellent cleaner for working of heart non-norms.

SOILED WITH BLOOD/BODY FLUIDS in all settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type I (HIV-I) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING SURFACES/OBJECTS

SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1 (AIDS virus).

PERSONAL PROTECTION: When handling objects soiled with blood or body fluids use disposable latex gloves, gowns, mask or eye coverings. **CLEANING PROCEDURE: DO NOT DILUTE** this product. Use as is. Remove and clean blood and other body fluids from surfaces and objects before application of Clean-Cide with a mop, cloth, or sponge so as to thoroughly wet pre-cleaned surfaces. Allow surfaces to remain wet for five minutes to ensure total in-activation of HIV virus. For lightly soiled areas wipe off visual soil, clean with solution, and disinfect surface with second application of solution. For large spills, the contaminated area should be flooded with the solution before cleaning then decontaminated with fresh solution.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other fluids should be autoclaved and disposed of according to Federal, State and Local regulations for infectious waste disposal.

CLEAN-CIDE is a broad spectrum, highly effective disinfectant and cleaner for use on hard, non-porous surfaces of inanimate objects. It is also designed to pre-soak and decontaminate instruments before sterilization. Clean-Cide is useful in the patient care, patient examination, laboratory, and food preparation area (non-food contact surfaces only), of medical, dental, and veterinary clinic and practitioners offices. Clean-Cide can also be used on the hard, non-porous surfaces of long term care facilities where environmental control of cross contamination is important.



100.00%

OCT 7 200

Under the Federal Insecticide, Fungicide, and Rodenticide, Act as amended, for the pesticide, registered under EPA Reg. No. 349/0 - 35



12/2tg